

જિલ્લા કલેક્ટરશ્રી અમદાવાદની કચેરી

VF5I૮ jI J:YF5G XFBF



ACIJW VF5I૮ jI J:YF5G IMHGF

Ò<, M 0v VDNFJFN
JQF 0v Z_!*

બહુવિધ આપત્તિ વ્યવસ્થાપન યોજના

જિલ્લો :- અમદાવાદ



UHZFT ZFHI VF5Iઁ jIJ:YF5G ; ઁFD0 /
sØPV ; POLPVDVPf
VG
S , S8Z SRZL4 VDNFJfN

; 1F5F1FZMGL I FNL

ICS	Incident Command System	(38GF IGI +6 T+f
EOC	Emergency Operation Center	(VFSI: DSTF ; RF , G SFDULZL Sgãf
DCR	District Control Room	(Ò< , F IGI +6 S1Ff
TCR	Taskforce Control Room	(SF IN / IGI +6 S1Ff
TLCR	Taluka Level Control Room	(TF , SF : TZGM IGI +6 S1Ff
DC	District Collector	(Ò< , F S , S8Zf
RAC	Resident Additional Collector	sIGJF ; L VIWS S , S8Zf
ARDC	Additional Resident Dy. Collector	(VIWS IGJF ; L GFIA S , S8Zf
DDO	District Development Officer	(Ò< , F IJSF ; VIWSFZLf
DSP	District Supritendent of Police	(Ò< , F 5M , ; VIW1FSf
SDM	Sub Divisional Megistrate	(; A l0IJhG , DÒ:88f
TDO	Taluka Development Officer	(TF , SF IJSF ; VIWSFZLf
ULB	Urban Local Body	(:YFIGS XCZL D0 / f
NCC	National Cadets Corps	(GXG , S08 SM% ; f
NGO	Non Government Organization	(IAG ; ZSFZL ; U9GMf
CD	Civil Defence	(GFUIZS ; Z1F6f
GSDMA	Gujarat State Disaster Mgmt Authority	(UHZFT ZFH I VF5I ğ j I J:YF5G ; ğFD0 / f
SOP	Standard Operating Procedure	(5DF6ET ; RF , G SF I5WITf

V 0 0 V G S D I 6 S F 0 0 V

SD	IJUT	5FGF GAZ
!	VFD B	5
Z	V F 5 I 2 j I J : Y F 5 G	&v)
#	V D N F J F N Ò< , F G L ~ 5 Z B F	!_v!#
\$	; S 8 4 H M B D 4 I G 0 ; C F I T F V G 1 F D T F S H V R C f V F S , G	!\$v! (
5	Z M S Y F D V G D L 8 L U X G G L Ò< , F : T Z I M H G F	!)vZ#
&	5 I T E F J D F 8 G L 5 J T I F Z L	Z#vZ*
*	5 I T E F J % , F G	Z(v#!
(	5 G 0 I : Y I T S Z J F D F 8 G M % , F G	#Zv5\$
)	1 F D T F J W G % , F G	55v5&
!_	X D G 4 I G J F Z 6 V G ; H H T F 5 t I T F , S F q V g I ; : Y F : T Z I M H G F	5&v&&
!!	G F 6 F V G A H 8	&*
!Z	Ò< , F G F 5 Z U : T U F D M V G 0 , 0 Z : I S L 8 q O F I Z O F I 8 Z G L O F / J 6 L G L I J U T	&(v*(
!#	V U t I G F ; 5 S G A Z M	*)v(*
!\$	T Z J I F V M G L I F N L	(*v((
!5	C L 8 J J 0 V F Z M u I , 1 F L ; R G M	()
!5	C M I : 5 8 , q a , 0 A g S q S g 8 M , ~ D q W F Z F ; e I z L V M q : J I r K S ; : Y F V M G F ; 5 S G A Z M	)_v)\$
!&	V F n M I U S V S D M G L D F I C T L	)5v!_)
!*	Z L ; M ; . g J g 8 Z L	!!_v!!&
! (	Z F Q 8 L I V G Z F H I S 1 F F G F S g 8 M , ~ D T Y F Z : S I V H g ; L V M G F ; 5 S G A Z M	!!*v!! (

— :: આમુખ :: —

ગુજરાત રાજ્ય આપત્તિ વ્યવસ્થાપન સત્તામંડળ ધ્વારા ગુજરાત રાજ્યના આપત્તિ સંવેદનશીલ જિલ્લાઓમાં સંયુક્ત રાષ્ટ્ર વિકાસ કાર્યક્રમના સહયોગથી " આપત્તિ જોખમ વ્યવસ્થાપન કાર્યક્રમ " અમલમાં મુકવામાં આવેલ છે. અવારનવાર સર્જાતી કુદરતી અને માનવ સર્જીત આફતોથી થતા નુકશાનમાં લાભાંગાળાનો ઘટાડો કરી શકાય અથવા તો નિવારી શકાય તે હેતુસર આ કાર્યક્રમ અંતર્ગત અમદાવાદ જિલ્લા માટે જિલ્લા આપત્તિ વ્યવસ્થાપન યોજના તૈયાર કરવામાં આવેલ છે.

જિલ્લા આપત્તિ વ્યવસ્થાપન યોજના જિલ્લામાં આફતોની પરિસ્થિતિ પહેલા, દરમ્યાન અને આફત પછીની પરિસ્થિતિમાં જિલ્લા આપત્તિ વ્યવસ્થાપન તંત્ર અને વિવિધ ટાસ્કફોર્સ ને વિવિધ કામગીરી હાથ ધરવામાં અને આફતથી થતા નુકશાનમાં ઘટાડો કરવામાં માર્ગદર્શકરૂપે નિવડશે.

આભાર સહ...

સ્થળ :- અમદાવાદ.

તારીખ :- ૧૧/૦૫/૨૦૧૭



જિલ્લા કલેક્ટર અમદાવાદ


VF5I¿ jIJ:YF5G

GXG , I0hF:8Z DGHDg8 VMYMLZ8L sNDMAf

VF5I¿VMV JTDFG ;DIGF 5IZ51IDF ÒJ DF+ ;FY J,F. UI,L KPEFZT
;ZSFZ VF IJQFI J:TG BA H UELZTFYL ,. VMUQ8 !))) DF VS High –
Powered Committee sHPCfGL ZRGF SZL VG Z__! GF UHZFT ES5 AFN
VF5I¿ jIJ:YF5G %,FGG VS DL8LUXG DLSGLhG TZLS :JLST SZJFDF VFjIP

Z# I0 ;dAZ Z__5 GF ZMH EFZT ;ZSFZ äZF I0hF:8Z DGHDg8 VS8 v Z__5
GL ZRGF SZJFDF VFJL4VG T DHA J0F5WFGGF J056 C9/ GXG , I0hF:8Z DGHDg8
VMYMLZ8L sNDMAf GL ZRGF SZJFDF VFJL VG ZFHIM DF8 DbID+LGF J056 C9/
:88 I0hF:8Z DGHDg8 VMYMLZ8L GL ZRGF ;RFZ VF5I¿ jIJ:YF5G DF8 SZJFGM GLWFZ
SZJFDF VFjIMP

NDMA äZF VF5I¿VMG 5CMRL J/JF DF8 IJIJW SFIM SZJFDF VFJ KPHDF
IZ:S IZ0SXG4IZCAL,XG HJL AFATMG ;DFJX YFI KPVF p5ZFT GXG , I0hF:8Z
DGHDg8 VS8 v Z__5 DF SNZTL VG DFGJ ;ÒT VF5I¿VMGF ;NEDF H~ZL
DFUNXG SFINFLI :J~5DF VF5JFDF VFjIF KP




UHZFT :88 l0hf:8Z DGHDg8 VMYMIZ8L v GSDMA

VF56 ZFHI VJFZGJFZ VF5I¿VMGM EMU AGT ZC KPSIFZS VFJL VF5I¿VM
EISZ CMI K S ZFHIG ;FDFgI HGÒJG VG ;DU VFIMHG VF VF5I¿GF SFZ6
BMZJF. HFI KPV VF56F AWFGM VGEJ KPUHZFT ZFHI äFZF VF5I¿ jIJ:YF5G TYF
5G0IGDF6 VG 5GJ;G VU GLIT IGWFIZT SZJFDF VFJL KPUHZFT ZFHI VF5I¿
jIJ:YF5G VIWGLID v Z__# 5;FZ SZL (0AVFZL Z__!GF ZMH UHZFT ZFHI
VF5I¿ jIJ:YF5G ;¿FD0/ **GSDMA** GL ZRGF SZJFDF VFJL KP

GSDMA äFZF SrK ES5 AFN ES5 V;ZU:T IJ:TFZMG A9F SZJF DF8 AC
VFIFDL 5G0AFWSFD45G0:YF5G45G0J;JF8M GM IJXF/ 5MHS8 IJ`J AgS4VIXIG
OJ,5Dg8 AgS TDH VFTZZFQ8LI ;U9GM4EFZT ;ZSFZ4ZFHI ;ZSFZ4:JlrKS ;:YFVM
. GL DNNYL CFY WIM VG ;DU IJ`JGL 5;XF 5FDT EULZY SFI DF+ A v U6 JQFGF
;DIUF/FDF 5~ SZL ATFjI KP

GSDMA äFZF ;IST ZFQ8 IJSF; SFI SD sUNDPf GF ;CIMU YL Disaster
Risk Management Programme CFY WZ, KPHGF VTUT UfDI :TZ ;WL
VF5I¿ jIJ:YF5G %,FG4HFUITSZ641FDTF JWG sTF, LDMf HJF SFI SDM SZL JWGvJW
HG ;DNF IG VF5I¿VM ;FD ;;HH SZJFDF VFJL ZC IF KP

GSDMAG DF/B 0v



VDNFJFN Ò<,FGL ~5ZBF

!P 5:TfJGf0v

VDNFJFN Ò<,F UHZFT ZFH I GF DwI :YFG VFJ ,|| KP VDNFJFNV EFZTG DfgR:8Z U6FT T NXGF SF50
pn||UDF ALHF GAZ VFJ KP VCL UFWLÒGL SDEID ;DFG ;FAZDTL VfzD4IX<5S/FGL p¿D 5ITSİ¿V|| ;LNL
; INGL HF /L4h , Tf IDGFZF4C9LI ;UGFNZF4SFSZLI F T /FJ HJF VGS H||JF , FIS :Y /|| VFJ , F KPVDNFJFN XCZYL
* ! ISPDLPNZ VFJ , G / ;Z||JZ NXIJNXGF 51FLV|| DF8 GJdAZYL OAVFZL ;WL ITY 1f+ AGL ZC KP ,||Y , DF
CO%5F ;:SITGF VJXQFM VG DCfEFZT SF/G IJZF8GUZ DGFT W||/SF TGF HFDO / VG NFODGF AULRFV|| DF8
HF6LT KP ;FT GNLV||GF ;UD :YFG VJF JF9DF ;FAZDTL4 DFHD4 DÜ||4 CFYDTL4 JF+S4 BFZL VG X-L GNLGM
5IJ+ ;UD YFI KP tIF SFITSL 5I6DFGF INJ ; IJIXQ8 D /|| EZFI KP VDNFJFN Ò<,|| S5F ; VG EF ,5NXGF
3p DF8 HF6LT|| KP ,||SIG ;D:T ÒJG UFID6 VG XCZL AGGM ;D / VDNFJFNDF H||JF D / KP

ZP ;ZCN0v

Ò<,FG EFU|| ,S :YFG Z_P__ p¿Z NI1F6 V1FFXYL Z\$P\$ p¿Z VG *!P& 5J ZBFXYL *ZP) 5J
ZBFX JrR VFJ , KP VDNFJFN Ò<,FGL p¿Z UFWLGUZ TYF DC ;F6F Ò<,||4 NI1F6 BEFTGM VBFT4 5JDF
BOF VG 5IüD EFJGUZ TYF ;ZgãGUZ Ò<,F VFJ ,F KP Ò<,FG S , 1f+0/v*)#ZP\$ RMP ISPDLP KP HDF
UFdI IJ:TfZ 5#&P) RMP ISPDLP VG XCZL IJ:TfZ *#)5P5 RMP ISPDLP KP

#P EZRGf0v

VDNFJFNGL HDLG D||8 EFU ;DT/ KP VDNFJFN Ò<,G|| HU , IJ:TfZ !!P##* RMPISPDLP KP I5IT
IJ:TfZ ()ZP55 RMPISPDLP VG IAGI5IT IJ:TfZ \$55&P (Z RMPISPDLP KP

\$P Ò<,FGL J:Tl0v

;GvZ__!!GL U6TZL DHA VDNFJFN Ò<,FGL S , J:Tl *Z4!\$4ZZ5 KP HDF UFdI IJ:TfZGL J:Tl
!!45!4!* (VG XCZL IJ:TfZGL J:Tl &_4_\$* KP

5P JCLJ8L DF / B

sVf Ò<, FDF GLR DHA TF, SF v UFD ; DIJQ8 YFI KP

SD	TF, SFG GFD	S, UFD
	V ; FZJF4 ; L8Ls5Jf	! _
	DI6GUZ4 ; L8Ls5Jf	! _
	GFZM , 4 ; L8Ls5Jf	! \$
	JH , 5Z4 ; L8Ls5I`RDf	! !
	; FAZDTL4 ; L8Ls5I`RDf	! \$
	3F8 , MIO IF4 ; L8Ls5I`RDf	! 5
	NXSM .	& \$
	; F6N	& (
	AFJ / F	\$ (
	WM / SF	* !
	WWSF	\$ _
	WM , ZF	##
	IJZDUFD	& (
	N+MHvZFD5ZF	5 \$
	DF0 ,	# *
S,		55*

sAf JCLJ8L IJ:TFZ DHA IJEFHG GLR DHA KP

VS DCFGUZ5FI , SF v VDNFJFN

* GUZ5FI , SF v IJZDUFD4WM / SF4 AFJ / F4 WWSF4 ; F6N4 AFZHF VG AM5 , v3DF

sSf I+:TZLI 5RFITM VG :YFIGS ; ĴFD0/MG , 1FDF , TF VF Ò<, FDF VS VDNFJFN

DCFGUZ5FI , SF TYF & GUZ5FI , SF VFJ , L KP Ò<, FDF __) TF, SF 5RFIT VG 5!& UFD 5RFITM

VFJ , L KP

&P VDNFJFN Ò<, FDF K<, F 5FR JQFGF ;ZZF; JZ; FNGL DFCLTL

VPG	Tf, SFG GFD	Z_!Z	Z_!#	Z_!\$	Z_!5	Z_!&
!	;L8ls5Jf	&*\$	!!5(	)_!	&!5	5*\$
Z	;L8ls5I`RDf					
#	NXSM.	#!Z	(#*	\$(_	#_Z	\$!&
\$	;F6N	5(&	!Z&5	(&\$	*_!	5Z\$
5	AFJ/F	\$\$\$	(Z&	!_*_	#(Z	\$5#
&	WM/SF	\$5)	!Z5\$	*(5	#!_	#(!
*	WWSF	\$Z5	!_(5	&*5	\$**	5!\$
(	ZF65Z	\$&#	)Z5	v	v	
)	AZJF/F	\$&&	!Z&&	v	v	
!_	IJZDUFD	\$\$_	**Z	&5&	5!(	Z**
!!	N+MHvZFD5Z	\$#&	&(5	&!_	\$_#	##*
!Z	DF0,	#5\$	)(_	#_#	#5(	Z*_
!#	WM,ZF	v	v	\$!!	5!5	\$Z\$

*P T/FJ4 GNLV|| VG AW 0v

VDNFJFN Ò<, FDF ;FAZDTL4 BFZL4 DÜ||4 E||UFJ||4 IG, SF4 pTFJ/L4 ;BEFNZ4 DFhD4 CFYWZL4 JF+S
VG X-L GNLV|| VFJ, L KP TDH BFZLS8 SGF, VG OTCJFOL SGF, VG G/ ;Z||JZ VFJ, F KP

(P VFZ||uI IJQFIS 0v

VDNFJFN Ò<, FDF !5_ YL JWFZvC||:58, ||4 !*vAF/S<IF6 Sgã||4 5_v5;ITUC4 \$#v5FYIDS
;FZJFZ Sgã4 Z__v5FYIDS ;FZJFZ 58F Sgã4 #(#vVFQFWF, I4 ()vS8A IGIMHG Sgã4 5v1FI IGJFZ6 Sgã
VFJ, F KP

)P Z:TFV|| VG Z<J ;IJWF 0v

VF Ò<, FGF TDFD UFD|| 5FSF Z:TFV||YL H||OFI, F KP p5ZFT ;DU Ò<, || Ò<, F q TF, SF UFDI DFUFYL
H||OFI, KP ;DU EFZTGF D||8F EFUGF ZFHIMGF D||8F D||8F XCZ|| VDNFJFN Ò<, F ;FY Z, DFUYL H||OFI, F KP

sVf ZFQ8LI WIZL DFU ov

VDNFJFN Ò<, FDFYL JOMNZF4 ; ZT4 DA . TZO HTF ZFQ8LI WIZL DFU GP (ZFHS84 SrK TZO HTM
ZFQ8LI WIZL DFU GP (v ; L 5 ; FZ YFI KP TYF VDNFJFN DC ; F6F VG VDNFJFN JOMNZF VS ; 5 ; CF . J 56
VFJ , F KP

sAf CJF . DFU ov

VDNFJFNDF OMD:8LS CF . J DYS KP HGF ÆZF VDNFJFN EFZTGF NZS 5DB XCZM ; FY HMOFI , KP
VDNFJFNDF ; ZNFZ J< , EEF . 58 , VFTZZFQ8LI CJF . DYS VFJ , KP H VDNFJFNYL , OG4 SJT4 gI IIS4
NA . 4 ; LUF5Z VFTZZFQ8LI CJF . DYS ; FY ; LW HMOFI , KP

!_P pnU IJQFIS ov

VDNFJFN Ò<, FDF NJF VG ZF ; FI 64 SFU/4 JG:5IT 3L4 ; TZFp SF50 ID , 4 I+ pnU4 CMHLIZL4
IJH/L DYS IJUJ pnUM KP

!!P BTIJFOL IJQFIS ov

VDNFJFN Ò<, FDF OFUZ4 3p4 S5F ; 4 SZL4 XZOL4 DUO/L4 S9M/4 AFHZL4 HJF IJIJW 5FSMGL BTL YFI
KP

VDNFJFN Ò<, F :TZ SZJFGF VF5IŁ VFIMHGDF 5Z VG NQSF/ DF8GF SFI , 1FL 5ITEFJ TZO WIFG
5YD SIgãT SZJ HM . VP VFJL 38GF DF8GM 5ITEFJ 5Z4 SZFGF TMOFG VG AW T8JFGL 38GF 5ITEFJ ; FY
; S/FI , F KP NQSF/ VG 5Z DF8 BF ; IMHGFM VI:TtJDF KP

સંકટ, જોખમ, નિઃસહાયતા અને ક્ષમતા (HRVC) આંકલન

સંકટ, જોખમ, નિઃસહાયતા અને ક્ષમતા (HRVC) આંકલનમાં વિવિધ સંકટ માટે જોખમ અને નિઃસહાયતાનું સંકલિત આંકલન હોય છે. આ માહિતીમાં ઘણું રસપ્રદ વિશ્લેષણ હોય છે, જેમાં જોખમ સંભવિત સ્થાન અને માળખાં કયા છે અને જોખમ સંભવિત લોકો કોણ છે ? ઉપરાંત કયા લોકો સંકટનો સામનો કરવા સક્ષમ છે. નિઃસહાયતા આંકલનમાં આર્થિક-સામાજિક નિઃસહાયતા, રહેણાંકના અસલામત આવાસો, પર્યાવરણની નિઃસહાયતા વગેરેનો સમાવેશ થાય છે. સંકટ, જોખમ, નિઃસહાયતા અને ક્ષમતા (HRVC) આંકલનમાં સંસાધનોની સૂચિ પૂર્વતૈયારીની વ્યવસ્થા, સંચાર વ્યવસ્થા, જાહેર વિતરણ વ્યવસ્થા, ગોડાઉન, પરિવહન, આરોગ્ય, ફાયર સ્ટેશન, વાવાઝોડામાં રહેવાની સલામત જગ્યાની વિગતો હોય છે, ઉપરાંત ઇમરજન્સી રીસ્પોન્સને અસરકારક બનાવવા માટે તાલુકામાં કાર્યરત સ્વૈચ્છિક સંસ્થાઓ અને સ્વયં સેવકોની સૂચિ હોય છે.

4.1 સંકટ આંકલન

સંકટનો ઇતિહાસ

પુર (છેલ્લી બે ઘટના)

તારીખ, માસ, વર્ષ	કારણ અને સંકટનું મૂળ	અસરગ્રસ્ત ગામોની સંખ્યા	અસરગ્રસ્ત કુટુંબો	માનવ મૃત્યુ સંખ્યા	પશુ મૃત્યુની સંખ્યા	અંશતઃ નૂકસાન પામેલ મકાન		પૂર્ણ નૂકસાન થયેલ મકાન	
						કાચા	પાકા	કાચા	પાકા
2008	EMUFJ GNL	12	1470	07	0	127	8	3	0

તાલુકામાં સંભવિત જોખમી સ્થાન

પુર આવે તેવા સંભવિત સ્થાન

સંભવિત જોખમી સ્થાન	સ્થળ	જવાબદાર વિભાગ	જોખમી ગામોની સંખ્યા	જોખમી ખેતી વિસ્તાર (હે.)	કુલ વસ્તીને જોખમ	કુલ પશુઓને જોખમ
; FAZDTL TYF EMUFJ GNL	N: S. 4 W. / SF4 TYF WWSF TF. S	AIPC	70			

વાવાઝોડુ

તારીખ, મહિનો, વર્ષ	કારણ અને સંકટનું મૂળ	અસરગ્રસ્ત ગામની સંખ્યા	અસરગ્રસ્ત વસ્તી	માનવ મૃત્યુ સંખ્યા	પશુ મૃત્યુની સંખ્યા	અંશત: નૂ કસાન પામેલ મકાન		પૂર્ણ નૂ કસાન થયેલ મકાન	
						કાચા	પાકા	કાચા	પાકા
K< , F NX JQFDF JFJFhIIOFGL 38GF AG , GYL									

ભૂ કંપ (છેલ્લી ઘટનાની વિગતોનો ઉલ્લેખ કરો)

તારીખ	ફોલ્ટ લાઇન ઇપી સેન્ટર	તીવ્રતા (રીક્ટર સ્કેલ)	અસર ગ્રસ્ત ગામોની સંખ્યા	અસર ગ્રસ્ત કુલ વસ્તી	માનવ મૃત્યુ સંખ્યા	અંશત: નૂ કસાન પામેલ મકાન		પૂર્ણ નૂ કસાન થયેલ મકાન	
						કાચા	પાકા	કાચા	પાકા
જાન્યુઆરી 2001	કચ્છ, લોડઇ ગામ	6.9 રીક્ટર સ્કેલ	20						

કેમિકલ્સ અને ઔદ્યોગિક સંકટ

તારીખ	સ્થળ જાહેર/ખાનગી	કારણ અને સંકટનું મૂળ	અસરગ્રસ્ત કુલ વિસ્તાર (ચોરસ કી.મી.)	અસર ગ્રસ્ત ગામોની સંખ્યા	ઇજા ગ્રસ્તની સંખ્યા	મૃતકોની સંખ્યા	અસરગ્રસ્ત કુલ વસ્તી	મિલકતને અસર	અન્ય નૂ કસાન (પશુ વગેરે)
VDNFJFN XCZDF VFhIUS VSDI VFJ , F KP 5ZT K< , F 5FR JQFDF DII8L CII GFZT YI , GYLP									

પૂર સંબંધિત વિસ્તાર :



ગાંધીસેન સંલગ્ન વિસ્તાર :



આદિગિક અકસ્માત સંભવિત વિસ્તાર :



ZMSYFD VG DL8LUXGGL Ô<, F :TZ IMHGFP

VF5I¿ JF:TJDF CSLST~5 +F8S tIFZ VYJF JF:TIJS BTZFGF ;DI h05L VG V ;ZSFZS 5U ,F , JF 50 KP VG TJF ;DI VFOTDF ;50FI ,F , MS DF8 ; ;HH VFIMHG BA H DctJG AGL HFI KP VF5I¿ ;FD ; ;HH YJF DF8 VS , JCLJ8LT+ SFDULZL SZ T XSI GYLP :YFIGS , MS4 ;:YFVIGF ;CSFZYL ; ;HH AGJ HM . V TJL VS DFI ,S VG GITS ;DH6 K< ,F UFDI SIFFGF JCLJ8L :TZ VG , MS ;WL 5CMRF0JFGF ;ZSFZZLGF VIEUD ~5 IMHGF NZS UFD UFD TIFZ SZJFDF VFJL ZC , KP KP

- 5FYIDS VFIMHGDF VFzI :YFGM GBL SZ , KP :Y/FTZGF DFUF GBL SZ , KP SFIJFCL4 VD , VG ;5S 5ITISIFVIGL UITIJIW GBL SZ , KP
- VF5I¿GF ;FDGL ; ;HHTFGF VFIMHGDF ;:YFUT ;FWGM IGWFIZT SZJFP EIDSFVM VG HJFANFZLVM GBL SZJLP GLIT VG 56FI ,SFVM IJSF ;FJJL VG VF5I¿ DF8GL ;DI ;ZGL ; ;HHTF IJS ;FJJF VG V ;ZSFZS 5ITISIFGL BFTZL ;ICT VFIMHG TIFZ SZJFDF VFJ , KP
- VF5I¿GF ;DI V ;ZSFZS 5ITISIFGL SFDULZL DF8 H~ZL ;FWGM VG 1FDTFVM p5 ,aW KP TGL DFICTL D/J , KP
- VF5I¿ I:YTLDF p5IMUDF CMI TJF H~ZL ZFCTGF 5ZJ9F VG ;FWGMG ;tJZ VS+LT SZJFG VFIMHG SZ , KP JBFZM q UMNFDH HF/JJF4 ;UICT SZJF VG 5WITIST SZJFP NZGF VG V ; , E IJ:TFZMDF ZFCT 5ZJ9M 5CMRF0JF DF8GF IJS<5M IJRFZLG VFIMHG SZ , KP

VF5I¿ ;DI :YFIGS ;U9GM q :JlrKS ;:YFVM VG :YFIGS ;¿FT+M q ;¿FIWSFZLVM JrR ;S , G ZC T DF8 GLR DHAGL SFI 5WIT ZFB , KP

ZFCT SIDxGZ
:88 S8M, ~D

Ò<,F S, S8Z
Ò<,F S8M, ~D

DFD, TNFZ
TF, SF S8M, ~D

T, F8L SD D+L
;Z5R
UFD 5RfIT

V;Z U:T IJ:TFZM VG
GSXFGGM EMU YJFGL XSITF
CM I TJF ZCLXM

VFD p5Z DHAGL ;S, G jIJ:YF pEL SZJFDF VFJ, KP TDH CF, DF Ò<,FGM S8M, ~D ;TT SFI FgJLT
KP p5ZFT RMDf;FGL ;LhG NZdIFG Ò<,F TYF TF, SF S1FFV 56 ;DIGF ;56 :8FO ;FY “ZFpg0 W S,MS”
.DZHg;L VM5ZXG ;g8Z ;DI ;Z X~ SZJFDF VFJ KP TYF SDRFZL q VIWSFZLV MGL IGD6S SZJFDF VFJ KP
NZS TF, SFDF VFJ, GCZM VG GNLvAWGL IJUTM D/J, KP ;NXFjIJCFZ4 Z,4 Z:TFGF ;jIJI:YT
;RF, G4 JLH/L 5ZJ9M4 5F6L 5ZJ9M TYF VFJxIS RLHJ:TGF 5ZJ9FGM SM. VEFJ G JTfI T DF8 56 VFUMT~
VFIMHG 56 SZJFDF VFJ, KP
TF, SF S1FFV ;ZSFZzLGF HNF HNF IJEFUMGL SRZLV VFJ, KP TF, SF DFD, TNFZzLGF VWI1F56F GLR
VF5I¿GL XSITFGF ;NE A9S AM, FJL SIF VIWSFZLV X SFI JFCL SZJL T VU SFI JCR6L SZX TYF ;DL1FF SZL
;S, G SZXP

➤ ATVT: VTUT 5tIS 5FTq; A 0LJlhG S1FFV 5FT VIWSFZLzL ;5ZJlhG4 IGI+6 ,FI hG VIWSFZL
TZLS SFD SZXP

➤ **TF, SF S1FFV VFJ, HNL HNL SRZLVIGF VIWSFZLzLV**

- DFD , TNFZ
- TF, SF IJSF; VIWSFZL
- 5M, L; .g:5S8Z
- DOLS, VMIO; ZzL
- RLO VMIO; Z4 ;AIWT GUZ5FI, SF
- GFPSFP .Ps5F6L 5ZJ9Ff
- GFPSFP .PsI; RF. f
- GFPSFP .PsDFU q DSFGf
- GFPSFP .PsZFHI q 5RFITf
- GFPSFP .PsÒP .PALPf
- HP8LPVMP8I, OMIG
- BTL IGZL1FS
- 5X5F, G VIWSFZL
- DGHZsV; P8LP05Ilf
- OMZ:8 VIWSFZL

p5Z DHAGF IJIJW IJEFUIGL SRZLVIGF VIWSFZLVIV

- VF5I¿ I; JFI q XFITGF ;DI DF SZJFGL SFDULZL
- VF5I¿ GL RTJ6L D/TF SZJFGL SFDULZL
- VF5I¿ 5KLGL SFDULZL

VFD SFDULZLG +6 TAÞFDF VFIMHG SZL ; ;HH VFIMHG AGFJ, KP TYF ;DIFG;FZ TG VG;ZXP
NZS Sg8LHg;L %, FG IJUTJFZ DFICTL p5, aW SZ, KP

s!f :Y/FTZGL IJUT ov

V;ZU:T UFDGF ,MSG :Y/FTZGL 5IZI:YIT YFI4 H T TF,SFGF UFDIV XF/FGF ;,FDT DSFGDF4 CF.:S,GF DSFGDF4 SM,HGF DSFGDF jIJ:YF UM9JJF DF8 TDFD DFD,TNFZZLVMG ;RGF VF5JFDF VFJ,L KP

sZf :JlrKS ;:YFVM ov

:JlrKS ;:YFVM q J5FZL DCFHG TZOYL ETSF/DF 5X;GLI SFDULZL SZJFDF VFJ , KP TYL RF , JQF 56 HM SM . SNZTL VF5I¿ VFJL 50 TM TDFD :JlrKS ;:YFVMGL DNN ,JFDF VFJXP

s#f ZFCT SFDULZL ov

JFJfhMOFYL V ;Z 5FD ,F ,MSG ZFCT VF5JF DF8 TF ,SF S1FFV DFD ,TNFZZL VG TF ,SF IJSF ; VIWSFZLzLV SFDULZL SZXP HIFZ VDNFJFN XCZ DF8 DFD ,TNFZ S1FFGF VIWSFZLzLV MGL ! _ 8LDM AGFJ ,L KP VF 8LDM ;L8L 0%I8L S,S8Z4 VDNFJFNGF DFUNXG C9/ V;ZU:TMG 00 5S8M VF5JFGL SFDULZL TDH 3ZJBZL4 SXOM , RSJJFGL SFDULZL SZXP

s\$f GFUIZS 5ZJ9F VU ov

V;ZU:T ,MSG ÒJG H~IZIFTGL RLHJ:TVM HJL S VGFH4 SZM;LG IJUZ TZT H D/L ZC T DF8 TDFD TF ,SF DFD ,TNFZZLVMG ;:TF VGFHGL NSFADF 5ZTM VGFHvSZM;LGGM HyM ZFBJF H~ZL jIJ:YF ZFB , KP OADF HTF4 5F6LYL WZF I , ZCTF EF , SF9GF UFDMDF A YL +6 DF;GM 5ZJ9M VGFD T ZFBJF Ò< ,F 5ZJ9F VIWSFZLzLG H6FJ , KP

s5f Z:TF p5Z T8L 50 ,F hfOM B;0JF AfAT ov

JFJhMOF JBT DM8FEFU hfOM 50L HFI KP HGF SFZ6 JFCG jIJCFZ AW YJFGL 5IZI:YIT pEL YFI KP VFJF ;HMUMDF 50L UI ,F hfOMG NZ SZL Z:TM 8Fg;SA , SZJF DF8 TDH :YFIGS S1FFVYL 8gSZ 8L5Z TYF ,MS , 8S8ZGM p5I MU , JFDF VFJXP VF SFDULZL Ò< ,F 5RFITGF SF15F ,S .HGZLzL ãFZF SZJFDF VFJXP :88 CF.J p5ZGF T8L 50 ,F hfOM NZ SZJFGL SFIJFCL SF15F ,S .HGZ ZFQ8LI WIZL DFU4 VDNFJFN ãFZF SZJFDF VFJXP

s&f NJFGM HyYM ov

VDNFJFN Ò<, F 5RFIT C:TS S, Z* NJFBFGF KP ;NZC NJFBFGFDF VFZMuI , 1FL NJFGM HyYM p5, aW KP TDH 5X ;FZJFZ C9/GF !5 NJFBFGF KP CF, DF 5X ;FZJFZ DF8 NJFGM HyYM p5, aW KP GLRF6JF/F4 OADF HTF UFDMDF NJFVIMGM HyYM VGFDT ZFBJF Ò<, F 5RFITG H6FJ, KP

s*f JLH/L 5ZJ9M ov

UHZFT IJnt AIO C:TS A 0LJlhGMGF IGI+6 C9/ !Z SRZLVV 5tIS SRZL BFT HJFANFZ VgÒGLIZ TDH VFXZ !5 YL Z_ SDRFZLVIG CFHZ ZFBJFDF VFJ KP Z:TF p5Z T8L 50, F IJH/LGF YFE, FVM Z YL # S, FSDF NZ SZJF VFIMHG SZ, KP TDH \$(S, FSDF 5G0JLH/L RF, SZJF VFIMHG SZ, KP

5ITEFJ DF8GL 5JT IFZL

VF5I¿ 5ITEFJ VG Ò<, F 38GF IGI+6 T+ ov

VF5I¿ YFI tIFZ4 UHZFT ZFHIDF 38GF IGI+6 5WIT VG;FZ VF5I¿GF 5ITEFJG VFIMHG SZJFDF VFJXP 38GF IGI+6 T+DF TG DctJ V8, F DF8 K S IGI+6 VSITF4 p;XIMGL :5Q8TF VG SFI1FD ;FWG; 5I¿GF p5IMU HJF TGF D/ET TtJM SM. 56 5SFZGL VF5I¿GF V; ZSFZS 5ITEFJ DF8 ; FDFgI KP

VDNFJFN Ò<, FDF 1F+ IJIXQ8 SFIIMHGFVM4 VUFpGL IMHGF, BDF IJEFU IJIXQ8 VFIMHG VIEUD SgãLT SZJFDF VFJ, KP T ZLT SgãLT SZJFDF VFJ, GYLP VF5I¿ 5ITEFJ4 Ò<, F S, S8ZzLGF VFNX VG IGI+6 C9/ Ò<, F VF5I:DSTF SFDULZL Sgã sECO f G VG; Z KP

38GF IGI+6 T+ v D/ET SFI F

Ò<, F 38GF IGI+6 T+DFGF DctJGF 38SM DF8G D/ET SFI, 1FL J6G GLR H6FjIF DHAG KP VF TDFD SFI F NZS VF5I¿DF DF+ 5JT SZJFGL H~Z CM I KP V8, H GCL 5ZT VF SFI FGM ; DC TDFD DctJGL SFDULZLG 5ITIGIWtJ SZ KP H ; VFIMÒT ZLT 56 SZJFGL CM I KP VG V; ZSFZS TDH SZS; Z, 1FL VF5I¿ 5ITEFJ 5IF; MYL SZJFGF CM I KP

! 38GF IGI+6 o

H prR ; ¿FIWSFZL TZOYL D/, F :5Q8 VFNXM 5Z VFWFZLT 38GFGF ; DU jIJ:YF5G DF8 VG 38GFG L TftSFI, S V; ZGF 5ITEFJ~5 SlgãT p;XM 5Z VFWFZLT CM I KP

38GF IGI+6 SFDULZL 38GF IGI+6G VG; ZTL CM I K HG GFIA 38GF IGI+6GL ; CFI D/TL CM I KP NZS 38GFDF XSI T8, F JW IGI+SIM VG VgI SDRFZLVIM CM I KP SFZ6S 38GF SFDULZLDF SDJFZL CM I

KP SDJFZL sIX08f ; FDfGI ZLT SM . 56 ; DI !Z S ,FSYL JW CMTL GYL VG 38GF X~ YIF 5KL XSI T8 , H , NL
(S , FSGF 5DF6DF CM I K

ZP IGI+6 SDRFZL VSDM 0

; , FDTL VSDM 0

H 38GFGF 5ITEFJ~5 CFY WZ , L TDFD 5JITVM ; , FDT ZLT 56 SZJF DF8 HJFANFZ CM I KP 38GF
IJIXQ8 ; , FDTL DFUNIXSF , BIIJS ; FJLG4 TGL ; ID1FF SZLG VG IHHGFG ; , FDTL VU ; , FC VF5LG VG
SDRFZLV VG pZÖJLVML ; , FDTL ; IGIÜT SZJFGL BZBZ SFDULZLG NBZBv IGI+6 SZLG VF SFDULZL
56 SZJFDF VFJ KP

5I8MS , VG , FIhG VSD0

H TDFD ; ZFJFZ D , FSFTM TDH 38GFGF jIJ:YF5GDF p5IIMUDF , JFTL DCtJGL ; CFI 5ZL 5F0JF 38GF
IGI+6 VG ; U9GM JrRGF ; 5S DF8 HJFANFZ KP IAG ; ZSFZL ; U9GM VG ; S , G A9SINGL jIJ:YF SZJF DF8
HJFANFZ VgI 5ZLA / M DF8 ; 5SG 5YD :YFG KP

HFCZ DFICTL VSD0

H 38GF ; AWL TDFD DFwIDM VG HFCZ DFICTL SFDULZL DF8 HJFANFZ KP 5MTFG SFI 56 SZJF DF8
VSD 5F ; GLRGF 58F v VSDM CM . XS K 0

- HFCZ 5K5ZK 0 HFCZ DFwIDM I ; JFI GL VgI jIISTVMV DFICTL DF8 SZ , L IJGTLG wIFG VF5JP
- HFCZ DFICTL ACfZ 5F0JL 0 HFCZ DFICTLGF 5 ; FZ DF8GL SFDULZL CFY WZJLP
- HFCZ DTjIM 0 , MSM TZOYL DFICTL VSI+T SZJLP s38GF 5KL CIFT jIISTVM VG V ; ZU:T G CM I TJL
jIISTVMf
- DFwID Sgã 0 38GFDF SFD SZTF TDFD DFwID DF8GF VS ; +L ; 5S 5ZM 5F0JMP
- VBAFZL IFNL ACfZ 5F0JL VG HFCZ DFwIDM 0 TDFD VBAFZL IFNL ACfZ 5F0 KP VG W8GFGL AFATDF
DFwIDGF 5JX DF8GL U9J6 DF8 VS ; +L ; 5S 5ZM 5F0 KP
- NBZB IGI+6 VG I00AS 0 VBAFZL VCJF , IG NBZB IGI+6 SZ KP VG 38GF V FJZL , JF DF8GF
38GF jIJ:YF5GG I00AS 5ZF 5F0 KP VG ; WFZfDS 5U , F 56 , K VG H~ZL H6FI GM IJZIMWFEF ; NZ
SZ KP

#P SF INM VG jIJ:YF IJEFU 0

38GFU:T IJ:TFZDF TDFD SF INFGF VD , VG jIJ:YFGL HF6J6LGL BFTZL VF5JF DF8 HJFANFZ KP
SF INM VG jIJ:YF IJEFUDF SF INM VG SF IN/ CMI KP H VF5IĞ ;DI ;RF~ ;RF , G DF8 ZRJDf VFJ KP

5M ,L ; GL SFDULZL 0

5M ,L ; ; JFVMG ; M5 ,L BF ; ; JFVM DF8GF ; FDFgI VFNXMYL GBL SIF DHAGL CMI KP

UC Z1FS N / 0

UCZ1FS N / DF8GF VG TDG ; M5 ,L IJXQF ; JFVM DF8GF ; FDFgI VFNXMYL GBL SIF DHAGL CMI KP

:JI ; JSM 0

58MI , U4 NBZB VG :Y/FTZ HJL VD , L AHJ6L I ; JF . GL SFDULZLDF 5M ,L ; VG UCZ1FSN / G ; CF I
SZ KP

\$P ; RF , G SFDULZL IJEFU 0

VS:DFTGL tffTSFI , S V ; ZG , UTF , 1FSM VG IMHGFVM DHAGL IJIXQ8 SFDULZL AHFJJF DF8
HJFANFZ KP SFDULZL IJEFU C9 / GF SF IN / M4 XIM VG ARFJ4 5F6L VYJF VFz I HJL IJIXQ8 SFDULZLGF
SFI FGL THJLH SZ KP VFJF SF IN / GL ZRGF VG AWFZ6 38GF GF 5SFZ 5Z VJ , A KP

VDNFJFN Ö< , F JCLJ8L T+ RFJL~5 5ITEFJ SFDULZL SFI F DF8 V5I1FT ! & SF IN / M GBL SZ , KP H
GLR H6fjIF DHA KP VF5IĞ GF ; HMMGL H~ZL IFT DHA SFDULZL IJEFU C9 / JWFZFGF SF IN / pDZL XSF I P
NZS SF IN / VG ; U9G VG VgI ; U9GIMGL ; CF IYL VG ; Z KP

VFSI:DSTF ; RF , G SF IN /	SFI F
! f ; S , G VG VFIMHG 0	5J RTJ6L4 5ITEFJ VG 5G0:YF5G SFDULZLG ; S , G SZJP
Zf JCLJ8L VG 5IM8MS ,	V ; ZSFZS VG ; DI ; Z ZFCT ; CF I ; IGIüt SZJF DF8 , BG SFDULZL VG VgI JCLJ8L SFDULZL 56 SZLG VF5IĞ jIJ:YF5G SFDULZLDF DNN 5ZL 5F0JLP
#f RTJ6L 0	; EIJT VF5IĞ VMGL 5J RTJ6L VSI+T SZLG TGM 5RFZ SZJIP
\$f SF INM VG jIJ:YF 0	38GFUF:T IJ:TFZDF TDFD SF INFGF VD , AHJ6L VG jIJ:YFGL HF / J6L ; IGIüt SZJL
5f XIM VG ARFJ s:Y/FTZ ; ICTf 0	:YFIGS :Y/FTZ4 XIM VG ARFJGF 5IF ; MDF ; CF I SZJF DF8 H~ZL DFGJ ; FWGM VG VgI ; FWG ; FDUL 5ZL 5F0JLP
&f HFCZ AFWSD 0	; FDFgI ZLT RF , TF VFTZDF / BFG 5G0:YFI5T SZJFGF :YFIGS 5IF ; MG ; CF I SZJF DF8 H~ZL SDRFZLU6 VG ; FWG ; 5IĞ 5ZL 5F0 KP
*f 5F6L 0	DFGJL VG 5F6L DF8GF J5ZFX DF8 5LJFG 5F6L VG

	VfñmUS VG SIQF J5ZFX DF8 5ZTF 5F6LGL HmUJF. SZ KP
(f VgG VG ZFCT 5ZJ9M 0	V;ZU:T HG;DNFI DF VgG VG VgI ZFCT DF8GL 5FI FGL H~ZLIFTGL HmUJF. GL SFDULZL SZ KP
)f JLH 5ZJ9M 0	V;ZU:T HG;DNFI DF ;FDfGI JLH5ZJ9F VG JLH jIJ:YFT+ 5G0:YFI5T SZJF DF8 ;FWGM 5ZF 5F0 KP
!_f HFCZ VFZMuI VG :JrKTF 0 s5FYIDS p5RFZ VG TALAL ;EF/f	HFCZ VFZMuIG ,UTL ;D:IF ;AWL SDRFZL U6 VG ;FWG;5Iç 5ZL 5F0 K4 VG ;FDfGI TALAL ;EF/ jIJ:YFT+ 5G0:YFI5T SZ KP
!!f 5X VFZMuI VG S<IF6 0	VF5IçU:T 5F6LVmGF VFZMuI VG VgI ;EF/GL HmUJF. SZ KP
!zf VFzI 0	VF5IçU:T HG;DNFI DF8 SFDL ,Fp VFzI ;IGIüt SZJF DF8 ;FDUL VG 5ZJ9M 5ZM 5F0 KP
!#f ;CFIST+ 0	VgI SFIIXQFN/M VG ;1FD ;çFIWSFZLVm ;FY ;S,G SZLG :Y/FTZ DF8 ZFCT 5ZJ9FGF ;UC VG CZOZ DF8 HmUJF. SZ KP
!\$f DMH6L sGS;FG VFSFZ6Lf 0	VF5IçGL V;ZM VU DFICTL VS+ SZLG JULSZ6 SZ KP ;FWGMGL H~ZLIFTGM VNFH VG ZFCT VFIMHG IJS;FJ KP VG Ò<,F VG ZFHI ;çFIWSFZLVm VG VgI ;DIRT 56SFZM DF8 H~ZL TJF ZL5M8G ;S,G SZ KP
!5f NZ ;RFZ jIJ:YF 0	5J RTJ6L VYJF VF5Iç 5KLGL SFDULZLG ;CFI SZJF DF8 H~ZL TDFD ;RFZ jIJ:YF sV8, S ZI0I14 8LPJLP4 8, LOMG4 JFIZ, ;f GL SFDULZLG ;S,G SZ KP
!&f DFwIDM sHFCZ DFICTLf 0	5J RTJ6L VG VF5Iç ;AWL VF5Iç 5KLGF ZL5M8 DF8 Dã6 VG JLHF6 DFwIDM ;5S 5ZM 5F0 K VG TGL SFDULZLDF ;CFI 5ZL 5F0 KP

p5Z H6FJ ,L SFIN/IGL IJIXQ8 5ITEFJ EIDSF VG HJFANFZLVm 38GF IGI +6 T+v UHZFT ZFHI DFZOT AHFJJDF VG ;S,G SZJDF VFJXP pNFCZ6 TZLS 5Z4 XMW4 VG ARFJ SFDULZL IJEFU C9/ VFJXP JFCG jIJCFZ ;CFI T+ C9/ VG HFCZ DFICTL VSD C9/ VFJXP

5P VFIMHG IJEFU 0

38GF ;AWL IGIüt SZ ,F ,1IFSM DF8 DFICTL VS+ SZJF VG TG 5yYSZ6 SZJF VG IMHGF IJSF;FJJF HJFANFZ KP VFIMHG IJEFUGL ;DU SFDULZLDF VF5IçGF 5ITEFJGF EFU~5 :Y5FI ,F CM I TJF VFIMHG VG ;S,G SFIN/MV CFY WZ ,F 5IF;IGM ;DFJX YXP IJEFU C9/GF VSDMDF GLRGFGM ;DFJX YXP

!P D<IFSG VG VFIMHG

ZP ;FWG;5Iç VG VFJxISTFVM

#P DFICTL T+G jIJ:YF5G

\$P N:TFJÒSZ6

5P ;FWG;5I¿G OFZU SZJFP

&P 8SIGS, IJXQF7MP

&P ;CFIST+ IJEFU 0

SFDULZL DF8 H~ZL ;FDUL VG VgI ;FWG;FDUL VG 38GF jIJ:YF5G 8LDGL SFDULZLDF
EFITS VG DCtJGL ;CFI GL HUUJF. ;AWL TDFD SFIF VG SFDULZL DF8 HJFANFZ KP VF IJEFUDF VF5I¿
SFDULZLVWDF ;CFI VF5JF DF8 :YF5, 5IZJCG SFIN/GM ;DFJX YFI KP ;CFIT+ SFDULZL GLRGF VSDM
DFZOT SZJFDF VFJ KP

!P ;UC VG 5ZJ9M

ZP ;J,TM

#P SDRFZL ;CFI

\$P ;RFZ jIJ:YF

5P JFCG jIJCFZ SHDLG4 NIZIF.4 CJF. 5IZJCG IJUZGM ;DFJX YFI KPf

***P GF6F VG JCLJ8 0**

38GF 1F+ SFDULZLG ,UTF TDFD GF6FSLI VG JCLJ8L SFIFGL jIJ:YF SZJF DF8 HJFANFZ
KP VF SFDULZLDF 38GFU:T ,MSIG GF6FSLI ;CFI 5ZL 5F0JFGF SFIGM ;DFJX Y. XSP 5ZT ;FDFgI ZLT
TDF ;DFJX YTM GYLP VF IJEFUGL SFDULZL GLRGF VSDM DFZOT SZJFDF VFJ K

!P DFGJ ;XWVG

ZP 5FI° VG

#P IC;FA VG ZS0

5ITEFJ %,FG

!P Ò<,F IGI+6 S1F sDCRf

Ò<,F IGI+6 S1F4 Ò<,F S, S8ZGL SRZL BFT VFJ, M KP T DFICTL VS+ SZLG TGL 5ISIF DF8G VG BF; SZLG VF5I¿GM ;FDGM SZJF DF8GF IG6I , JF DF8G Sgã:YFG KP VF5I¿ JW SlgãT DYS 56 KP VSI+T SZLG 5ISIF SZ, L DFICTL VFWFIZT VF5I¿ jIJ:YF5GGF ;AWDF ,JFGF D18F EFUGF jICftDS IG6I M VF IGI+6 S1FDF , JFDF VFJ KP 38GF ;GF5IT sIncident Commanderf Ò<,F IGI+6 S1FGM CJF, M , K VG 38GF IGI+6 T+GF jIJ:YFT+GF RF8 DHA ;S8SF, LG SFDULZLVIG IGI+6 SZ KP

SFIIJXQF6 sTask Forcef G GTtJ , TL TDFD jIISTVM4 IG6I , JFG 5ISIF DF8 VS; +L ;S, G SZJF DF8 38GF IGI+6 ;GF5ITGL ;FYM;FY Ò<,F IGI+6 S1F BFT I:YIT ;EF/XP

ZP SFIIJXQF N/ IGI+6 S1F sTFCRf

jIISTUT SFIIJXQFN/GL SFDULZLYL4 TF, SF S1FFGF IGI+6 S1FG Ò<,F S1FFGF IGI+6 S1F ;FY 8SIGS, ZLT ;S, G SZJFDF VG ;RFZ jIJ:YFDF SFIN1F CMI TJL ;1FD jIISTYL ;BH CMI TJL SRZLDF 5MTFGF IGI+6 S1FG ;5T SZJFDF VFJX4 VG R, FJJFDF VFJX TDH VF5I¿GF :Y/ H-ZL ;FWGM DMS, XP

#P TF, SF :TZGM IGI+6 S1F 0 sTLCRf

TF, SF :TZGM IGI+6 S1F TF, SFGL DFD, TNFZ SRZL BFT VFJ, M CXP ;AIWT TF, SFGF , FIhG VIWSFZL IGI+6 S1FGM CJF, M ;EF/XP ;AIWT , FIhG VIWSFZLV14 ;FWGM ;FDULGL UITXL, TF VG SFIIJXQFN/ IGI+6 S1FqÒ<,F IGI+6 S1F TZOYL D/, L ;RGFVM TDFDGL JW HF6SFZL DF8 VF5I¿GF :Y/ VG SFIIJXQFN/ IGI+6 S1F 5Z SFD SZTF N/GF ;eI M JrR ;S, G SZXP

\$P Ò<,F IGI+6 S1F BFT ;J, TM 0

Ò<,F IGI+6 S1FG GLR H6FJ, L CMI T ;ICTGL ;J, TMYL ; ;BH SZJFDF VFJXP

- 8I, OMG
- OS;
- Cg0C<0 ZI0I M; 8 VG A.h :8XG s5M, L; VIW1FSZL 5F; f
- ;8, F. 8 8I, OMG
- .vD. , 4 .g8ZG8 VG JA; F. OGL ;IJWF WZDJT VS 5; G, SMD% 18Z

- VF5LÇ jIJ:YF5G I MHGFG L VS GS ,
- ; , FDT HMOF6 DYSM NXFJT 5+S
- T ; AWL VgI ; FICtI4 ; FDUL
- VnTG .gOF:8SRZ WZFJTL SRZL ; IJWF
- JFCG

T, SF :TZGF IGI+6 S1F BFTGL ; J, TM

TF, SF :TZGF IGI+6 S1F BFTGL ; J, TM IGEFJJFDF VFJXP

- 8, LONG
- OS;
- DFSZ AMO
- VF5LÇ jIJ:YF5G I MHGF VG SF I IJQFX N/ I MHGFG L GS ,
- 5Z5ZFUT ZLT GLRF6JF / F IJ:TFZGF EFUDF 5F6L EZFTF DF6 ; MGF:Y / FTZ DF8GL
CMOLGL jIJ:YF SZJFDF VFJ , KP HDF RFZ :Y / M IGIÜT SZJFDF VFj IF KP
 - o JF9F v TF, SM WM / SF
 - o J8FDF6 v TF, SM WM / SF
 - o 5L5 / L v TF, SF WWSF
 - o WM, ZF v TF, SF WWSF
- VgI ; FICtI4 ; FDUL

; AIWT IGI+6 S1FDF p5Z H6FJ, L RLHJ:TVMq; J, TMGL ; FZ; EF/ VG IGEFJGL
HJFANFZL GLR DHA KP

Ö<, F IGI+6 S1F 0 Ö<, F S, S8Z VYJF T6 GFD IGNIXT SZ, L SM . jIIST

SFIN/ IGI+6 S1F 0 ; AIWT SF I IJXQFN / G GTtJ , GFZ jIIST

TF, SF :TZGM IGI+6 S1F 0 ; AIWT TF, SF ; 5S VIWSFZL v DFD , TNFZ

p5Z H6FJ, IJEFU q SDRFZL U6G 5MTFGF ; AIWT IGI+6 S1F BFTGL ; J, TMG ; DI FTZ
IGZL1F6 SZX VG TGM ZSNO ZFBXP

;S8SF,LG ;RFZjIJ:YF

SM.56 VF5IઁGF V ;ZSFZS IGI+6 DF8 ;RFZ jIJ:YF VtIT DctJGL AfAT AGL HFI KP
VF5Iઁ NZdIFG VF5Iઁ jIJ:YF5G 8LD ãFZF V5GFJJFDF VFJTL ;RFZ jIJ:YF 56F,L GLR VF5,L KP

VF5IઁGF 5IZ6FD S TGL V ;ZG ,LW SM. ;RFZ jIJ:YF ;J,T q ;RFZ jIJ:YF VFTZDF/B
BIZJF. HFI q T8L 50 TJF ;HUUWDF4 NZ ;RFZ SFIIJXQFN/G GTtJ ,TL jIIST4 VF5Iઁ jIJ:YF5GGL
V ;ZSFZS SFDULZL DF8 B,, S VJZIW JUZGL ;RFZ jIJ:YF ;IGIÜT SZJF DF8 VFJL ;J,T S
VFTZDF/BFG TftSFI,S 5G0:YF5G ;IGIÜT SZXP

!P 8,LONG q JFIZ, ; 0

TDFD IGI+6 S1F BFT 8,LONG 5ZF 5F0JFDF VFJ , KP TDH 5M,L ; JCLJ8L T+DF JFIZ, ;
;8GL jIJ:YF KP

ZP JSI<5S ;RFZ jIJ:YF 0

;RFZ jIJ:YF ;J,T q ;RFZ jIJ:YF VFTZDF/B T8L 50JFG ,LW TDFD ;RFZ jIJ:YF
;J,T VG ;RFZ T+ 9%5 Y. HFI VJL 56 5IZI:YIT ઊભી થવાની સંદર્ભ C , I KP ;RFZ jIJ:YF BIZJF.
HFI TJF 5 ;U4 VFJL ;RFZ ;J,TqVFTZDF/B SFI ZT AG T ZLT 5G0:YFI5T Y. HFI tIF ;WL 5IZI:YITGL
UELZTFG ,1FDF , .G GLRGL JSI<5S jIJ:YFGM p5I MU SZJFDF VFJXP

#P ;8,F.8 ;RFZ jIJ:YF

VSJBT TDFD ;RFZ jIJ:YF BIZJF. HFI S Tzt H ;8,F.8 ;RFZ jIJ:YF RF, SZL NJFDF VFJXP VFJL
;J,T TDFD IGI+6 S1F BFT :YF5JFDF VFJL KP NZ ;RFZ SFIIJXQFN/GF VIWSFZL VJ ;IGIÜT SZX S VF
;J,T TDFD 5 ;U RF, ZCP

\$P ;NXFJFCSM

VF5Iઁ ;FY ;S/FI ,L ;AIWT jIISTVIG C:TI,IBT ;NXF 5CIRF0JF DF8 K<,F p5FI TZLS
;NXFJFCSGM p5I MU
5IZJCG SFIIJXQFN/G GTtJ SZTF VIWSFZLG IJGTL SIYL JFCG p5 ,aW SZFJJFDF VFJXP

5P ;RFZ jIJ:YF ;J,TGM IMuI p5I MU

- ;RFZ jIJ:YFT+GM IMuI ZLT p5I MU G SZJFDF VFJ TM4 VF5Iઁ NZdIFG NZS jIIST ãFZF NZS AfAT
TFSINGL U6JFYL VWFWWLEZL 5IZI:YIT pNEJ KP
- ;NXF jIJCFZ ;I1F° VG ;Z/ CMJM HM. VP

- ZI0I ；5SG EZFJ 8F / JF DF8 XSI CM I TM 8 , LOMGqCM8 , F . GG p5I MU SZJFGM ZCXP
- BF ; RG , HFDL HTL V8SFJJF DF8 TDFD SFI IJXQFN / GF ; eIM 5MTFG OF / J , L IOSJg ; L DFZOT H ; 5S SZXP
- ZI0I ；8 JF5ZTF SDRFZLV TDGF ; FWGqp5SZ64 HNL HNL RG , 4 SMOJ04 JFTRLTG , AF6 IJUZYL 5IZIRT CMJF HM . VP

SFIN / GL EIDSF VG HJFANFZLVMP

NZS VF5I ； DF8GF DbI VG ; CFIS ; U9GM ãZF IJS ; FJ , L JF : TIJS IMHGFVM VG 5DF6ET ; RF , G SFI ZLIT NZS SFIN / GL JF : TIJS ZRGDFD OZOFZ , FJL XS KP

VFJF VU6L VG ; CFIS ; U9GM VS JBT SFI ZT YIF 5KL 38GF IGI + S VG IMuI IJEFU VYJF VSDGF GTGF DFUNXG 5DF6 SFDULZL 56 SZJF DF8 SFIN / GL ZRGF SZ KPJWDF4 ; U9GYL VG ; ZTF NZS SFIN / CFY WZ , L 5JI ； VMIG IJUTJFZ VCJF , VG SM . VF5I ； 5ITEFJ SFDULZL NZdIFG D / , M AMW5F9 5ZM 5F0XP

GLR H6FJ , F SMQ8SDF DCTJGL SFDULZL GBL SZJF DF8 WFZ , L SFIN / GL SFI IMHGF VF5 , L KP

- VF5I ； 5C , F
- RTJ6LGF ; DI
- VF5I ； YFI tIFZ VG
- _v ! Z YL \$(S , FS
- _v \$(YL * Z S , FS
- _v * Z S , FSYL VG VF5I ； AFNGF ; DIUF / FDF SFI IMHGFVM

jIISTUT SFIN / ; eIM4 ; S , G VG VFIMHG SFIN / VG ZFHI : TZGF ; ； FD0 / M DF8 RM ； SIF SFIN / VF5I ； 5C , FGF VG VF5I ； 5KLGF RM ； TAP X SZJ HM . V T VU TtSF , ; NE DFUNIXSF TZLS SFD SZ KP VF DFICTLYL SFIN / GL VNZGF VG TDGL JrRGF VG VDNFJFN Ò< , F ACZGF ; ； FD0 / M ; FYG ; S , G ; WZXP SFDULZL ; FY ; S / FI , F VgI SFIN / MV SFDULZL GBL SZJF DF8GF jIISTUT SFIN / VF5I ； GF 5ITEFJGF VFZEYL X~VFTYL VT ; WLGL 5JI ； VMIG ; S , G SZJFDF VS ; CF1~5 ; S , G VG VFIMHG SFIN / VF DF / BFGM p5I MU SZL XSP

5G0I:YIT SZJF DF8G% , FG			
;S, G VG VFIMHG 0 5J RTJ6L4 5ITEFJ VG 5G0:YF5G SFDULZLG ;S, G SZ KP			
SFIN/G GTtJ , GFZ VIWSFZL 0 S, S8ZzL			
	S. SFDULZL SZJFGL ZCX	H~IZIFTM VYJF XZTM	;DI DIFNF
VF5Iç 5C,f	UFDL6 :TZ VF5Iç jIJ:YF5G ;ZRGF :YF5JLP sDDMCf	ZFHI :TZ TG HMOF6 VG 38GF IGI+6 T+G :YF5G	SFIZT KP
	UFDL6 :TZ GLRGF TDFD :TZ VF5Iç IMHGFVM IJS;FJJLP sDDMCf		SFIZT KP
	VF5Iç jIJ:YF5G VU ;ZSFZ4 ALG ;ZSFZL ;U9GM4 VG BFGUL 1F+M ;ICT IGI IDT A9SM IMHJLP sDDMCf		I+DFI;S
	,MSHFUIT ;ICTGL TF, LD RF, ZFBJL sDDMS VG IDI0IF 8F:S OM; f	UHZFT ZFHI VF5Iç jIJ:YF5G ;çF D0/ VG IGF. 80 GXg; 0J, 5Dg8 5MHS8GM ;DFJX	SFIZT KP
	RTJ6L ;RFZ jIJ:YF VG VgI T+GL RSF; 6 TDH OL, GM p5IMU		SFIZT KP
	SF. ;L; DGHDg8 SIDI8sS, S8Zf ;FY A9S IMHJLP	Ö<, FGF VG ZFHI IGI+6 SOL JrRGM ;NXfjIJCfZ	RTJ6L D?IF 5KL
	TDFD :TZ sVF5IçU:T Ö<, F4 TF, SF4 UFDf DF SFIN/ ;FANF ZFBJF sNZ ;RFZ jIJ:YF4 DFWID SFIN/f	;RFZ jIJ:YFT+ VG SFIZLIT	SF.I; ; DGHDg8 SIDI8 GPL SZ T ZLT
	DFICTL 5;FZ sSF. ;L; DGHDg8 SIDI84 IDI0IF 8F:S OM; f		GPL SZJFDF VFJ T DHA
	VF5IçGF 5SFZG wIFGDF , .G ;JNGXL, DYSM GÖS I:YIT ;EF/JF DF8 ;FWG; 5IT TIFZ ZFBJF	NZ ;RFZ T+4 IMHGF	GPL SZJFDF VFJ T DHA
	JSI<5S ;RFZ jIJ:YFT+ :YF5J sNZ ;RFZ T+ SFIN/f		GPL SZJFDF VFJ T DHA

VF5Jǃ	XIMW4ARFJ VG :Y/FTZ 5Jǃ X~SZJLP (CMC)	XIMW VG ARFJ N/ ; FAN SZJP	TftSFI , S
	GS ; FG VG V ; ZU:T IJ:TFZGF 5DF6 5Z DFICTL VS+ SZJLP (CMC)	VFSFZ6L 8LD 5F ; ; RFZ jIJ:YF VG JFCGM KP	\$ S , FSDF X~ SZJP
	IIMHGF IJS ; FJJL VG SFI IJXQFN / G :Y/ VG OZH VU ; RGF	GS ; FG VG V ; ZU:T IJ:TFZGL DFICTL	\$ S , FSDF X~ SZJP
	AFæ ; FWG ; 5ǃ SFD , UF0JFP (CMC)	GS ; FG VG H~ZLIFTGL DFICTL	5 S , FSDF X~ SZJP
	HFCZ DFICTL 5ZL 5F0JLP (CMC)		& S , FSDF X~ SZJP
!Z S , FS	, LW , F 5U , F VU VG SFI IJXQFN / GL SFI 5UIT VU ZL5IM8LU X~SZJP	; RFZ jIJ:YFT+ ; RF , G SZJP	! Z S , FS X~ SZJP
	GS ; FGGL DFICTL4 ; FWGM4 H~IZIFTM VG ; D:IF IJ:TFZq5Jǃ VMG 5G0D<IFSGP(CMC)		! Z S , FS X~ SZJP
	SDRFZLU6GL SDJFZL X~ SZJLP (CMC)		! Z S , FS X~ SZJP
	ZFHI IGI+6 SIF IGI IDT ; 5S :YFI5T SZJMP	; RFZ jIJ:YFT+ RF , CF , TDF	! Z S , FS X~ SZJP
	; DU 5IF ; IM ZFCTDF SIgãT SZJFP (CMC)		; DU ; DI
	DCTJG sRFJL~5f VFTZDF / B 5JJT SZJ sHFCZ AFWSFD VG VgI SFI IJXQFN / DFZOT (CMC)		\$(S , FS 5C , F SZJ
\$ (S , FS	SFDULZLGL ; DL1FF VG 5G0 D<IFSG RF , ZFBJP	SFDULZLGL DFICTL p5Z VFWFZLT	
	jIF5S GS ; FGGL VFSFZ6L CFY WZJLP (CMC) VG GS ; FG VFSFZ6L SFI IJXQFN / f		
	SFDR , Fp 5GJ ; G IMHGF :YF5JLP (CMC)		
	5IZI:YIT VFWFIZT s ; CFIS T+q ; FWMf SFDULZL DFYL DST SZJFP (CMC)		

	5IZI:YIT ; FDFgI SZL XSFI T ZLT w IFG SIgãT SZJP		*Z S , FS 5C , F
*Z S , FS	5GJ ; G 5JI¿ V X~ SZJLP	I HGF	
	GS ; FG VG H~IZ IFTGL IJUTJFZ D H6L WZJLP(CMC) VG GS ; FG VFSFZ6L SF IN /		
	SFDULZL YI IG I IDT IZ5 8LU X~ SZJP	SFDULZL (Operation) YI D / , DFICTL	XSI T8 , H<NL
	TDFD HFCZ VG BFGUL 1F+ GL ; JFV 5JJT SZJLP(CMC)		XSI T8 , H<NL
	AMW5F9 A9S (CMC) VG VgI		A V9JFI0 I F 5KL
	VFBZL VCJ , qS ; :80L (CMC)		5JI¿ V 56 YI
RTJ6L 0 ; EIJT VF5I¿GL RTJ6L VS+ SZJL VG HF6SFZL VY TGM 5 ; FZ SZJMP			
SF IN / G GTtJ , GFZ VIWSFZL 0 IGJF ; L VIWS S , S8ZqVIWS IGJF ; L GFP S , S8Z			
VF5I¿ 5C , F	; RFZ j IJ : YF VG RTJ6L T+ SFD SZ K S SD TGL RSF ; 6L		NZ 5NZ INJ ;
	RTJ6L ; NXFV VUFpYL H T I FZ SZ , F ZFBJFP		
RTJ6L	RTJ6L D / JJL VG TG D S , JLP sSF I IJXQF N / f	NZ ; RFZ j IJ : YFT+4SF I IJXQF N / ; FY ; S , G	RTJ6L D / T DHA
	D / , L RTJ6L RSF ; JL VG ; DHJL sSF I IJXQF N / f		RTJ6L D S< I FGF ! Z S , FSDF
	XSI CM I T RTJ6LG HFT BFTZL SZJLP SF I IJXQF N / f		; DI CM I T DHA
SF IN VG j IJ : YF 0v 38GFU:T IJ : TFZDF TDFD SF IN FGL VD , AHJ6L VG j IJ : YFGL HF6J6L ; IGIÜT SZ KP			
SF I IJXQF N / G GTtJ , GFZ VIWSFZL 0 Ö< , F 5 , L ; VIW1FS			
VF5I¿ 5C , F	VF5I¿ ; DI V5I1FT H~IZ IFT ; FD ; FDFgI To p5 , aW ; FWG ; 5I¿G D< I FSG SZJP sSF I IJXQF N / f		(INJ ; DF 56 SZJP
	VF5I¿ DF8 H~ZL SDRFZLU6 VG ; FWG ; FDUL VNFH sSF I IJXQF N / f	VF5ITGL UELZTFGF VFWFZ J : TLN 9 ; , FDTL SDRFZLU6GL ; b I FGF W Z6GF VFWFZ	VS V9JFI0 I FDF 56 SZJP

	VFIHVG VG DC ; , IJEFU ; FY ; S , G sSFIIXQF N / f		
	, WSHFUIT 5NF SZJF ; ICT IO , CFY WZJLP sSFIIXQF N / f	DFWID SFIIXQF N / GL ; CEHUTFGM ; DFJX YFI KP	NZS \$5 INJ ;
	; RFZ jIJ:YFT+GL RSF ; 6L SZJLP sJFIZ , ; .g:5S8Zf		RTJ6LGF !qZ S , FSDF
	5M , L ; VG SFIN / GF ; eIMG ; HFU SZJFP s5M , L ; VIW1FSf		RTJ6LGF !qZ S , FSDF
	SDRFZLU6 VG VgI ; FWG ; FDUL DF8GL OZH JCR6L IJXGF 5DF6ET ; RF , G SFI ZLITGM VD , SZJMP s5M , L ; VIW1FSf		RTJ6LGF !qZ S , FSDF
	VgI SFIIXQFN / G ; CF I SZJF DF8 H~IZIFTMGM 5YIDS VNFH IJS ; FJJMP s5M , L ; VIW1FSf		RTJ6LGF !qZ S , FSDF
VF5I¿	SDRFZLU6GL jICUM9J6L DF8 IGI+6 S1FDFYL CSDM D / JJF s5M , L ; VIW1FSf	; RFZ jIJ:YFT+ SFI ZT	TfSFI , S
	SDRFZLV M VG ; J , TMGL I:YIT G P L SZJLP s5M , L ; VIW1FSf	; RFZ jIJ:YFT+ SFI ZT	VF5I¿GF !vZ S , FSDF
	JWFZFGF SDRFZLV MGF SFD , UF0JFP s5M , L ; VIW1FSf	JFCGM p5 , aW CMJF HM . V	VF5I¿GF Zv# S , FSDF
	; FWG ; 5I¿q ; FDULG NBZB v IGZL1F6 s5M , L ; VIW1FSf		VF5I¿GF ! S , FSDF
	JLJLVF . 5L IIG8 :YF5JP s5M , L ; VIW1FSf		TfSFI , S
	H~ZL CM I TM JWFZFGF ; FWGMGL IJGTLPs5M , L ; VIW1FSf	; RFZ jIJ:YFT+ RF , SZJP	VF5I¿GF \$ S , FSDF
IZ S , FS	IGI IDT ZL5M8LU X~ SZJP sSFI IJXQF N / f	; RFZ jIJ:YFT+ SFI ZT	VF5I¿ X~ YFI S TZT H
	SDRFZLU6GL SDJFZL X~ SZJLP sSFI IJXQF N / f		VF5I¿ X~ YFI S TZT H
	ELO IGI+6 ; D: IF CFY 5Z , JL sSFI IJXQF N / f		H~IZIFT DHA

	, 8OF8 S RMZL V8SFJJF 5DF6ET ; RF , G SFI ZLIT VD , L AGFJJL sSFI IJXQF N / f		H~IZIFT DHA
	VOJF IGI+6 sSFI IJXQF N / f	S , S8Z4DFWID4ALG ; ZSFZL ; U9G4 :YFIGS VU6LVMP	H~IZIFT DHA
	, MSMG Z:TFVMGL I:YIT IJUZHJL DFICTL 5ZL 5F0JLP sSFI IJXQF N / f	IGI+6 S1F4 DFWID4 SFIN / 40% I8L DÔ:88	H~IZIFT DHA

\$ (S , \$	N / jIJ:YF5G IHHGF VD , DF DSJL sN / DF JWFZMq38FOM SZJMqDST SZJPF		; DIUF / M X~ YIYL
	; FDFgI I:YIT DF8GL IHHGF s5M , L ; VIW1FS4 SF IJXQF N / 4 IGI + 6 S1Ff		VF5I 5KLGF *Z S , FSYL
	AMW5F9 ; + IHHJPsVgI 51FSFZM TZOYL SF IJXQF N / f		VF5I 5KLGF ! V9JFI0I
	VFBZL VCJF ,		VF5I 5KLGF Z V9JFI0I

**XW VG ARFJ s:Y / FTZ ; ICTf 0 :YFIGS :YF / FTZ4XMM VG ARFJGF 5IF ; DF DNN
SZJF DF8 DFGJ VG DctJGF ; FWGM 5ZF 5F0 KP**

SFIN / G GTtJ , GFZ VIWSFZL 0 IGJF ; L VIWS S , S8ZqVIWS IGJF ; L GFP S , S8Z

VF5I 5C , F	HMBD D< I FSG VG ; JNGXL , TF sSF IJXQF N / f GSXM AGFJJMP		RTJ6L 5C , F
	SDRFZLU6 VG DctJGL ; FWG ; FDULGL sSF IJXQF N / f I FNL AGFJJLP		RTJ6L 5C , F
	TF , LD sSF IN / f	UHZFT VF5I jIJ:YF5G ; 5FD0 / VG ; IST ZFQ8 IJSF ; SFISD TZOYL ; FWG ; CFI	RTJ6L 5C , F
	, MSHFUIT S / J6L SFISD sSF IN / f	DfWID SFIN /	
	5IF° ; RFZ jIJ:YF :YF5JL sSF IN / f	JWFZFGI ; FWG ; FDUL	
	IO , sSF IN / f		RTJ6L 5C , F
	; EIJT XMM VG ARFJ SFdULZL DF8 JFCG jIJ:YF sSF IN / f	; CFIST+ SFIN / ; FY	RTJ6L 5C , F
	ARFJ DF8GL 5DF6ET ; RF , G SFIZLIT (SOP) IJS ; FJJL sSF IN / f		RTJ6L 5C , F

RTJ6L	SFIN/ M VG XIM VG ARFJ 8LDG ; FANF SZJFP sSFIN/ f		RTJ6L D?I
	; FWG ; FDUL TIFZ K S SD TGL RSF ; 6L SZJL sSFIN/ f		8LDG SFD , UF0IF 5KL
	JFCGM TIFZ K S SD m TGL BFTZL SZJL sSFIN/ f	; CFIS T+ SFIN/	RTJ6L D?I
	VUDRTLGF 5U , F ~5 :Y/FTZ sSFIN/ f	; CFIS T+ VG VFzI SFIN/	OZDFjIF 5DF6
	; , FDTL H6FI TM 8LDG DST SZJL sSFIN/ f	; CFIS T+ SFIN/	I:YIT 5Z VFWFZLT
	, WSHFUIT DF8 58M , LU X~ SZJP sSFIN/ f	DFWID4 SFINM VG jIJ:YF VG ; CFIS T+ SFIN/	H~IZIFT DHA
VF5Iç JBT	SDRFZLVIMGL ; , FDTLGL BFTZL SZJLP		TfSFI , S
	5MTEGL ; RFZ jIJ:YF 5G0:YFI5T SZJL sSFIN/ f VF5FZ6L DHA ARFJq:Y/FTZ 8LD ZJFGF SZJLP sSFIN/ f	IGI +6 SIF TZOYL DFICTL DHA	TfSFI , S
	H~Z CM I TM JWFZFGL ; FWG ; FDUL DUFJJLP sSFIN/ f	; RFZ jIJ:YF T+ SFI ZT CMJ HIM . VP	VF5IçGF # YL \$ S , FSDF
	SFDULZL (Operation)YI ZL5M8 VF5JF sSFIN/ f		# YL \$ S , FS X~ SZJP
	5DF6ET ; RF , G SFI ZLIT DHA sSFIN/ f DTNCM B ; OJFP	HNF HNF DC ; , L VIWSFZL VG 5M , L ; GM ; DFJX SZJMP	# YL \$ S , FS X~ SZJP
	SDRFZLVIMGL SDJFZL GP L SZJLP sSFIN/ f		! Z S , FS X~ SZJP
	BF ; ARFJ SFDULZL X~ SZJLPsJC , L X~ SZL XSFI f sSFIN/ f	Afæ ; FWGMGL DNN , . XSFI P ; CFIS T+ sSFIN/ f ; FY ; S , G	! Z S , FS X~ SZJP
	HFCZ AFWSFDGF SFIN/ GF ; CSFZYL SF8DF / B ; OJFGM X~ SZJMP	DctJGF VFTZDF / BF 5Z wIFG VF5JqIGI +6 SIFGM ; 5S	! Z S , FS X~ SZJP
\$ (S , FS	SFDULZL ; TT RF , ZFBJF DF8 JWFZFGL ; FWG ; FDUL sA / T64 SDRFZLU6 HJLf JWFZFGL ; FWG ; 5Iç ; IGIÜT SZJLP sSFIN/ f		! Z S , FS X~ SZJP
	HFCZ AFWSFDGF SFIN/ GF ; CSFZYL GS ; FG 5FD , L . DFZTM TMOL 5F0JL q 8SFYL I:YZ SZJLP	; CFIS T+ SFIN/ SFI SZM4 ; FWG ; FDUL	\$ (S , FS X~ SZJP
	; FWG ; FDUL VG VgI ; FWGM K8F SZJF4 OZOFZ SZJF4 DZFDT VG OZAN , L SZJL sSFIN/ f		VF5IçGF 5SFZ 5Z VFWFIZT
	5G0:YF5G SFDULZLGL ; , FDTL ; AWL JWFZFGL SFDULZL DF8 TIFZ ZCJP sSFIN/ f		H~IZIFT DHA

*Z S,FS	AMW5F9 A9S sSFIN/ VG VgIf		A V9JFI0IF 5KL
	VFBZL VCJF, sSFIN/f		DM8FEFUGL 5JL V 56 YFI T 5KL
HFCZ AFWSFD 0 ; FDFgI ZLT RF, TF VFTZDF/ BFG 5G0: YFI5T SZJF DF8GF :YFIGS 5IF; MDF ; CF I SZJF DF8 SDRFZLU6 VG ; FWG ; 5I 5ZF 5F0 KP			
SFIN/G GTtJ , GFZ VIWSFZL 0 SFI5F, S .HGZ4 DSFG VG AFWSFD			
VF5L 5C, F	SDRFZLU64 ; FWG ; FDUL VG VFTZDF/ BFG ; IR sSFIN/f	IGF.80 GXg; 0J, 5Dg8 5MUFDF DFICTL VFWFIZT IJSF ; ; FY HMOF6	RTJ6L VS V9JFI0IF 5C, F
	DctJG VFTZDF/ B GpL SZJP sSFIN/f	SI VFTZDF/ B DctJG K T GpL SZJ H~ZL KP	RTJ6L 5C, F
	JFCG jI JCFZ DF8GF JSI<5S Z:TFVM GpL SZJF VG GSXFVM 5I ; WWSZJFP sSFIN/f		RTJ6L 5C, F
	VFTZDF/ BFG VF5L 5KL VUTFGF WMZ6 >g:5SXG SZJFG VFIMHG sSFIN/f		
	; FWG ; 5I VG SDRFZLU6GF VFIMHG VG IGEFJ sSFIN/f		
	:JrKTF VG VFzI DF8GL VgI ; J, TINGL HMUJF. SZJLP sSFI IJXQF N/f		

RTJ6L	IGI+6 S1F :YF5JF sSFIN/f		RTJ6LYL & S, FSYL DM0 G CMI TD
	SFIN/M VG SDRFZLU6G ; FANF SZJFP	; RFZ jIJ:YFT+GL H~Z 50 KP	RTJ6LYL & S, FSYL DM0 GCL T ZLT
	O<, F IGI+6 S1F ; FY ; 5S SZJMP sSFIN/f		RTJ6LYL & S, FSYL DM0 GCL T ZLT
	; FWG ; FDULGL I:YIT VG p5, aWTFGL BFTZL SZJL VG IMuI TDH ; , FDT H6FI TM TYL OZLYL DST SZJF sSFIN/f	; CFIS T+ SFIN/ VG IGI+6 S1FG ; S, G	RTJ6LYL Z\$ S, FS
	IMHGFMGL ; DL1FF sSFIN/f		RTJ6LYL & S, FSYL DM0 GCL T ZLT

!Z S,FS	GS ; FG VFSZ6L VG IGZL1F6 X~ SZJP sSFIN / f	GS ; FG VFSFZ6L SF I IJXQF N / ; FY ; S , G SZJP	Vf5I¿GF !Z S , FSGL VNZ
	SFDULZL I MHGF IJS ; FJJL VG IGI+6 S1F ; FY ; 5S ZFBJMP		Vf5I¿GF !Z S , FSGL VNZ
	8LDG VUTFGF WMZ6 ; FANL ZFBJL VG ZJFGF SZJLP Vf 8LD 0 s ! f ; DFZSFD SZXP sZf GS ; FG YI , L J:TV MGL OZAN , L SZXP s#f SFDR , Fp YI , L J:TV MGL OZAN , L SZXP s\$F SFDR , Fp ; J , TM sVFZFDGL ; J , TM q Vfz I f AFWXP VgI SFIN / G ; C I MU VF5JMP	; CFIST+4 5F6L4 JI H5ZJ9F SF I IJXQF N / VG IGI+6 S1F ; FY ; S , G	Vf5I¿GF !Z S , FSGL VNZ
	5U , F sVG T 5U , F SM6 , JF HM . VPf	5U , F , . XSFI T 5C , F 56 SZJFGL H~ZL I FT M VYJF XZTM	; DI DIFNF
	SDRFZLU6GL SDJFZL 5WIT VG DFGJXIST VF I MHG X~ SZJP sSFIN / f		!Z S , FS X~ SZL NJP
	SFDULZLGF VNFOT q V5I1FT ; DIUF / F 5Z VFWFIZT JWFZFG ; FWG ; FDUL ; FANL ZFBJLP sSFIN / f ; , FDTL ; IGIÜT SZJLP sSFIN / f	; CFIS T+ SFIN / 4S Mq8FS8ZM ; FY ; S , G4 JWFZFGF 00GL H~Z 50P SFIN M VG j I J:YF SFIN /	!Z S , FS X~ SZL NJP !Z S , FS X~ SZL NJP

	Z:TF4 5JX4 VG VFTZDF / BFG , UTL HFCZ DFICTL 5ZL 5F0Jf sDFwID SFIN / f	IGI+6 S1F ; FY ; S , G	!Z S , FS X~ SZL NJP
*Z S,FS	IJUTJFZ DMH6L CFY WZJLP sSFIN / f	GS ; FG VFSFZ6L SFIN / GF ; CSFZYL	\$(S , FS X~ SZL NJP
	SFDULZL 5Z IZ5 M8LU SZJP		+LHF INJ ; X~ SZJP
	; FWGM VG VgI ; FWG ; 5I¿GL ; WFZ6F4 ; DFZSFD VG OZAN , L sSFIN / f		Vf5I¿GF 5SFZG w I FGDF , . G
	; FWG ; FDUL OFZU SZJF DF8 VF I MHG VG SFDULZL sSFIN / f		+LHF INJ ; X~ SZJP
	, FAFUF / FGL 5G0:YF5G SFDULZL I MHGF IJS ; FJJL VG TGL 5JI¿VM X~ SZJLP sSFIN / f	*Z S , FSYL X~ SZJLP	
	AMW5F9 A9S sSFIN / VG VgI f		A V9JFOL IF 5KL
	VFBZL VCJF ,		DM8FEFUGL 5JI¿VM 56 YIP

**5F6L 5ZJ9F 0 DFGJ VG 5F6LVMGF J5ZFX DF8 sVUTFGF WMZ6f 5LJFGF 5ZTF 5F6L
VG VFnmIUS TDH SIQF J5ZFX DF8GL 5F6LGL HmUJF . P**

SF IN / G GTtJ , GFZ VIWSFZL 0 SF I5F , S . HGZ sUHZFT 5F6L 5ZJ9F AmOf

VF5Lz 5C, f	5F6LGL 5F%ITF4 1FDTF4 IJ`J ; GLITF VG XwWTFG :YF5G sSF IN / f	NZS jIIST DF8 INJ ; NL9 Z_ , L8Z 5F6LG WMZ6	RTJ6L 5C , FGF +6 DICG
	5F6L IJTZ6 VG ; UC DF8GL JSK5S I MHGF sSF IN / f	8gSZ48FSL4HGZ8ZGL H~Z	RTJ6L 5C , FGF +6 DICG
	GJL VG JWZFGL ; FWG ; FDUL ; IGIÜT SZJLP sSF IN / f	00GL H~Z 50	
	Z ; FI6M JF5ZJF I MUI 5ZJ9F VG ; FWG ; FDULGM JWZFGM HyYM ZFBJM sSF IN / f	JWZFGF 00GL H~Z 50P	RTJ6L 5C , FGF +6 DICG
RTJ6L	SDRFZLV MGL SDJFZ VG 5F / L 5wWIT sSF IN / f		RTJ6LGF Z\$ S , FSYL DmO GCL T ZLTP
	5F6LGF J5ZFX VU , MSHFUIT 5ZL 5F0JLP sSF IN / f	DFwID SF IIXQF N /	RTJ6LGF Z\$ S , FSYL DmO GCL T ZLTP
	5F6L 5ZJ9FGF ; Z1F6 DF8 ; ZSFZ VG BFGUL 1F+MG ; RGF VF5JLP sSF IN / f		RTJ6LGF Z\$ S , FSYL DmO GCL T ZLTP

VpF VG ZFCT 5ZJ9M 0 V ; ZU:T , MSH DF8 H~ZL BmZFS VG ALÖ H~ZL IFTINGL HmUJF . SZ KP

SF IN / G GTtJ , GFZ VIWSFZL 0 O< , F 5ZJ9F VIWSFZL

VF5Lz 5C, f	SF I5wWIT VG WMZ6M :YF5JF sSF IIXQF N / f	WMZ6MGL H~Z 50P	SF IZT ZFBJP
	VFJxIS 5ZJ9FGM A DICGFGM HyYM HF / JJMP sSF IN / f		Y> UI , CmjHm . VP
	JFCG jIJCfZG VFIMHG IJS ; FJJP sSF IN / f	; CFIS T+ SF IN / GM ; CSFZ	(INJ ; DF 56 SZJP
	ALG ; ZSFZL ; U9GM q ; :YFVMGL IFNL IJS ; FJJLP sSF IN / f		Y> UI , CmjHm . VP
	VF5Lz DF8GF SDRFZLU6G VFIMHG		Y> UI , CmjHm . VP

	sSFIN / f		
	V , U ZFBL XSFI TJF :Y / M GP L SZJF VG H~IZIFT DHA HyYM JWFZJM sSFIN / f		SFIZT CMJ HM . VP
	Z ; M . AGFJJF DF8GF :Y / M GP L SZJF sSFIN / f		Y> UI , CMJ HM . VP
RTJ6L	D / , L RTJ6L VFU / DMS , JLP sSFIN / f		RTJ6L D?IFGF !Z S , FSGL VNZ
	Z ; M . TIFZ SZJF DF8 ALG ; ZSFZL ; U9GMG ; FANF SZJF sSFIN / f	ALG ; ZSFZL ; U9GM ; FY ; 5SP	RTJ6L D?IFGF !Z S , FSGL VNZ
	HyYFGF 5DF6GL BFTZL SZJL VG IJTZ6 IMHGF AGFJJLP sSFIN / f	; CFIST+ SFIN / GM ; CSFZ	RTJ6L D?IFGF \$(S , FSGL VNZ
	JFCGM DF8 8Fg ; 5M8 SMg8FS8ZMG ; FANF SZJFP sSFIN / f	; CFIST+ SFIN / G ; S , G	RTJ6L D?IFGF 5 S , FSGL VNZ
	SDRFZLVMG SFD , UF0JF sSFIN / f		RTJ6L D?IFGF & S , FSGL VNZ
VF5Lz JBT	IGI+6 S1F TZOYL ; RGFVM D / JJJL VG T 5tI 5ITEFJ VF5JMP sSFIN / f		D / , ; DIDIFNF DHA
	5ZJ9F VG HyYFGL I:YIT 5Z NBZB ZFBJLP sSFIN / f	; RFZ jIJ:YFGL H~Z 50P	
	IJTZ6 IMHGF IJS ; FJJL sSFIN / f	H~IZIFTM VG :Y / ; AWL DFICTLGL H~Z 50P	IGI+6 S1FGL IJGTL DHA

	H~IZIFT DHA 005S8GF VM0Z VF5JF VG TGF 5ZJ9FGL HMUJF . SZJLP sSFIN / f	; CFIST+ SFIIJXQF N / ; FY ; S , G	IJTZ6 IMHGF DHA
	ZFCT 5ZJ9F :JLSFZ SgãM :YF5JFP sSFIN / f	IGI+6 S1F VG ; CFIS T+ SFI N / G ; S , GP	H~IZIFT DHA

!ZS,FS	IJTZ6 SFDULZL X~ SZJLP sSFIN/f	;gIT+ VG VFz I SFIN/G ;S,G	X~VF TDF H
	IZ5W8LU4 ;NXFj IJCfZ VG NBZBP sSFIN/f		\$(S ,FSDF 56 SZJP
	SDRFZLU6GL SDJFZ 5WIT X~ SZJLP sSFIN/f		X~VF TDF H
	JWFZFGM 5ZJ9M DMS, JM VG TGL jIJ:YFP		X~VF TDF H
	TDFD :Y/ ; ,FDTLGM ANMA:T SZJMP sSFINM VG jIJ:YF SFIN/f		X~VF TDF H
	IJTZ6 IMHGF VG WNZ6MGL HFCZFT X~ SZJLPsDFw ID SFIN/f		\$(S ,FSDF 5IS IF RF, SZJLP
\$(S,FS	; FDFg I SFDULZL 5tI wIFG VF5JP sSFIN/f		! V9JFI0 I FGL VNZ
	5ZJ9FGL VFJS VG IJTZ6 ZS0GM TF/M D/JJMP sSFIN/f		#_ INJ ; GL VNZ
	BF; IJ:TFZM q J:TLG ZFCT 5ZL 5F0JFG RF, ZFBJP sSFIN/f		VF5I¿ YL ! 5 INJ ; ; WL
*ZS,FS	HFCZ IJTZ6 jIJ:YF 5G0:YFI5T SZJLP sSFIN/f		VF5I¿ 5KLGf ! V9JFI0 I FYL
	AMW5F9 A9S		VF5I¿ GF ! \$ INJ ; GL VNZ

JLH 5ZJ9M o V;ZU:T IJ:TFZMDF ; FDFg I JLH 5ZJ9M VG jIJ:YF 5G0:YFI5T SZJF Df8 ; FWG; 5I¿ 5ZL 5F0 KP			
SFIN/G GTtJ , GFZ VIWSFZL o VIW1FS . HGZ4 UHZFT IJnT AMO			
VF5I¿ VG RTJ6LGf	JLH 5ZJ9FT+ VG 5FI° :YFGMGL JTDFG I:YITGL IFNL IJS; FJJLP sUHZFT IJnT AMOf		SFI ZT KP

	; 5S I FNL IJS ; FJJLP sUHZFT IJnT AñOf		
	VGf5RFIZS HñBD VG BTZF VFSFZ6L q D< I FSG CFY WZJP sUHZFT IJnT AñOf		
	Vf5Iç VfIñHG IJS ; FJJP		
Vf5Iç JBT	5DF6ET ; RF, G SF I ZLIT 5DF6 V ; ZñG D< I FSG SZJ sUHZFT IJnT AñOf	IG I +6 S1F VG GS ; FG VFSFZ6L SF IN / ; FY ; S, GP	
	5ITEFJ 5U , FG VUTF Vf5JLP sUHZFT IJnT AñOf	VUTF : Yf5JFGL H~Z 50P	
	JW DFICTL VS+ SZJLP sUHZFT IJnT AñOf		
	JWFZFGL ; FWG ; FDUL q : +ñ+ ; FANF SZJFP sUHZFT IJnT AñOf	IG I +6 S1F VG VgI SF I IJXQF N / GF ; S, GP	
	V6WFZL VfSI: DSTF VU BFTZL SZJLP		
	SFDULZL YI DFICTL VG D< I FSGGF VFWFZ IñHGFDf ; WZF SZJFP sUHZFT IJnT AñOf		SF I ZT ZfBJ
! Z S, fS	5U , FGL q SF I JFCLGL I: YITGL NBZBP sUHZFT IJnT AñOf		5ISIF RF, ZfBJLP
	SDRFZLVñ SDJFZL IñHGf X~ SZJLP sUHZFT IJnT AñOf		! Z S, fSGñ ; DIUF /ñ X~ YIP
	DFICTL Gñ , ñSMDf 5 ; FZ SZJñP sDFñ ID SF IN / f		! Z S, fSGñ ; DIUF /ñ X~ YIP

	SDRFZL U6 DF8 ALG ; ZSFZL ; U9Gñ TZOYL DNN sBñZFsqIGJf ; JUZf ; IGIüt SZJFP sUHZFT IJnT AñOf		
! Z	H~IZIFT DHA ; , FDTL ; IGIüt SZJL sSF Iññ VG j IJ: YF SF IN / f	IG I +6 S1F ; FY ; S, G SZJP	

	H~IZIFTM4 VFJxISTFVM VG 5I°:YFGM VU IGI+6 S1F VG UPIJP AMOGF DbI DYS ;FY ;TT ;5S :YF5JMP		
	5IF ;WDF ;WFZ6F DF8 RSF ;6L SZJLPsUHZFT IJnT AMOf		
	DwIJTL ;S,G ;ULG AGFJJP sUHZFT IJnT AMOf		
	EIDSF EHJGFZ VgI 5IZA/M ;FY IGIIDT ;S,G A9SM IMHJLP		
	5IF ;MG VF5RFIZS N:TFJÖSZ6 X~ SZJP		
*ZS,FS	; ,FDTL DF8 VFI MHGDF OZOFZ DF8GL ;DL1FFP sUHZFT IJnT AMOf		
	H~ZL CM I TM JWZFGL ; ,FDTL ;ICT I:YITG ;DFgI SZJF DF8GL IMHGFP sUHZFT IJnT AMOf	SFINM VG jIJ:YF SFIN/GM ;DFJX	
HFCZ VFZMuI VG :JrKTF s5FYIDS p5RFZ VG TDFD TALAL ;EF/ ;ICTf o HFCZ VFZMuIG ,UTL UELZ ;D:IFVMG ,UTF SDRFZLU6 q ;FWGM 5ZF 5F0 K4 VG ;DFgI VFZMuI ;EF/ jIJ:YF 5G0:YFI5T SZ KP			
SFIN/G GTtJ ,GFZ VIWSFZL o Ö<,F IJSF; VIWSFZL			
VF5Iç 5C,F	SDRFZLU64 ;FWG ;FDUL VG ;J ,TWGL IFNL IJS;FJJLP sSFIN/f		! V9JFI0I
	TF,LD sSFIN/f	UHZFT ZFH I VF5Iç jIJ:YF5G ;çF D0/ ;FY ;SI,T	& DICGF
	IGI+6 S1F :YF5JMP		56 YI , CMJ HM . VP
	RMP ; kT snFPTP RMDf ;f G ,UTF BF ; ZMUM DF8 TIFZL SZJLP		56 YI , CMJ HM . VP

	R5L ZMUJF/FG ,UTF ZL5M8 DMS ,JF DF8G jIJ:YFT+ :YF5JP sSFIN/f		56 YI , CMJ HM . VP
	ZMU ;JNGXL ,IJ:TFZM GPL SZJFP sDbI Ö<,F VFZMuI VIWSFZLf		56 YI , CMJ HM . VP
	,MSHFUIçDF ;WFZ6F ,FJJLPsDFwID SFIN/f		56 YI , CMJ HM . VP

RTJ6L	VFZMuI ; J, TIG RTJ6L DMS, L VF5JLP sSFIN/f	RTJ6L D/ T DHA	
	VF5I¿ ; EIJT IJ:TFZMDF VFZMuI 8LDG SFD, UF0JLP sSFIN/f	IGI+6 S1FGL ; FY ; S, G	H~IZIFT DHA
	; DU O<, F DF8 SF1IJXQFN/G ; ISI AGFJJPsO<, F VFZMuI VIWSFZLf		RTJ6L D?I
VF5I¿ JBT	5YIDS p5RFZGF 5IF ; III X~ SZJFP sSFIN/f		VF5I¿GF ! S, FSGL VNZ
	VFZMuI ; EF/ jIJ:YFT+GL I:YIT :YF5JLP sSFIN/f	; RFZ jIJ:YFGL H~Z 50 KP	VF5I¿GF & S, FSGL VNZ
	. HFU:T jIISTVMIG prR S1FFGL ; J, TII DF8 DMS, JFG X~ SZJP sSFIN/f		VF5I¿GF ! S, FSGL VNZ
	DT jIISTVMIGL jIJ:YF DF8 5DF6ET ; RF, G SFIZLITGM VD, SZJMP sSFIN/f	SFINM VG jIJ:YF VG XMW VG ARFJ SFIN/GF ; CSFZGM ; DFJXP	VF5I¿GF ! S, FSGL VNZ
	IGI+6 S1F VG VgI SF1IJXQFN/GF 5IF ; IIG ; S, GP		VF5I¿GF Zv# S, FSGL VNZ
!Z S, FS	; FWG ; FDUL ACfZYL DUFJJFG X~ SZJP sSFIN/f	NZ ; RFZ T+4 ; CFIS T+4 SFIN/ VG IGI+6 S1FGM ; DFJX YFI KP	# S, FSGL VNZ
	H~ZL H6FI tIF SFDR, Fp TALAL ; J, TII :YF5JLP sSFIN/f	HFCZ AFWSFD4 JLH/L4 5F6L VG SFINM VG jIJ:YF SFIN/GF ; S, GGL H~Z 50P	Z\$ S, FSGL VNZ
	VFZMuI I:YIT TZO ; TT NBZB JWFZJLP sSFIN/f		Z\$ S, FSGL VNZ
	SDRFZLU6 DF8 5F/L 5WIT :YF5JLP sSFIN/f		
	VFz I :YFGMDF D, FSFT VG VFZMuI I:YIT ; DL1FFP sSFIN/f		X~VFTGF ; DI Z\$ S, FSGL VNZ

\$ (S, FS	VFZMuI ; EF/ jIJ:YF 5G0:YF5G IMHGF IJS ; FJJLP sSFIN/f	IGI+6 S1FG ; S, G	Zv# S, FS
	3GSRZF IGI+6 jIJ:YF5G DF8 5DF6ET ; RF, G SFIZLIT X~ SZJLP sSFIN/f		X~VFTGF ; DI
	VF5RFIZS TALAL ; EF/ T+G ZL5M8LU sSFIN/f		X~VFTGF ; DI
	UNF 5F6LGF jIJ:YF5G DF8 5DF6ET ; RF, G SFIZLIT X~ SZJLP sSFIN/f		X~VFTGF ; DI
	_YL 5 GL JIHYGF AF/SIMGL VFZMuI		! V9JF9I0IFDF VD, SZJMP

*Z S,FS	I:YIT NBZB 5Z WIFG VF5JP		
	, MSHFUIT VG VF. . ; LGF 5IF; MP sSFIN/ VG DFwID SFIN/f		X~VFTGF ; DI
	; FWGM OFZU SZJFGL I M HGF IJS ; FJJLP		X~VFTGF TAP
	AMW5F9 A9S		VF5I¿GF !\$ INJ ; DF
	VF5BZL VCJF ,		VF5I¿GF !\$ INJ ; DF

5X VFZMuI VG S<IF6 o VF5I¿U:T 5XVINGF VFZMuI VG VgI ; EF/GL HMUJF.P

SFIN/G GTtJ , GFZ VIWSFZL o GFIA IGIFDS4 5XZMU VG 5X; JWG

VF5I¿5C,f	5XVINGL IFNL4 SDRFZLU6GL IFNL JBTMJBT ; WFZJL VG 5XVINGF DONFGF IGsf, DF8GL TF, LDP sSFIN/f		Y. UI , CMJ HM . VP
	TALAL 5ZJ9F VG Z ; LGM HyYMP sSFIN/f		TIFZ CMJF HM . VP
RTJ6L	SDRFZLU6G ; FANF SZJF sOMGYLf SFIN/		RTJ6L D/ T DHA
	; JNGXL, IJ:TFZMDF 5ZJ9FG IJTZ6 SZJP sSFIN/f		RTJ6LGF ; DIUF/F NZdIFG
	IGI+6 S1FGM ; 5S SZJMP sSFIN/f		H~Z H6FI T DHA

VF5I¿JBT	5XVINGF DONF B ; OJF VG TGM IGSF, P sSFIN/f	A/T6 VG T+GL H~Z 50 KP	XSI T8, H<NL
	. HFU:T 5XVINGL ; FZJFZP		XSI T8, H<NL
	H~Z H6FI TM VgI Ö<, FGF SDRFZLVING AM, FJJFP sSFIN/f		H~Z H6FI TD

	GS ; FGGL DMH6L VG ZSOGM TF / M D / JJFDF : YFIGS ; 2FIWSFZLVIG ; CFI SZJLP sSFIN / f		H~IZIFT DHA
\$ (S , FS VG tIFZAFN	3F ; RFZFGL jIJ : YF SZJFDF H~ZL H6FI TD : YFIGS ; 2FIWSFZLVIG DNN SZJLP		H~ZL H6FI TD
	SDULZL YIF 5KLGL DFICTL VS+ SZJLP sSFIN / f		
	VFBZL VCJF ,		5NZ INJ ; GL VNZ
	VFzI 0 VF5I2U: T HG ; DNF IG SFDR , Fp VFzI VF5JF DF8 ; FWG ; FDUL VG 5ZJ9F 5ZM 5F0 KP		
SFIN / G GTtJ , GFZ VIWSFZL 0 0< , F 5FYIDS IX1F6 VIWSFZL			
VF5I2 5C , F	VFzI : YFGGF ; RF , G DF8GL SF15WIT IJS ; FJJLP sSFIN / f		
	VFzI Ms : Y / M4 1FDTF IJUZF GL IFNL IJS ; FJJLP sSFIN / f	; IST ZFQ8 IJSF ; SF1SDGL ; IR	
	Vgl SFIN / GF VIWSFZLVIG VFzI : YFGM VU DFICTL 5ZL 5F0JLP sSFIN / f	; CFIS T+4 5F6L4 JLH / L4 XMW VG ARFJ4 VpF4 ZFCT 5ZJ9F SFIN / VG TF , LD VIWSDGL H~Z 50 KP	IGI+6 S1FG ; S , G
	VFzI : YFG jIJ : YF5SGL TF , LDP sSFIN / f		
RTJ6L	VFzI : YFG jIJ : YF5SIG ; FANF SZJFP sSFIN / f	; RFZ jIJ : YFGL H~Z 50P	RTJ6LGL & S , FSGL VNZ
	; RGF DHA VFzI : YFG X~ SZJFP	IGI+6 S1F ; FY ; S , GP	RTJ6LGL & S , FSGL VNZ
	VFzI : YFG VG KFJ6LVIG DF8 JWFZFGF : +MTG SFD , UF0JFP	; CFIS T+4 VpF VG ZFCT 5ZJ9M4 5F6L VG JLH / L sSFIN / f G ; S , GP	RTJ6LGL & S , FSGL VNZ

	Vfz I :YFGMGL :Y/ VG I:YIT VU ,MSIG JFSO VNZ SZJFpsDFwID SFIN/f		RTJ6LGL & S ,FSGL VNZ
VF5Lz JBT	VfIzTIG Vfz I:YFGDF NFB, SZJFGL SFDULZL X~ SZJLpsVfz I jIJ:YF5SMf		TftSFI, S
	Vfz I:YFGMGL I:YIT VU VCJF, VF5JMP sSFIN/f	IGI+6 S1FG VCJF, VF5JMP	H~Z H6FI T DHA
	Vfz I :YFGGF p5IMUGL VUTF DF8GL IMHGF sSFIN/f	:Y/FTZ SFDULZL VG IGI+6 S1FG ;S, GP	TftSFI, S
	5F6L4 5ZJ9F4 BIZFS4 VFZMu IGL ; ,FDTL DF8 VgI SFIN/ ;FY;S, GP sSFIN/f		TftSFI, S
	VfIzTIG ;CFI VG DNN 5ZL 5F0JLP sSFIN/f	5XVMGF jIJ:YF5G DF8 5X SFIN/ VG VFZMu I ;EF/ DF8P	VFZMu I ;EF/ SFIN/GM ;5S
!Z S,FS	SFDULZL RF, ZFBJLP sSFIN/f		;TT SFIZT ZFBJL
	Vfz I :YFGMGL I:YIT VG ,MSIGL VJZHJZ 5Z NBZB ZFBJLPsSFIN/f		;TT SFIZT ZFBJL
	JWFZGL ;FWG ;FDUL SFD ,UFOJLP	IGI+6 S1F VG ;CFIS T+ ;FYG ;S, G	SFIZT ZFBJP
\$(S,FS VG tIFZAFN	IMu I H6FI T DHA ;FWG ;FDUL OFZU SZJLPsSFIN/f		
	Vfz I :YFGMGL I:YITDF ;WFZ6F q ;DFZSFD X~ SZJP	HFCZ AFWSFD SFIN/GM ;CSFZ	H~IZIFT DHA

	sSFIN/f		
	AMW5F9 ; + sSFIN/f	VgI SFIN/ VG VFIZTIGM ; DFJX	SFDULZL 56 YIFGF !\$ INJ ; 5KL
	VFBZL VCJF, sSFIN/f		5JIZ 56 YIFGF ! DICGF 5KL

**;CFIS T+ 0 VgI SFIN/ VG ; 1FD ; 2FIWSFZL ; FY ; S, G SZG4:Y/FTZ VG
ZFCT 5ZJ9FGF ; UC VG JCG DF8 CJF.4 H/ VG EIDUT 5IZJCGGL HUUJF. SZ
KP**

SFIN/G GTtJ , GFZ VIWSFZL 0 Ö<, F IJSF; VIWSFZL

VF5IZ 5C,F	; FWG ; FDUL sCJF.4 H/ VG EIDUT JFCGjIJCfZ VG Ö<, FDF TDH Ö<, F ACfZ ; UC jIJ:Yff DF8 ; IR AGFJJLP		! DICGM
	; FWG ; FDUL OFZU SZJFGL H~IZIFTM4 SF15WIT VG IJS<5MPsSFIN/f		! DICGM
	IO, G VFIMHGSSFIN/f		! DICGM
	VgI SFIN/G ; S, G	IGI+6 S1F DFZOT SFDULZL	H~IZIFT DHA
RTJ6L	SFIN/GF ; eIMG ; FANF SZJF VG SFD , UFOJFPsSFIN/f		RTJ6L D?IFGF ! S, FSGLVNZ
	V5I1FT VF5IZ 5Z VFWFIZT 8SFUF/FGL ; RGF 5ZGL SF1JFCL DF8 JFCGM VG VgI ; FWGMG SFD , UFOJFPsSFIN/f	IGI+6 S1F ; FY ; S, G	RTJ6LGF Z YL # S, FSGL VNZ
	IGI+6 S1F VG XIM VG ARFJ4 VFzI VG Bfn q ZFCT		RTJ6LGF ! S, FSGL VNZ

Vf5lç JBT	5ZJ9F SFIN / ; FY ; 5S ZFBJMP		
	ACFZYL ; FWG ; FDUL DUFJJFGL H~Z50 TM IMHGFG ; ID1FF SZLG GP LSZJP		RTJ6L D? IFGF & S , FSGL VNZ
	Vf5lç GF 5SFZG w IFGDF ZFBLG ; CFIS T+G VFIMHGPsSFIN / f	IGI+6 S1F VG VpF q ZFCT 5ZJ9F SFIN / ; FY ; S , G	H~IZIFT DHA
	IGI+6 S1F TZOYL D / , L ; RGf VFWFIZT SFIMHGf sSFIN / f		RTJ6L D? IFGF Z S , FSGL VNZ
	H~IZIFTM VG :+MTMGL ; TT ; ID1FF SZJLPsSFIN / f		SFIZT ZFBJP
	SFDULZL IMHGFVM IJS ; FJJLP sSFIN / f	IGI+6 S1F VG Bfn q ZFCT 5ZJ9F SFIN / ; FY ; S , G	RTJ6L D? IFGF Z S , FSGL VNZ

!ZS,FS	IGI+6 S1F VG DctJGF SFIN / GM ; 5S ; ULG AGFJJMPsSFIN / f		RTJ6L D? IFGF Z S , FSGL VNZ
	; JFVMGL U6JçF RSF ; JLPsSFIN / f	SFDULZL YI ; JFGF WmZ6M :Yf5JfGL VG DhCTLGL H~Z 50	NIGS
	; CFIS T+ DF8 JWTL DFUGM 5ITEFJP sSFIN / f		; TT RF , ZFBJP
	SDRFZLU6GL SDJFZL X~ SZJLP sSFIN / f		Vf5lç GM TAPM X~ YIP
	H~IZIFT DHA ; CFIS T+ DF8GF VFWFZ : YFG : Yf5JFP sSFIN / f IMHGFVMGL ; ID1FF SZJL VG VgI SFIN / G ; RF , GP	IGI+6 S1F VG Bfn VG ZFCT 5ZJ9F SFIN / ; FY ; S , GP	; TT SFIZT ZFBJP ; TT SFIZT ZFBJP

	IGIIDT ZL5M8LU VG N:TFJOSZ6 X~ SZJPsSFIN/f		TAPM X~ YIP
	H~IZIFTM VG DFU6LVIG 5G0D<IFSG sSFIN/f		;TT RF, ZFBJF
	IMuI H6FI TD ;FWG ;FDUL OFZU SZJLPsSFIN/f		
*ZS,FS	AMW5F9 A9S	Vfz I4Bfn VG ZFCT 5ZJ9F SFIN/GM ;DFJX YFI KP	VF5I¿GF !\$ INJ ;GL VNZ
	VF BZL VCJF,		VF5I¿GF !\$ INJ ;GL VNZ

**GS ; FG VFSFZ6L VG DMH6L o VF5I¿GF 5EFJ 5ZGL IJUTM VS+ SZLG TG
5yYSZ6 SZ K4 ;FWG ;5I¿GL H~IZIFTM VG ZFCT IMHGFVMGF VNFHM IJS ;FJ KP
VG Ò<,F VG ZFHI ;¿F D0/ VG IMuI H6FI TJF VgI 51FSFZM DF8 H~ZL H6FI
TJF VF5I¿ VCJF, MG ;S, G SZ KP**

SFIN/G GTtJ , GFZ VIWSFZL o IGJF ;L VIWS S, S8ZqVIWS IGJF ;L GFPS , S8Z

VF5I¿5C,F	VFSFZ6L SFI5WIT VG GDGF AGFJJPsSFIN/f	UHZFT ZFHI VF5I¿ jIJ:YF5G ;¿FD0/GM ;CIMU	
	VFWFZ DFICTLG ;S, G SZJPsSFIN/f	;IST ZFQ8 IJSF ; SFI SD GM ;CIMU	
	VFSFZ6L HY VG 8LDGL :YF5GF SZJLP		

RTJ6L	VFSFZ6L ;S, G IMHGF IJS ;FJJLP s ;S, G VG VFIMHG SFIN/f		
	;RFZ jIJ:YFT+ IMHGF IJS ;FJJLP	NZ ;RFZ jIJ:YFT+ SFIN/GM ;CSFZ	
	SFIN/MG ;FAN SZJPsSFIN/f		RTJ6LGF & S, FSGL VNZ
	IMHGFGL ;ID1FF sSFIN/f		RTJ6LGF & S, FSGL VNZ

VF5IŁ JBT	VF5IŁ 5J V ; Z D< I FSGGL IJRFZ6FP sSFIN / f	VF5IŁ GF V5IŁFT 5SFZG w I FGDF , . G	RTJ6LGF & S , FSGL VNZ
	UFDL6 :TZ VFSFZZ6L 8LDG 5JT SZJLPsSFIN / f		RTJ6LGF & S , FSGL VNZ
	VFSFZ6L 8LDGL ; , FDTLGL IJRFZ6FP sSFIN / f		TftSFI , S
	VFSFZ6L DF8G VFIMHG X~ SZJP sSFIN / f		5FZIES V ; ZGL DFICTL p5 , aW YIP
!Z S,FS	5FYIDS VFSFZ6L SFI 5wWIT X~ SZJLP sSFIN / f		5IZI:YIT DHA
	IGI+6 S1FG VFSFZ6L IMHGF DMS , JLP sSFIN / f		5FYIDS IMHGF IJS ; fJIF 5KL
	VFSFZ6L IMHGF VG VCJF , GM , MSMDf 5 ; FZsDFwID SFIN / f		p5 , aW YI
	VFSFZ6L DFICTLG ; TT VnFJTLSZ6 RF , SZJP sSFIN / f	; S , G VG VFIMHG SFIN /	
\$ (S,FS	VgI SFIN / ; FY ; S , GP sSFIN / f		
	SDRFZLU6GL SDJFZL VG H~Z H6FI JW SDRFZLV D / JJFP		X~VFTGF TAP
	GS ; FG4 CFIG4H~IZIFTMGL IJUTJFZ VFSFZ6L VG , FAFUF / FGL 5Go:YF5G IMHGF TIFZ SZJLP sSFIN / f	VgI SFIN / G ; S , G	VF5IŁ 5KLGf # v 5 INJ ; P
	H~IZIFTM4 IMHGF VG 5JIL VIG ; S , G	IGI+6 S1F VG ; S , G VG VFIMHG SFIN / DFZOT SFDULZL	; TT RF , ZFBJP

*Z S,FS	Aww5F9 A9S	A9SDF VFz I4 Bfn VG ZFCT 5ZJ9F SFIN / GM ; DFJX YFI KP	VF5IŁ 5KLGf ! \$ INJ ; GL VNZ
---------	------------	--	----------------------------------

NZ ; RFZ T+ 0 5JRTJ6L VYJF VF5L; 5KLGL SFDULZLDF ; CF I SZJF DF8 H~ZL TDFD
5SFZGL ; RFZ jIJ:YF V8, ZI0I48LJL40MG4JFIZ, ; GL SFDULZLG ; S, G SZ KP

SFIN/G GTtJ , GFZ VIWSFZL 0 VIWS IGJF;L GFIA S, S8Z

VF5L; 5C, F	NZ ; RFZ jIJ:YFGL ; IR VG 5DF6ET SFIZLIT ; RF, G IJS ; FJJP sSFIN / f	NZ ; RFZ TF, LD	
	VgI SFIN/ ; FY ; S, G sSFIN / f ; JNGXL, T+GF 38SM sNFPTP ; FWGf GF :Y/M GBL SZJFP sSFIN / f		
	; RFZ jIJ:YDF IGZYSTF IGJFZJLP sSFIN / f	BFGUL 1F+M ; FY UF- ; 5SMGL H~Z50P	
	; RFZ jIJCFZ SFX<I VG 5WITVWDF TF, LD sSFIN / f		
RTJ6L	; RFZT+ SFD SZ K S SD T RSF ; JP sSFIN / f		RTJ6LGF Z\$ S, FSGL VNZ
	SFIN/GM ; FANF SZJFP		RTJ6LGF Z\$ S, FSGL VNZ
	AW 50, T+GL DZFDT VG JSI<5S ; RFZ jIJ:YF :YF5JLP sSFIN / f	IGI+6 S1F ; FY ; 5S	RTJ6LGF Z\$ S, FSGL VNZ
	; FWG ; 5L; SFD , UF0JLP sSFIN / f		RTJ6LGF Z\$ S, FSGL VNZ
	VgI SFIN/GL NZ ; RFZG , UTL DFU6LV 5ZL SZJF DF8 ; Z/TF SZL VF5JLP sSFIN / f		RTJ6LGF Z\$ S, FSGL VNZ
VF5L; JBT	; RFZ jIJ:YFT+GL I:YIT RSF ; JLP sSFIN / f		Z YL # S, FSDF 5YD DFICTL p5, aW SZJLP
	T+G YI , GS ; FGL XIMWL SF-JLP sSFIN / f		Z YL # S, FSDF 5YD DFICTL p5, aW SZJLP
	NZ ; RFZGL H~IZ IFT VU IGI+6 S1F VG VgI SFIN/GM ; 5S SZJMP ; DFZSFD X~ SZJP sSFIN / f		Z YL # S, FSDF
			Z S, FSDF

IZ	ACFZGL ; FWG ; FDUL SFD , UF0JLP sJC, X~ SZL XSFI f sSFIN / f	IGIZ1F6 S1F ; FY ; S, G	SFI ZT ZFBJP
----	--	-------------------------	--------------

\$ (S, FS VG t IFZAFN	T+GF ; DFZSFD VG 5G0:YF5G DF8 I HGFV 56 SZJLP sSFIN / f		SFIZT ZFBJP
	SDRFZLU6GL SDJFZL 5WIT X~ SZJLP sSFIN / f		X~VFTGF TAP
	VgI SFIN / G ; CFI SZJFGL SFDULZL RF, ZFBJLP sSFIN / f		
	; DFZSFD RF, ZFBJP sSFIN / f		
	; FWG ; FDUL OFZU SZJFGL SFDULZL X~ SZJLP		
	AMW5F9 A9S	Vfz I4 VpF VG ZFCT 5ZJ9F SFIN / G A9SDF ; DFJX SZJMP	
	VfBZL VCJF,	VgI SFIN / G ; DFJX SZJMP	SFDULZL 56 YI ! DF ; GL VNZ

1FDTFJWG %,FG

RTJ6L D?I VYJF VF5I¿GM AGFJ AgI Ò<,F VGF5I¿ 5ITEFJ DF/B ;ISI Y. HFI KP
Ò<,F S,S8ZGL SM. RMÞ; IJGTL VYJF HMBD S VF5I¿GF 5SFZ DF8 I MuI CMI TJF 5J GLWFZLT 5DF6ET
;RF,G SFIZLIT 5DF6 SFIN/IG ;ISI SZJFDF VFJ KP VFJL ;ISITF 0

- Ò<,F :TZGL VGDFIGT VF5I¿ DF8
- Ò<,FDF YI, SM. RMÞ; W8GF VYJF ;D:IFGF 5ITEFJ~5 CM. XS KP

VF IMHGF ;ISI YI4 RTJ6L VG 5ITEFJGF 5IM;IG ;RF,G Ò<,F IGI+6 SIF VG
DFICTL Sgã DFYL SZJFDF VFJXP
SFIN/G ;ISI SZJF DFU S,S8Z VYJF .Ig;0g8 SDFgOZ IMHGF ;ISI SZJF DF8 CSDM VF5XP VF CSDYL 0

- H~IZIFTMIGF 5SFZ
- H 5SFZGL ;CFIGL HMUJF. SZJFGL CMI T ;CFI
- ;CFIGL H~Z CMI T ;DIDIFNF
- ;CFIGL HMUJF. DF8 Ò<,FGF VYJF VgI ;5SM
- HGL ;FY ;S,G SZJ HM. X TJF ALHF SFIN/
- SFIN/GL SFDULZL DF8 p5 ,aW GF6FSLI :+T H6FJJFDF VFJXP
VF5I¿ NZIDIFG .Ig;0g8 Sg8M,ZG BF; ;¿FVM VF5JFDF VFJ KP NZS SFIN/G GTtJ SZTLDbI
;:YF4 SFIN/G VF5, RTJ6L4 ZFCT S 5G0:YF5GGF ,1IFSM 56 SZJF DF8 H~ZL CMI TJL BF; ;¿F
JF5ZTL JBT ;DIRT ;¿FIWSFZLG T AfAT H6FJJF DF8 HJFANFZ KP

VF5I:DSTFGF VT

VM, IS,VZGL ;FIZG S ;NXF ãZF ;S8 5~ YIFGL HFCZFT SZXP .Ig;0g8 S,S8Z4 38GF IGI+6
T+GF HYG GTtJ ,GFZ VIWSFZLV ;FY IJRFZ IJIGDI SZLG 5IZI:YIT ;5656 IGI+6 C9/ KP
VG I:YIT 5JJT Y. UI, KP TJL HFCZFT SZXP

TF,LD VG 5J5IMU

VF IMHGF V;ZSFZS VD,LSZ6 DF8 DctJGF TDFD ;eIMGM ;DFJX SZTL IGII DT TF,LD VG
DM SOL, SZJFGL H~Z 50 KP VF AfATYL4 EIDSF VG HJFANFZLV MGL ;FZL ;DH IJS; KP
TF,LD IMHGF GF DbI piXM GLR 5DF6 K0

- IMHGF ;FY ;S/FI, RFJL~5 SDRFZL56T TDGL ;FWGv;FDUL IMHGF VG TDGL EIDSFYL
5IZIRT SZJFP

- VFSI:DSTF 5ITEFJGFT+q;+MTGL SFIN1FTF ; IGIÜT SZJLP
- ;RFZ jIJ:YFT+ VG ;CFIST+ ;ICT ;DU IWHGFGL ;DL1F SZJLPHYL ;WFZ6F4 OZOFZ VG TF,LD 5JIGVMDF ;WFZF ,FJL XSFIP

8LD IO,

VFJ 5J5IU4:+MT VFIMHG4 ;S,G VG ;FWG ;FDULGF p5IUUDF ;WFZ6F SZJFGF CTYL jIISTUT SFIIJXQFN / 8LD ãFZF JQFDF VMKFDF VMK VS JBT IG IIDT ;DFIFTZ CFY WZJFDF VFJ KP VFJL IO , S8 ,L JBT CFY 3ZJL TGL HJFANFZL ;AIWT SFIN/G GTtJ ,GFZ jIIST 5Z CM I KP

D18F 5FI D1SOL, SZJLP

IJIJW HMBD Df8GL pEL SZ ,L 5IZI:YIT C9/GF DctJGF SFIM AHFJJF Df8 VFSI:DSTF jIJ:YF5G 5C ,F4 5ITEFJ 5JIG4 NMZJ/L4 IGI+64 ;FWG ;FDUL4HDFJ84 ;RFZT+4 XDG VG TDFD ;AIWT jIISTVMGL 38GF 5KLGL 5JIG 5ZTL ;LDLT GYL VF VJL IO<0 KP H TDFD SFIN/GM ;DFJX D18F 5FIF 5Z SZ KP

XDG4 IGJFZ6 VG ;HHTF 5tI TF,SF :TZ VFIMHG

TF,SF :TZ IGI+6 S1F DFD ,TNFZ SRZL BFT ZFBJFDF VFJ , KP HDF ;AIWT TF,SFGF ,FIHG VIWSFZL IGI+6 S1F ;EF/X VG Ò<,F IGI+6 S1F TZOYL D/ ,L ;RGFVM VG SFIIJXQFN / IGI+6 S1F 5Z SFD SZTF N/GF ;eI JrR ;S,GGL SFDULZL SZXP

TDFD TF,SFGF GN4 SGF ,4 ;ZIJZ4 AW S NIZIFISGFZ VFJ ,F UFDIMGL IFNL NXFJ , KP NZS TF,SFGF DFD ,TNFZzLV VM VG TF,SF IJSF ; VIWSFZLzLVIMGF ;5S GAZGL IFNL NXFJ , KP TF,SFDF VFJ , :JlrKS ;:YFVMGL ;ZGFDF VG OIG GAZ ;ICTGL IFNL NXFJ , KP TF,SF :TZ p5 ,aW JFCGM4 HP ;LPAL DXLG TYF VgI H~ZL ;FWGIMGL IJUT ;FD , KP

;L8L TF,SM ov

;L8L TF,SFDFYL ;FAZDTL GNL TYF BFZLS8 SGF , 5 ;FZ YFI KP HG ISGFZ S , (UFD VFJ , KP HGL J:TL S, ZZ)#& KP NZS V ;ZU:TIG p5ZJF;GL XF/FDF :Y/FTZ

SZJFGL jIJ:YF SZJFDF VFJ , KP NZS UFD TZJIFGL IFNL p5,aW KP TYF 5ZTF 5DF6DF 8S8Z4 Ô5 TYF 8S p5,aW KP

;L8L TF,SFGF UFD DDGUZ4 ZF6L54 JH,5Z TYF RFN,MOLIFDF VFJ, 5YIDS VFZMuI SgãMDF 5ZTF 5DF6DF NJFVM TYF VgI 5FYIDS ;FZJFZ DF8GL H~ZL J:TVM TIFZ ZFBJFDF VFJ , KP 5X ;FZJFZ DF8 5DNZJFHDF VFJ, 5X NJFBFGDF H~ZL ;FDUL TIFZ ZFBJFDF VFJ , KP

NXSM . TF, SM ov

NXSM . TF,SDFYL ;FAZDTL4 Düm TYF BFZL GNL 5;FZ YFI KP HG ISGFZ S, # \$ UFD VFJ ,F KP NZS V;ZU:TMG UDDF VFJ, 5FYIDS XF/FDF VYJF Smd IGL8L CM, DF :Y/FTZ SZFJL XSFI KP TYF 5ZTF 5DF6DF 8S8Z4

Ô5 TYF 8S p5,aW KP ;NXFjIJCFZ DF8 V; ,F,L4 S6EF4 ;ZBH4 J8JF4 ;M,F4 IJJSFGNGUZ TYF J:+F, 5M,L; :8XGDF JFIZ,; ;8 RF, CF,TDF KP

;L8L TF,SFGF UFD SCF4 S6EF4 V; ,F,L4 VMU6H4 HT,5Z4 GFNH4 ZFDM,4 SF/L TYF SF;LgãFDF VFJ, 5FYIDS VFZMuI SgãMDF 5ZTF 5DF6DF NJFVM TYF VgI 5FYIDS ;FZJFZ DF8GL H~ZL J:TVM TIFZ ZFBJFDF VFJ , KP5X ;FZJFZ DF8 ,FEF4 S6EF4 VMU6H TYF JC ,F, DF VFJ, 5X NJFBFGDF H~ZL ;FDUL TIFZ ZFBJFDF VFJ , KP

TF,SDFH SM . hf0 T8L50 TM 5LP 0A<IP 0LPGM ;5S SZL 8S8Z DFZOT p5FOL ,JFDF VFJXP

IJZDUFDF TF, SMov

IJZDUFDF TF,SDFYL SM.56 GNL 5;FZ YTL GYLP VF TF,SDFYL GDNFGL GCZ 5;FZ YFI KP HG ISGFZ A UFD VFJ ,F KP Tj p5ZFT IJZDUFDF TF,SDF G/ ;ZMJZ VFJ , KP HG 1F+0/ (____ RMPDLPKP 5ZT TGL VF;5F; SM. HMBD JF/F IJ:TFZ GYL KTF JFJFhM0FGF ;HMUMDF V;ZU:TMG pRF6 JF/F IJ:TFZDF VFJ, 5FYIDS XF/FVMDF B;0JFGL jIJ:YF SZJFDF VFJ , KP VFZMuI ,1FL DF/BFSLI ;IJWFVMDF VF TF,SDF ! ;DNFIIS VFZMuI Sgã # 5FYIDS VFZMuI Sgã VG 5 5X ;FZJFZ Sgã VFJ ,F KP HDF NZS 5IZI:YTLG 5CMRL J/JF

DF8 H~ZL ;FWG ;FDUL TIFZ ZFBJFDF VFJ , KP TF , SDF 5 TZJIF KP HGL IFNL NZS UFDDE
p5 , aW KP

;F6N TF, SMOV

;F6N TF, SDFYL SM. GNL 5;FZ YTL GYLPTYF SM. JW GLRF6 JF/F IJ:TFZ GYLP
KTF JFJFhMOFGF ;HUMDF V;ZU:TIG pRF6 JF/F IJ:TFZDF VFJ, 5FYIDS XF/FVMD
B;0JFGL jIJ:YF SZJFD VFJ , KP ;NXFjIJCFZ DF8

;F6NDF IJZMRGGUZ VG RFUMNZ 5M,L; :8XGDF JFIZ,; ;8 RF, CF,TDF KP ;F6N
TF, SFGF UFD hM,5Z4 ;GFY,4 DMOF;Z4 p5ZN/4 RB, FDF VFJ, 5FYIDS VFZMuI SgãMDF
5ZTF 5DF6DF NJFVM TYF VgI 5FYIDS ;FZJFZ DF8GL H~ZL J:TVM TIFZ ZFBJFDF VFJ KP
5X ;FZJFZ DF8 ;F6N VG ZY, DF VFJ, 5X NJFBFGFDF H~ZL ;FDUL TIFZ ZFBJFDF VFJ
KP

TF, SDFH SM. hf0 T8L 50 TM 5LP0A<IPOLPGM ;5S SZL 8S8Z DFZOT p5FOL
, JFDF VFJXP TF, SFGF NZS UFDV 8S8ZM TDH BFGUL Ò5M p5 , aW KP H ARFJGL SFDULZL
DF8 p5 , aW ZCXP

WM / SF TF, SMOV

WM / SF TF, SDFYL ;FAZDTL4 EUFJM GNL 5;FZ YFI KP TYF VF TF, SFGF JF9F
UFD * GNLVM ;FAZDTL4 DFhD4 DÜ4 CFYDIT4 JF+S4 BFZL4 VG ;-L GNLM ;UD YFI KP
TYL 5Z HJF ;HUMDF ARFJGL SFDULZL DF8 GFG C, ;FJ/L CMOLVM ZFBJFDF VFJ, KP 5Z
VITJIQ8 VU DFICTL D/TF 8LD 5FOL NZS UFD ~A~DF VG 8I, OMGYL RTJ6L VF5JFDF VFJ
KP 5M,L; GF JFCGM p5Z , Fp0 :5LSZ DSL HFCZFT SZJFDF VFJ KP TD KTF JW IJS8 ;S8GL
5IZI:YITG 5CMRL J/JF Ò<, F S1FFVYL JW ;FWGM p5 , aW SZJFDF VFJ KP V;ZU:TIG
TF, SFG 5FYIDS XF/FVMD SFD R, Fp :Y/FTZ SZJFDF VFJXP

ARFJ SFDULZL DF8 TZJIFVMGL IFNL AGFJ, KP VG CMOLVM ;DI ;Z D/L ZC
TJ VFIMHG SZJFDF VFJ, KP

SNZTL VF5I¿GL RTJ6L DF8 CF, DF 8LD AGFJL UFD ~A~DF TDH 8I, OIGYL
RTJ6L VF5JFDF VFJ KP GNL JF/F UFDIV JFIZ, ; ; 8 VF5JFDF VFJ TM tJZLT HF6 SZL
XSFI P

WM/SF TF, SDFD !_ 5FYIDS ; FZJFZ Sgã VFJ, F KP TYF VS 5X NJFBFG VFJ,
KP 5FYIDS VFZMuI Sgã DFYL ; DI ; Z NJFVMGM HyY D/L ZC TJ VFIMHG SZJF VU
5LPVRP ; LP WM/SFGF OMS8ZMG H6FJLG VFIMHG SZJFDF VFJ, KP TF, SDFD VFJ, SRZLGF
:8FOGL DFICTL4 JFCGMGL DFICTL VUFpYL D/JLG ZFBJFDF VFJ KP

WWSF TF, SM ov

WWSF TF, SFGF \$ _ UFDI 5SL NIZIFDF EZTL CM14 EFZ JZ ; FN YFI VG
p5ZJF ; DF ; FAZDTL TDH EMUFJMD 5F6L VFJ tIFZ WGF/F4 SIDIF/F4 V6N5Z4 5L5/L4
AZFG5Z VG GJFUFDS6F UFDIGM ; 5S T8L HFI KP VF UFDIV ; EIJT VFUDRTLGF 5U, F
~5 VGFY TDH SZM ; LGGM 5ZJ9M VUFpYL ZFBJFDF VFJ, KP WWSFDF VFJ, ; BEFNZ ODGF
SFZ6 , UEU !5 UFDIG V ; Z YFI TD KP TYF HM ; FAZDTL GNLD 5Z VFJ TM TG ISGFZ
VFJ, !_ UFDIG V ; Z YFI TD KP WM/SF TF, SDFD !\$ UFDI NIZIF ISGFZ VFJ, KP HM
NIZIFDF JFJFhMOF HJF ; HMUMDF V ; ZU:TMG pRF6 JF/F IJ:TFZMGL 5FYIDS XF/FVMD
B ; 0JFGL jIJ:YF SZJFDF VFJ, KP VF TF, SDFD # CM/LVM4 Z_ TZJIF p5, aW KP TYF JFCG
jIJCFZ DF8 5_ 8S !_ A ; M TDH NNLG CMI:58, 5CMRJF DF8 Z VdAI, g ; p5, aW KP

DF0, TF, SM ov

DF0, TF, SFGF S, #* UFDIGL &5*#! J:TL KP TF, SDFYFYL SM. GNL 5 ; FZ YTL
GYLP KTF JFJFhMOFGF ; HMUMDF TftSFI, S VFz I , . XSFI TJF Sd IGL8L CM, 4 5FYIDS XF/F
TYF DINZ p5, aW KP VF TF, SDFD # 5FYIDS VFZMuI SgãM4 !# 58F VFZMuI SgãM VG !
; ZSFZL VdAI, g ; p5, aW KP NZS UFDGL RTJ6L VG ; NXF jIJCFZGL SFIN/ TF, SF S1FFGL
RTJ6L VG ; NXF jIJCFZGF SFIN/GF ; S, GDF VFOTM NZIdIFG VF 5SFZGF ; , FDT :Y/MV
, ISIG B ; 0JFDF DNN SZXP

N+MH TF, SM ov

N+MH TF, SFDF 5\$ UFDMM ; DFJX YFI KP VF TF, SFDF SM.56 GNL VFJ,
GYLP KTF JFJFhMFGF ; HMMDF TftSFI, S VFz I , . XSFI TJF Sd IGL8L CM, 4 5FYIDS XF/F
TYF DINZ p5, aW KP VF TF, SFDF N+MH 5M, L; :8XG TYF Z<J :8XG BFT JFIZ, ; ; 8
p5, aW KP TYF DFD, TNFZ SRZL TYF TF, SF 5RFIT SRZL BFT OS; GL ; UJ0 KP VF TF, SFGF
N+MH4 ZFD5ZF4 S8M; 6 ZMO BFTGF 5FYIDS VFZMuI SgãMDF 5ZTF 5DF6DF NJFVM TYF 5FYIDS
; FZJFZ DF8 H~ZL ; FDULGM 5ZTM HyYM ZFBJFDF VFJ, KP TYF R5FIJßIFHGZ, CM:5L8, 4
ZFD5ZF BFT SM.56 VFSI:DS 5IZI:YITG 5CMRL J / JF DF8 H~ZL ; FWG ; FDUL TIFZ ZFBJFDF
VFJ, KP

VF TF, SFDF EFZ JZ; FN4 JFJFhMFGF TYF VgI SNZTL VF5I¿DF ZMO 5Z T8L UI,
hFOM TYF Z:TFGL VgI DZFDT DF8 DFU VG DSFGGL SRZL4 IJZDUFD TYF ZgH OMZ:8 VMIO; Z
N+MHGF VIWSFZL ; FY VFIMHG SZJFDF VFJ KP VF TF, SFDF EFZ JZ; FN4 5Z JFJFhMFGF TYF
VgI VFUFCLGL, MMSG HFT SZJF DF8 DFD, TNFZ SRZL4 TF, SF 5RFIT SRZL4 5M, L; :8XG TYF
UFD 5RFIT ãFZF TJL UM9J6 SZJFDF VFJ KP

AFJ/F TF, SM ov

AFJ/F TF, SFDF SM.56 UFDYL GNL 5; FZ YTL GYLP 5ZT TF, SFGF IJ:TFZGL
AFHDFYL ; FAZDTL GNL VG EMUFJM GNL 5; FZ YFI KP VF ApF GNLVMDF 5Z VFJ VG JZ; FN
RF, ZC TM 5F6LGM h05L IGSF, G Y. XSJFGF SZ6 AFJ/F GUZ5FI, SF IJ:TFZDF 5M, L;
:8XGGL AFHDF VFJ A/LIFNJ IJ:TFZ TYF SQ6 I; GDFGL ; FD VFJ, AMZOLJF/F ÒG TZLS
VM/BFTM IJ:TFZ VG I+DIT CM:58, GF 5FK/GF EFU W; LGM BFOM TZLS VM/BFTF IJ:TFZDF
5F6L EZF. HJFGL XSITFVM ZC KP UfdI IJ:TFZDF GLRGF UFDM GLRF6JF/F IJ:TFZ KP !P
;Z, ZPS6¿Z

#P NDF, L \$P IXIF/ 5PNUL &PD6L *PSM9F (PSM9F T, FJOL)PDL9F5Z !_PSF/LJÒ
!!PWL UFOF

AFJ/F GUZ 5FI, SF IJ:TFZDF GLRF6JF/F IJ:TFZMDF 5F6L EZF. HFI TM TVMG
AFJ/FDF VFJ, RFZ CF.:S, M TYF 5FYIDS XF/FGF DSFGMDF TDH AFJ/F WDXF/FDF VG

HJFCZ KF+F, IDF :Y/FTZ SZL XSFI TD KP VG UfdI IJ:TFZDF VITJIQ8G SFZ6 :Y/FTZGM
5`G p5I:YT YFI TM UfdI S1FFV VFJ 5FYIDS XF/FGF DSFGDF :Y/FTZ XSI KP

H~ZLIFT ;DI 5M,L; JFCGM p5Z ,Fp0 :5LSZM DSL TDH H~Z H6FI V+GL
SRZLGL TDH TF,SF IJSF; VIWSFZLzLGL SRZLGF TYF ;5FNG SZ, JFCGM p5Z ,Fp0 :5LSZM
DSL 5ZTL HFCZFTM SZJFGL jIJ:YF ZFB, KP JWDF ;5FNG SZJFGF JFCGMGL IFNLDF V+GL
SRZLDF TYF 5M,L; :8XGDF p5,aW ZFBJFDF VFJ, KP H~ZLIFTGF 5;U AFJ/F TF,SFDF
GUZ 5FI,SF C:TSGT TYF BTLJFOL AHFZ pt5FNG C:TSGT VdaI ,g; JFG p5,aW KP

XDG4 IGJFZ6 VG ;BHTF 5tI VgI ;:YF :TZ VFIMHG

VDNFJFN dIIGI;5, S5FZXG ov

VDNFJFN dIPSM5FZXG äZFZ ;G Z__! GF RMDF;FYL NZS RMDF;FDF HIFZ
HIFZ JW JZ;FN 50, CTM tIFZ XCZDF HNL HNL HuIFV H 5F6L EZFTF CTF T NZS HuIFVM
;J SZL GSXF p5Z TG DFLU SZJFDF VFJ, KP VG VF EZFI, 5F6LGM SJL ZLT TftSFI,S
IGSF, SZL XSFI T AFAT VS XM8 8D VG ,MU8D VSXG %,FG AGFJJFDF VFJ, KP

RF, ;F, RMDF;FG wIFG ,TF dIIGPSM5FZXG TZOYL S, !# Sg8M, ~D RMJL;
S,FS SFIZT SZJFDF VFJ, KP HDF DbI Sg8M, ~D 8FUMZ CM, BFT X~ SZJFDF VFJ, KP
ALHM Sg8M, ~D VDNFJFN dIIGP S5FZXG DbI SRZL BFT TDH +LHM Sg8M, ~D D.G
.gRFH TZLS VgÒGLIZLU BFTFGF C0 VG VF;LP DGHZ S1FFGF VIWSFZL ;TT CFHZ ZCXP
NZS Sg8M, ~D 5Z VMKFDF VMKL VS Ò5 VG VS 8S OF/JJFDF VFJXP VG EIJQIDF SM.
56 HuIFV BFOF 50 TM T DF8 TftSFI,S 5Z6L4 NMZO4 5L50F JUZ Sg8M, ~DDFYL VF5JFDF
VFJXP

VF p5ZFT JF;6F AZH p5Z 56 dIIGP S5FZXGGM :8FO ZFBL Z\$ S,FS
DMGL8ZLU SZJFDF VFJXP 5ZGF ;HMUMDF;FI ZG JUFOJFDF VFJXP AWFH VUtIGF OGH
5d5LU :8XG p5Z VG VUtIGF JM8Z ;%,FI :8XG p5Z H~ZL jIJ:YF ZFBJFDF VFJXP HYL
;5656 SMvVMOLGXG Y. XSP

RMDf;FDF SM. 56 IGRF6 JF/F IJ:TFZDF VYJF BFZLS8 SGF, SDFg0 VZLIFDF
 5F6L EZFITM H~ZL ;5 SZL tIF 55 DSFJL 5F6L BFZLS8 SGF, VYJF TM GNLF :8MD JM8Z
 0.GDF KMOJFDF VFJXP VF DF8 JSXN5 ãZF 5_ 0LJM8ZLU 5d5M4 Z 8S8Z 5d5M
 VG Z DIMAF. , 55M TIFZ ZFBJFDF VFJ, KP VF p5ZFT OFIZ IAU0GF !Z 5M8A, 55M VG
 !5 8gSZM TIFZ ZFBJFDF VFJ, KP

RMDf;FDF JZ;FNGF ;HMUMGL VNZ ZMURF/M G 0,FI VG RMBB 5F6L 5ZTF
 5DF6DF VF5L XSFI T DF8 8IAJ, :8XG p5Z VG NW`JZ JM8Z JS;4 TYF SMTZ5Z JM8Z
 JS; BFTYL H~ZL S,MZLGXG SZJFGL jIJ:YF SZJFDF VFJ, KP VG RMDf;FDF JZ;FNL
 5F6LGF SFZ6 8AL0L8L JWFZ CMI TM H~ZLIFT DHAGL 08S0LG M HyYM 56 TIFZ ZFBJFDF
 VFJ, KP VF p5ZFT JCRJF DF8 S,MZLGG 8A,8 TYF HTGFXS NJFGM 5ZTM HyYM TIFZ
 ZFBJFDF VFJ, KP

EFZ 5ZGF ;DI VYJF BA JZ;FN JBT OFIZ IAU0 TDH V:88 BFTFGM :8FO
 ;5656 TIFZ ZFBJFDF VFJ, KP VG GNLF SF9F IJ:TFZDF ZCTF KF5ZF JF;LVMM ,Fp0
 :5LSZYL RTJ6L VF5JFDF VFJXP VG ;FIZG JUFOJFDF VFJXP TVM DF8 GÖSGL :S,MDF
 ZCJFGL jIJ:YF SZJFDF VFJ, KP

5RFIT I;RF. IJEFU4 Ò<,F 5RFIT4 VDNFJFN ov

Ò<,F 5RFIT4 VDNFJFN C:TS 5RFIT I;RF. IJEFU ãZF GFGL I;RF. GF SFDM
 HJF S4 GFGL I;RF. IMHGF4 RS0D4 VGzJ6 T/FJGF SFDM CFY WZJFDF VFJ KP

5RFIT IJEFU C:TS GFGL I;RF. IMHGF v \$\$4 VGzJ6 T/FJ v (\$ VG
 RS0D v \$\$ KP VF IMHGFVMGL DZFD4 IGEFJ6L VG ;RF, GGL SFDULZL 5RFIT I;RF.
 IJEFU ãZF YFI KP VFYL VITJQ8L ;DI VF IMHGFVMG GS;FG YJFGL ;EFJGF CMI q
 GS;FG YFI tIFZ IJEFUGF TFI+S :8FO ãZF H~ZL SFDULZL TZT CFY WZJFDF VFJ KP HYL
 HFGCFGL IGJFZL XSFI VG GS;FG GF YFI P

IJEFUGL SFDULZL GFGL I;RF. GF SFDMG ;AIWT CM. RMDf;F VUFp IJEFU
 C:TSG L IMHGFVMG IGZL1F6 SZL4 ;,FDT TAP ,FJJFDF VFJ KP TDH V;FWFZ6
 5IZI:YITDF IMHGF G GS;FG YFI TM TZT DZFD4TGL SFDULZL CFY WZJFDF VFJ KP

GFGL I; RF. I MHGFGL IJUTM NXFJT 5+S

VPGP	Tf, SM	I MHGFGL ; bIF	I MHGF I5IT IJ:TFZ CS8ZDF	DC¿D I; RF. CS8ZDF	I MHGFGL Vf, IBT S, ; UCXIST DLP3G 08
!	Df0 ,	! _	! _&&	#*(	!*!P5#
Z	IJZDUFD	!\$	!#55	\$ZZ	!\$P5!
#	N+MH	#	!(Z	5(	Z&P!5
\$	AZJF/F	\$	!5\$	*)	\$*P*Z
5	WWSF	*	!(_	)\$	!#P55
&	Zf65Z	#	#\$_	5Z	Z!P)\$
*	AFJ/F	#	&_	**	!ZP_
S,		\$	###*	!!&_	\$#*P\$_

VKT ; DI zIDSIG ZMHUFZL 5ZL 5FOL XSFI T DF8 ; ZSFZZL ãFZF VKT HFCZ
YTF VKT ZFCTGF SFDML TFI+S SFDULZL HJL S GSXF VNFH AGFJJF4 DHZ SZFJJF4 SFDL
SZFJJF4 DF5M , JF IJUZ SFDULZL SZJFDF VFJ KP

5X5F, G XFBF4 Ô<, F 5RFIT 0v

5X 5F, G XFBF ãFZF RMDf; A9F 5C, F Ô<, FGF AWFH 5XVMDf U/ ; -F HJF
ZMUGL Z; LYL Z1F6 VF5JF ; F~ 5C, YL H Z; L DSJFGL SFIJFCL 56 SZJFGL ZCXP
TDH JWFZFGF Z; L :8MSDF ZFBJFDF VFJXP VDNFJFN Ô<, FDF S, 5XWG \$4#!4&)* H8, M
YFI KP VDNFJFN Ô<, FDF ! J8ZGZL 5M, LS, LGLS4 !* 5X NJFBFGF4 !) 5FYIDS 5X
; FZJFZ Sgã \$\$ 3IGQ8 5X ; WFZ6F I MHGF SgãM 5AFIOGF SgãM !Z 5X VFZMuI SgãM VG Z
38F SgãM KP

VITXI 5Z VG KTF SM. 5XGL HFGCFGL YFI VYJF 5ZDF T6F. HFI TM TGM
; J SZL T, F8L SD D+L4 ; Z5R S 5NFIWSFZL HM0 ZFBL IFNL TIFZ SZFJJFGL YFI KP H UFDf
SM. 5X VITXI 5ZGF , LW SIFS HF/F HFBZF4 UZGF/F HJL HuIFDF EZF. G DtI 5FD TM
TJF DT 5XVMGM TftSFI, S IGSF, SZFJJFGL SFIJFCL H T UFDGF ; Z5RGM ; 5S SZL DT
NCGM IGSF, SZFJJFGL SFDULZL SZJFDF VFJXP

VDNFJFN XCZL IJSf; ; ¿F D0/ sVF0ff

VDNFJFNGF VF0F IJ:TFZDF VFUFDL RMDf;FGL ;LhG DF8 p5I:YT YTL VFSI:DS
5IZI:YITG 5CMRL J/JF GLR DHAGF VS;G %,FG TIFZ SZ, KP

!P RMDf;FGL ;LhG NZdIFG p5I:YT YTL VFSI:DS 5IZI:YITG 5CMRL J/JF ;ǂFD0/GF
IJ:TFZG DbI K 58F IJ:TFZMDF JCRL NZS 58F IJ:TFZG SFDULZL DF8 +6YL RFZ 8SGLS,
5Z;g;GL 8LD TIFZ SZJFDF VFJ, KP VF NZS 8LD DbItJ JZ;FNL 5F6LGM h05L VG ;TT
GLSF, RF, ZC4 0GH4 ZM04 JM8Z 5d5 IJUZZ ,UTL VHg;LVML ;FY ;TT ;5SDF ZC4
JZ;FNL ;LhG NZdIFG ZM05Z BFOF G 50 VG JW JZ;FNG SFZ6 BFOF 50 TM TG TftSfI, S
ZL5ZLU IJUZZ AFATM VU SF/Ò ZFBXP VF NZS 8LDG DMAF. , OMG TDH H~ZL JFCGM VG
;FWG ;FDUL p5, aW SZFJJFDF VFJ, KP

ZP ;ǂFD0/ IJ:TFZDF p5I:YT YTL SM.56 VFSI:DSTF VU HF6SFZL D/JL XSFI VG HFCZ
HGTF 5MTFGL OZLI FN ;C, F.YL SM.56 ;DI GMMWFJL XS T CTYL ZfpG0 WL S, MS ~D X~
SZJFDF VFJ, KP

#P ;ǂFD0/GF 0GH4 ZM0 JS VG JM8Z ;%, FIFG SMg8FS8ZMIG .DZHg;L JBT SZJFGL YTL
SFIJFCL VU VFUMT~ VFI MHG UM9JJFGL TDH TFSLNGI I:YTL JBTGL H~ZL DF, ;FDFG VG
;FWGM p5, aW Y. XS T DF8 IJ:TT RRF SZL VFI MHG UM9JJFDF VFJ, KP

\$P JQFFkT NDdIFG pEL YTL VFSI:DS 5IZI:YITG 5CMRL J/JF TDH TSNFZLGF VFUMTZF
5U, F, JFGF CT;Z VF ;FY ;FD, 5IZIXQ8 DHA ;ǂFD0/GF IJ:TFZMDF SFDULZL AHFJJF
DF8 VD, LSZ6 q 0GH q 0GH ZLSJZL XFBF SDRFZLVML 8SOLVML ZRGF SZJFDF VFJ KP
NZS 8SOLV TDG ;M5JFDF VFJ, IJ:TFZMGL SFDULZL AHFJFGL ZCXP

NZS 8LDIV TDGL AHFJJFGL pNFCZ6~5 OZHM GLR DHA KP

- HDF YI, JZ;FNL 5F6LGF h05L VG ;TT IGSF, RF, ZC T DF8 VFI MHG SZJ
- 0GH4 ZM04 JM8Z55 IJUZZ ,UTL VHg;LVML TDH JZ;FNL 5F6L ;AIWT SRZLVML q
VIWSFZLVMLGF OMG VG ;ZGFDFGL DFICTL NZS 8SOLV D/JL ,JLP TDH TG ;TT VWITG
ZFBJLP
- 0GHGF D.G CM, ;DI ;Z ;FO SZJFP
- JZ;FNL ;LhG X~ YFI T 5C, F HT IJ:TFZDF ;OF.GL hAX X~ SZL SFDULZL 56 SZFJJLP

- EM IZFD 5F6L G EZF. HF I TGL TSNFZL ZFBJLP
- H T IJ:TFZGL GUZ 5FI, SFVM q UFD 5RFITM ; FY ; S, G SZJ TDH p5, aW JFCGM ; FWGM4 DHZM IJUZZL IFNL CFYJUL ZFBJLP
- VF0FGF %, M8DF VFJ, 5ZSM, 8LU J, GL ; OF. SZFJJLP
- IA<0 ; M ãZF HFCZ Z:TFVM p5Z ZTL4 S5RL4 >8M4 , MB0 IJUZZ HJ IA<0LU D8LZLI< ; DS, CMI TM T NZ SZFJJLP
- .DZHG ; L JBT H~ZL ; FWGM4 JFCGM DHZM IJUZZ p5, aW YFI H DF8 H T VHg ; LVM ; FY VUFpYL A9S I MÒ VFI MHG SZJ

GUZ5FI, SFVM ov

VDNFJFN Ô<, FGL _& GUZ5FI, SFG OF/JJFDF VFJ, UFG8DFYL 5F6LGF S, MZLGX DF8 S, MZLGGL 8A, 8GL BZLNL SZJFDF VFJ KP TYF SRZFGF IGSF, DF8 HP ; LPALP DXLGGL j IJ:YF SZJFDF8 H6FJ, KP VF p5ZFT NZS :8MD JM8Z 0GH , F.GG ; OF. SFD 56 SZJF H6FJJFD VFJ KP TDH U8ZGL ; OF.4 Z:TFGL ; OF. TYF ZMO ZL5ZLU HJL SFDULZL 56 SZJFDF VFJ KP TYF EFZ JZ ; FN ; DI SM.56 5SFZGL VF5I¿G 5CMRL J/JF DF8 T+ ; ; BH KP HIF BMNF6 SZ, CMI TM TG j IJI:YT ZLT 5ZF6 SZL NJF TDH JW JZ ; FN JBT EJF 50 tIFZ HP ; LPALP DXLGM wJFZF 5ZF6 SZJF SFIJFCL CFY WZJF H6FJJFDF VFJ KP TYF ; OF. SFD VUGF H~ZL 5U, FVMGL HF6 SZJF DF8G 5d50, 8 K5FJJF TDH GUZ5FI, SFD 5F6L4 HTGFXS NJFVM4 S, MZLGGL 8A, 8M IJUZZ 5ZTF 5DF6DF VFI MHG SZJFDF VFJ KP TYF U8ZMGL ; OF.4 Z:TFG ; DFZSFD4 TYF IJ:TFZGL ; OF.G SFD ; TMQSFZS ZLT 56 SZJF H6FJJFDF VFJ KPGUZ5FI, SF IJ:TFZDF 5F6L EZFJJFGM 5xG piEJ YTM CMI TJF GUZ5FI, SF IJ:TFZGL TDFD U8Z , F.GM ; FO SZL NJF TYF Z:TF 5ZGM SRZM ; FO SZL NJF H6FJJFDF VFJ, KP HTGFXS NJFVMGM HyYM 5ZTF 5DF6DF K TGL BF+L SZJF HyYM p5<AW ZFBJF H6FJ, KP BFZLS8 SGF, DF JW JZ ; FNGF SFZ6 hfOL hfBZF G EZF I T DF8 .ZLUXG VIWSFZLZL wJFZF SGF, GL ; OFI CFY WZL SFDULZL 56 SZJF H6FJ, KP ; ZBH GUZ5FI, SFGM DM8FEFUGM IJ:TFZ V:88 VZIF KP ULR J:TL WZFJTM IJ:TFZ CMJFYL 5F6LGL

;D:IF ZC KP EFZ JZ;FN ;DI Sg8M, ~D RF, SZJFDF VFJ KP ;EIJT VF5IǻVIG 5CML
J/TF DF8 DHZMGL 8SOLVMG VFIMHG SZJFDF VFJ, KP TYF GUZ5FI, SF IJ:TFZDF VFJ,
TDFD HU, L J, GL ;FO ;OF. SZJFDF VFJ, KP ZF6L5 GUZ5FI, SF IJ:TFZDF ;EIJT
UFA0FVM 50 TGL ;FD 8S8Z4 HP;LPALP DXLG EF0 ,JFG VFIMHG SZJFDF VFJ, KP
HTGFXS NJFVM TYF S, MZLGGM HyYM 5ZTF 5DF6DF TIFZ ZFBJFDF VFJ, KP

નાંણા અને બજેટ

આપત્તિ વ્યવસ્થાપન માટે બે પ્રકારના બજેટ કરી શકાય, એક વિવિધ વિભાગના પોતાના વિભાગીય બજેટ અને બીજું આપત્તિ વ્યવસ્થાપન માટે અલગથી જરૂરી હોય તેવા ખર્ચ માટે બજેટ.

આપત્તિ વ્યવસ્થાપન માટે નીચે મુજબના વિવિધ ખર્ચ માટે અલગ અલગ સ્રોતથી નાણાં કીય આયોજન કરવું.

નામ	હેતુ	નાંણાકીય વ્યવસ્થા	યોજના હેઠળ કરી શકાય તેવી પ્રવૃત્તિઓ	જવાબદાર વિભાગ
NDRF (NCCF)	રાહત સહયોગ	100 ટકા કેન્દ્ર સરકાર	રોકડ પ્રકારની રાહત	મહેસૂલ વિભાગ
SDRF (CRF)	રાહત સહયોગ	75 ટકા કેન્દ્ર સરકાર, 25 ટકા રાજ્ય	રોકડ પ્રકારની રાહત	મહેસૂલ વિભાગ
આયોજન મંડળ	ક્ષમતાવર્ધન	100% Centre 100 ટકા કેન્દ્ર સરકાર	તાલીમો, જનજાગૃતિ માટે શૈક્ષણિક સામગ્રી, મોક ડ્રીલ	મહેસૂલ વિભાગ
વિવિધ વિભાગો	પૂર્વતૈયારી અને ઉપશમન	વિભાગના બજેટમાંથી	ડી.આર.આર., પૂર્વ તૈયારી અને ઉપશમન	વિવિધ વિભાગો
જિલ્લા આયોજન મંડળ	કોઇપણ જાહેર કાર્ય	એમ.પી અને ધારાસભ્ય મદદ અને ગ્રાન્ટ	પૂર્વતૈયારી ક્ષમતાવર્ધન અને પુનઃસ્થાપન	સ્થાનિક સંસ્થા અને વિવિધ વિભાગ
બહારની સંસ્થાઓની સહાય	પુનઃસ્થાપન, ઉપશમન અને પૂર્વતૈયારી માટે DRRના કાર્યક્રમો	બહારના, દ્વિપક્ષી અથવા બહુ પક્ષીય વ્યવસ્થા કરવી	DRR કાર્યક્રમમાં માળખાગત સુવિધાઓમાં સુધારા, ટેકનોલોજીનો હસ્તક્ષેપ અને તકનિકી અભ્યાસો	મહેસૂલ વિભાગ
દાતા	કોઇપણ	તમામ દાન રોકડ અથવા અન્ય પ્રકારે	કોઇપણ	DDMA
CSR	કોર્પોરેટ	નફાના ત્રણ ટકા	કોઇપણ	ચેરીટી કમિશ્નર અને કોર્પોરેટ
જાહેર અપીલ	તત્કાલ રાહત	પુર્ણ અથવા અંશતઃ બહારનું ફંડ	તત્કાલ રાહત અને પુનઃનિર્માણ	DDMA

VDNFJFN Ò<, FGF 5Z V ; ZU:T YJFGL ; EFJGF JF/F (Vulnerable to Floods) UFD M DF8
.DZHg;L Z:SI SL8 OF / J6LGL IJUT NXFJT

V 00 5+S 00V

VPGP	TF, SFG GFD	UFDGL ; bIF	, F.O ; IJU HS8	, F.O AMIF	NMZOF	ZlhJ HyYM sTF, SF S1FFVf		
						, F.O ; IJU HS8	, F.O AMIF	NMZOF
!	Z	#	\$	5	&	*	(	)
!	WWSF	40	200	200	40	20	20	04
Z	AZJF/F	16	80	80	16	10	10	02
#	ZF65Z	20	100	100	20	10	10	02
\$	WM/SF	22	110	110	22	10	10	02
5	AFJ/F	10	50	50	10	10	10	02
&	; F6N	10	50	50	05	10	10	02
*	IJZDUFD	10	100	100	10	20	20	04
(	DF0,	08	40	40	08	10	10	02
)	ZFD5ZvN+MH	05	25	25	05	10	10	02
!_	NXSM.	20	100	100	20	20	20	04
!!	; L8L	-	-	-	-	15	15	04
S,		161	855	855	156	125	125	30

5+SGF SM, D GPs#fDF ; IRT UFD MGL I FNL ; FD, K H UFD MGL UFD 5RFIT BFT SM, D GPs\$fs5f s&f DF NXFJ, DHAGM .DZHg;L Z:SI SL8GL OF / J6L SZJFDF VFJ, KP SM, D GPs*f s(f s) fDF NXFJ, HyYM TF, SF S1FFV DFD, TNFZZLGL S:80LDF ZFBJFDF VFJ, KP



VDNFJFN Ò<, FGF 5Z V ; ZU:TM YJFGL ; EFJGF JF / F UFDML I FNL

TF, SFG GFD ov WWSF			
VP GP	UFDG GFD	VP GP	UFDG GFD
!	VMTFZLIF	Z!	HF/LIF
Z	AZFG5Z	ZZ	EIDT/FJ
#	SF;Lg jF	Z#	5rKD
\$	SFNL5Z	Z\$	WGF/F
5	ONZF	Z5	EOLIFN
&	SM80F	Z&	VFS~
*	5L5/	Z*	AFJ/LIFZLqZF5Z
(	V6N5Z	Z(	DCFNJ5ZF
)	B6	Z)	SDLIF/F
!_	hFBL	#_	JF, LgOF
!!	SFDFT/FJ	#!	pDZU-
!Z	WM, ZF	#Z	DOLqUFWL5ZF
!#	ZFCT/FJ	##	U, ;F6F
!\$	V0JF/	#\$	JFU0
!5	5L5/L	#5	GJFUFDvS6F
!&	UHFZ	#&	UMU, F
!*	TUOL	#*	ZMH5F
!(	5ZAOL	#!	VFA, L
!)	hFhZSF	#)	KFZMOLIF
Z_	JF; 6F	\$_	DLU, 5Z

TF, SFG GFD ov AZJF/F			
VP GP	UFDG GFD	VP GP	UFDG GFD
!	CAT5Z	)	JCLIF
Z	SF50LIF/L	!_	GEM.
#	;F/U5Z	!!	XFC5Z
\$	BDL36F	!Z	ZF65ZL
5	8D, F	!#	5L5ZLIF
&	S0,	!\$	ZMON
*	BFE0F	!5	JF-/F
(	;MUF;Z	!&	RFRZLIF

TF, SFG GFD ov ;F6N	
VPGP	UFDG GFD
!	p5ZN/
Z	EFJG5Z
#	IJZMRGGUZ
\$	KFZMOL
5	V6LIFZL
&	JGF/LIF
*	hF5
(	NNSF
)	ZY,
!_	UMWFJL

TF, SFG GFD ov DF0,	
VPGP	UFDG GFD
!	VN, F
Z	DF0,
#	JF; 6FvS, 5Z
\$	VMO SL
5	IJ9, F5Z
&	ZBLIF,
*	GFGF pEOF
(	8q8

TF, SFG GFD ov IJZDUFD			
VPGP	UFDG GFD	VPGP	UFDG GFD
!	ODF6F	!!	J6L
Z	JOUF;	!Z	pB, M0
#	.GFIT5ZF sJ6Lf	!#	;MS, L
\$	HMQFL5ZF	!\$	;Z; FJOL
5	SFO5ZF	!5	D, OLGUZ sCF; , 5Zf
&	GFGLSDFN	!&	SF, LIF6F
*	3MOF	!*	WFSOL
(	BUFZLIF	!(	GZI; C5ZF
)	EMHJF	!)	ZU5Z
!_	SFNL5Z sD, Hf	Z_	GFGF CZL5ZF

TF, SFG GFD ov AFJ/F			
VPGP	UFDG GFD	VPGP	UFDG GFD
!	WLUOF	)	CDF, L
Z	SF/LJO	!_	IXIF/
#	DL9F5Z	!!	NUL
\$	;Z, F	!Z	D6L
5	S6MTZ	!#	SM9FT, FJOL

TF , SFG GFD ov WM / SF			
VPGP	UFDG GFD	VPGP	UFDG GFD
!	, M , LIF	!Z	DM8LAM~
Z	EM / FN	!#	SFSF
#	; ZMO	!\$	pç , LIF
\$	VFA , LIFZF	!5	; DF6L
5	; FY /	!&	GFGLAM~
&	; CLH	!*	ROL ; Z4 SMNF / LIF5ZF
*	JLZ5Z	!(	ZFH5Z
(	ULZN	!)	JF9F
)	JLZOL	Z_	UF6M ,
!_	. UM , L	Z!	J8FD6
!!	JFZ6F	ZZ	HFB0F

TF , SFG GFD ov ZF65Z			
VPGP	UFDG GFD	VPGP	UFDG GFD
!	pDZF / F	!!	JH , SF
Z	S0 , L	!Z	; NZLIF6F
#	UNF	!#	NJ / LIF
\$	HF / L , F	!\$	V6LIF / L
5	RFZ6SL	!5	; FU65Z
&	5F86F	!&	BMBZGX
*	SZLIF	!*	AU0
(	AAFJFJ	!(	5F6JL
)	VF , D5Z	!)	ISGFZF
!_	B ;	Z_	NZOL

TF , SFG GFD ov NXSM .			
VPGP	UFDG GFD	VPGP	UFDG GFD
!	EFJ0F	!!	SCF
Z	HF6	!Z	UFDOL
#	Z6MNZF	!#	RJ , HvUMIJNOF
\$	SHF0	!\$	JFR
5	RM ; Z	!5	UTZF0

&	ZM50F	!&	JOMNvZLKMOFGL DJFOL
*	EJF , 0L	! *	OTJFOL
(	pgNZ ,	! (	CFYLH6
)	CSF	!)	IJ ; , 5Z
! _	EJF ,	Z _	D-LIF

TF , SFG GFD 0v N+MHvZFD5ZF	
VPGP	UFDG GFD
!	~NFT ,
Z	AF8F .
#	XgTF .
\$	0FE ; Z
5	UHF , F

UHZFT ZFHI VF5I¿ jIJ:YF5G ; ¿FD0 / 4 UFWLGUZ wJFZF VDNFJFN Ò< , FDF VFJ , GUZ5FI , SFVMG OF / JJFDF VFJ , JM8Z AFphZ VG DLGL OFIZ 8g0ZGL IJUT NXFJT 5+S0

SD	GUZ5FI , SFG GFD	DLGL OFIZ 8g0Z	JM8Z AFphZ	DM8Z ; FIS , DFpg80 JM8Z DL:8
!	WM / SF	!	Z	!

Z	IJZDUFD	!	Z	!
#	;F6N	!	Z	!
\$	AFJ/F	!	!	!
5	WWSF	!	Z	!
&	AZJF/F	!	!	!
*	AFZHF	V	V	V

GUZ5FI, SFVING OF / JJFDF VFJ, 0,0 Z:SI SL8GL IJUT

SD	GP5FPG GFD	OF / J6LGL IJUT		
		,F.O ;JLU HS8	,F.O AMIF	NMZOFS! __ 08f
!	IJZDUFD	_\$	_\$	_\$
Z	;F6N	_\$	_\$	_\$
#	AFJ/F	_\$	_\$	_\$
\$	WWSF	_\$	_\$	_\$
5	AZJF/F	_\$	_\$	_\$
&	AFZHF	_\$	_\$	_\$
*	WM / SF	_\$	_\$	_\$



VDNFJFN HL<, FGF NIZ IF ISGFZFGF UFDIIGL IFNLov

SD	Tf, Sll	UFD	NIZ IF ISGFZFYL VTZslSPDLf	J:TL	ZLDFS ;
!	WWSF	Wll, ZF	Z_	!&!&	
Z		GJFUFDs6F	!_	5&Z	
#		UllU, F	(	!Z\$5	
\$		B6	!*	!&Z(	
5		DCFNJ5ZF	!\$	!Z!!	
&		EF6U-	!\$	!*##	
*		hfBL	!#	5Z&	
(		AZFG5Z	*	*(\$	
)		SFDFT / FJ	!_	!5##	
!_		ZFCT / FJ	\$P5	!#)5	
!!		DLU, 5Z	!Z	Z!##	
!Z		JF, LOF	!Z	!!!5	
!#		WGF / F	!*	*Z&	
!\$		Vf6N5Z	!\$	5(!	
!5		5L5 / L	)	!&&_	
!&		VfA, L	!_	!)&Z	
!*		SFNL5Z	!*	)Z#	
!(		ELDT / FJ	!#	!\$!	

પૂર સંબંધિત વિસ્તાર :



વાવાઝોડા સંલગ્ન વિસ્તાર :



આદ્યોગિક વ્યવસ્થાન સંલગ્ન વિસ્તાર :



ZFH I SLEFGFVUtIGF 8, LONG GAZINGL IFNL ov

SD	CHjll	GFD	VllO ;	ZC9F6	DllAF . ,	OS ; GAZ
!	VU ; IRJzL sDC ; , f	zL SPzLIGJF ;	23251501 23251503	26462845	9978406109	
Z	ZFCT SIDzGZzL	zL DGLQF EFNJFH	23251509	26301728	9978406491	23251568
#	DbI SFZllAFZL VIWSFZLzL GSDMA	zL VGZFWF D ,	23259502	23226212	9978407003 9978405367	
\$	DFGPDbID+LzLGF VIWS DbI ; IRJzL	zL SPS , FQFGFYG	23250018/16	23254849	9978406003	2322201 23250029
5	ZFCT IGIFDSzL	zL DU , 5ZF	23251611/12		9978406087	23251916
&	IGIFDSzL GSDMA	zL	23259219		9978407006	23259275
*	GFIA S , S8ZzL	zL ALPÒP58 ,	23251902		9978405741	
(	DFD , TNFZzL (EOC)	zL VFZP ; LPZFJ /	23251907		9978405745	
)	GFPDFD , TNFZzL (EOC)	zL VGpV ; P I lllUL	23251907		9978405304	23251916/12

DISTRICT EOC AND IMPORTANT NUMBERS

Sr. No	District	Code	Collector		DDO	Police		Fire Officer	
			Control Room	(O)	(O)	Control Room	(O)	(O)	Mobile
1	Ahmedabad	079	27560511	27551681	25506487	2686091	2866812	22148465	9327038754 9327038755
2	Amreli	02792	230735	222307	222313	223498	221923	226955	9824858116
3	Anand	02692	243222	262271	241110	261033	260027	243101	7574831711
4	Banaskantha	02742	250627	257171	254060	252600	275015	257341	9869116919
5	Bharuch	02642	242300	240600 244500	240603	223303	263633	240008	9574007048
6	Bhavnagar	0278	2437700	2428822	2426810	243499	2520050	220151	9825606021
7	Dahod	02673	2521554	221999	247067	222400	240944	220498	9427018663
8	Dang	02631	230347	220201 220242	220254	220322	220248		
9	Gandhinagar	079	23259452 23256720	23220630 23259029	23222618	23210914	23210902	23222742	9825443222
10	Jamnagar	0288	2553404	2555869	2553901	2550200	2554203	2672208	9879531001
11	Junagadh	0285	2651251	2650202 2651201	2651001	2620603	2655633	2655938	9824483082
12	Kheda	0268	252210	2550856	2557262	25611800	02694 224503	2551376	9879151717
13	Kutch	02832	252347	250020	250080	253593	250444	220301	9824221009
14	Mehsana	02762	222220	222200 222211	222301	222133	222122 222126	254568	9824242487
15	Narmda	02640	224719	222161 222175	222163	222115	222314	220654	9825331759
16	Navsari	02637	259401	244999 250556	244299	246070	250667	259001	9919111004
17	Panchmahal	02672	242536	242800	242224	242504	242200	243184	9825096091
18	Patan	02766	225331	233301 233303	223440	230502	230501	230333	9227721702
19	Porbandar	0286	2245800	2243800	2243803	2240922	2211222	2240936	9825148355
20	Rajkot	0281	2471574	2473900 2479351	2477008	2445975	2477220	2227222	9227603715
21	Sabarkantha	02772	230100	241001	242350	241303	246333	245101	9879509708
22	Surat	0261	2474860	2471121 2472471	2422160	2463976	2479164	220085	9376844825 9376844959
23	Surendranagar	02752	243400	282200	283752	230452	282100	282858	9825224009
24	Vadodara	0265	24275992	2423100 2434000	2432027	2419777	2412255	2420881	9825025876
25	Valsad	02632	243238	253613 243417	253184	253333	254222	244222	9825935774 9374995632
26	Tapi	02626	223332	224401	222141	222700	222700	220101	9825359589

27	Botad	02849	231305	231301	2426810	231407	231407	252420	962062100
28	Devbhumi Dwarka	02833	234113	223804	2553901	232002	232002	2672208	9879531101
29	Gir Somnath	02876	243344	240001	2651001	222250	222250	220290	9227510200
30	Mahisagar	02674	250666	250666	253377	250815	250815	250006	9978920972
31	Morbi	02822	241300	241701	247708	243471	243471	-	-
32	Arvalli	02774	249039	247800	242350	247333	247333	248209	9426498947
33	Chhota Udepur	02669	242933	233003	2432027	233077	233077	232059	9925133977

VDNFJFN Ò<, F S, S8Z SRZL4 ; EFQFALH4 VDNFJFN

VP GP	VIWSFZLzLG GFD	CllM q SRZL	8, LONG GAZ	
			VllO ;	ZC9F6 q DllAF. ,
!	zL VJITSF I ; 3 VF.PVPV ;	Ò<, F S, S8ZzL VDNFJFN	Z*55!&(! Z*55!&(Z	ZZ()())*(\$_&Z_!
Z	zL DC , NJ	IGJF ; L VIWS S , S8ZzL	Z*55!&(Z	))*(\$_5! *#
\$	zLDTL VDPALP ; ÌÒ+ F	VIWS IGP GF I A S , S8ZzL	Z*55!_ \$*	))*(\$_5!)(
5	zL VJITSF NZÒ	Ò<, F 5ZJ9F VIWSFZLzL	Z*55!&)!	() (__ \$ZZZ5
&	zL 5XI:T 5IZS	5FT VIWSFZL4IJZDUFD	_Z*!5vZ)5_\$Z	))*(\$_5Z_!
*	zL HPALPN ; F.	5FT VIWSFZL4 5I`RD	Z*55!Z_!	))*(\$_5Z__
(	zL V ; PVDP ; M , SL	5FT VIWSFZL4 ; F6N	_Z*!*vZZ##5!	)*!Z!!_!_!
)	zL VPVFZP58 ,	5FT VIWSFZL4NxSll.	ZZ)*__5*q5(	*5&*__)_#(
!_	zL VFPJLPJF / F	5FT VIWSFZL4 WWSF	_Z*!#vZZZ__&	*5&*__)!\$Z4))Z5_\$Z_#(
!!	zL VFZPHPHFOHF	5FT VIWSFZL4 5J	Z*5&_Z5&	*5&*__)()&5
!Z	zL kTZFH V ; PN ; F.	5FT VIWSFZL4 WM / SF	_Z*!\$vZZZ\$##	))*(\$_5Z_Z
!#	zL ZFHZLAG SXJFCF	Ò<, F VFI M HG VIWSFZL	Z*55Z\$##	))*() _#\$#!
!\$	zL VGPÒPS5FJT	DFD , TNFZ4VF5Iç jIJ:Y5G	Z*5&_5!!	)))_\$(Z&*Z#
!5	zL WDX 58 ,	GF I A S , S8ZzLs5M8MS , f	Z*55!*\$Z	(!\$!####((
!&	zL	GF I A DFD , TNFZs5M8MS , f	Z*55!*\$Z	))*(\$_5!))

VDNFJFN Ò<,FGF TF, SF DFD, TNFZZLGF ;5S GAZM

SD	TF, SM	GFD	VMI0; GP	DMAF. , GP
!	D16GUZ4;L8L s5Jf	zL ;GL, ZfJ, s. Rff	Z*5&_Z5&	)\$Z*#____#\$
Z	J8JF4;L8L s5Jf	zL SPSPhf, fs. Rff	Z5*!!!ZZ	)\$Z*#!_)Z&
#	V;FZJF4;L8L s5Jf	zL SP8LPD6FTs. Rff	ZZ&(ZZZ*	)(Z5#!5*&\$
\$	3F8, M0IF4;L8L s5I`RDf	zL SP8LPD6FT	Z*55!*5(	)(Z5#!5*&\$
5	JH, 5Z4;L8L s5I`RDf	zL SP8LPD6FTs. Rff	v	)(Z5#!5*&\$
&	;FAZDTL4;L8L s5I`RDf	zL SP8LPD6FTs. Rff	Z*55ZZ\$5	)(Z5#!5*&\$
*	NXSM.	zL SPSPhf, f	ZZ)*__\$)	*5&*____#)))\$Z*#!_)Z&
(	AFJ/f	zL VPÒP;M, Sls. Rff	_Z*!\$vZ#_5_!	*5&*____&Z*
)	WM/SF	zL VFZPALPVUFZL	_Z*!\$vZZZ#!&	*5&*____&!))!##\$*5&(
!_	;F6N	zL UMJNEF. N;F.	_Z*!*vZZZZ#*	*5&*____Z&(
!!	IJZDUFD	zL ALPIPJF-Z	_Z*!5vZ#\$_(Z	*5&***!!!!_ *5&*____&*&
!Z	DF0,	zL ALPIPJF-Zs. Rff	_Z*!5vZ5##**	*5&*____!5(4 ()(__#5_!\$
!#	N+MH	zL ALPIPJF-Zs. Rff	_Z*!5vZ555!#	*5&*____##(

!\$	WWSF	zL SPSP ; M , SL	_Z* ! #vZZZZ5)	)) ! # _ ! _ * (
!5	WM , ZF	zL ALPALPEUMZF	_Z* ! #vZ#\$_\$_ Z#\$_\$!	)) * (\$ _ (_ (\$

VDNFJFN Ò< , FGF TF , SF IJSF ; VIWSFZLzLGF ; 5S GAZM

SD	TF , SM	GfD	VMI0 ; GP	DIAF . , GP
!	NXSM .	zL JLPJLP5F0J	Z55 _ * ! * _ 4 Z55 _ & (5!	*5&* _ ! !)Z\$))Z5*ZZ#\$_
Z	AFJ / F	zL VGPVFZPOMI0 IF	_Z* ! \$vZ# ! _ * #	*5&* _ ! ! (_ *) (Z5Z\$**\$ \$
#	WM / SF	zL OLPVGPRFZ6s . Rff	_Z* ! \$vZZZ5 _ #	) () ()) * 5 (#
\$	WWSF	zL VFZPVDPJF / N	_Z* ! #vZZ# _ ! (	) \$Z (& \$) 55#
5	N+MH	zL VDPJLPTHM8s . Rff	_Z* ! 5vZ55&\$ \$	*5&* _ ! ! (\$ _) \$Z* _ * ! () Z
&	DFO ,	zL VDPJLPTHM8	_Z* ! 5vZ5# \$) #	) \$Z* _ * ! () Z
*	; F6N	zL VGPVFZPOMI0 IFs . Rff	_Z* ! *vZZZ _ # !	) (Z5Z\$**\$ \$ *5&* _ ! ! **)
(	IJZDUFD	zL VGP ; LPJ ; FJF	_Z* ! 5vZ##Z# _	*5&* _ ! ((#Z)) _)) & \$* _
)	WM , ZF	zL VFZPVDPJF / Ns . Rff	_Z* ! #vZZ# _ ! (	) \$Z (& \$) 55#

VDNFJFN Ô<, FGL GUZ5FI, SFGF RLO VMIO; ZMZLVMGF; 5S GAZMOV

SD	GUZ5FI, SF G GFD	RLO VMIO; ZzLG GFD	VMIO; GP	DIAF., GP
!	AFZHF	zL ;NL5 58,	_Z*!(vZ##!*#4 Z(ZZ55	)Z*&(*#\$*(
	AM5, v3DF	CDT 58,		))_))*&5!Z
Z	;F6N	zL ALVGPXFC	_Z*!*vZZZ!!Z	)(Z55*\$!_!
#	WM/SF	zL S8FZF	_Z*!\$vZZZZ&Z	(*5(5!&Z(_
\$	WWSF	zL GLTF 5F0J	_Z*!#vZZZ##)	))Z5!##)**
&	IJZDUF	zL JLP; LPZF9MO	_Z*!5vZ#!(_*	*5&*___&*&) (Z\$5((!\$5
*	AFJ/F	zL 56J XFC	_Z*!\$vZ#Z5\$&	)*Z**Z5!)_

VDNFJFN Ô<, F 5RFIT4 Eã4 , F, NZJFH4 VDNFJFN 8, LONG GAZMGL IFNL

VP GP	VIWSFZLZLG GFD	CMjll q SRZL	8, LONG GAZ	
			VMIO;	ZC9F6 q DIAF.,
!	zL JLPVPJF3, F	Ô<, F IJSF; VIWSFZL	Z55_&\$(* OS; vZ55_*!5Z4 Z55_(!\$!	))*(\$_&ZZ& ZPZZ(&\$#(5
Z	zL VPVFZPI; 3	IGIFDSZL Ô<, F UFD IJSF; VHg; L	Z55_###Z OS; vZ55_**&Z	))*(\$_*\$\$Z
#	zL JFIPVDPNJ	5LPVP 8 Ô<, F IJSF; VIWSFZL	Z55_&\$(*	))_))_&\$&(5
\$	zL VRPVGPHIIXLs. PRff	GFA Ô<, F IJSF; VIWSFZL4 IJSF;	Z55_&5Z_	*5&*_*!*&! (
5	zL VPVDPN; F.	GFA Ô<, F IJSF; VIWSFZL4 DC; ,	Z55_(!\$! Z55_*!5Z	)(Z5*#(#_!
&	zL ZL8FAG 58,	GFA Ô<, F IJSF; VIWSFZL4 5RFIT	Z55_&5Z_	)\$Z)Z_!5*() (Z5##5Z)\$
*	zL zIT 5F9S	IC; FAL VIWSFZL	Z55_*!&5	))Z5(_\$ZZ5
(	zL JLPVDPEFEIIZ	SFI5F, S. HGZ4I; RF.	Z&#_! (Z#	)\$Z)!(\$_5!

)	zL ALPV ; PRFWZL	SFP5FP . PzL DFPDP5PIJ	Z55!!&_(	)\$Z)!(\$_5!
!_	0FP IX<5FAG I FNJ	DbI Ô<, F VFZMUI VIWSFZL	Z55_*_*& Z55_*_)(	)_))_&\$_!)_))_&\$*)
!!	zL VP5LPDCTF	ÒP5FP1X1F6FIWSFZL	Z55_*!Z&	))_)))*!&\$)
!Z	zL VRPVPXFC	SFI5F, S .HGZ4DF2D4ZFHI	Z&#_Z\$)_	)(*)5#_!(&

VDNFJFN DCFGUZ5FI, SFGF ; 5S GAZ

VPGP	GfD	Cñi	; 5S GAZ
!	zL DSXSDFZ	dI PSIDxGZ	sVñf Z5#5Z(Z(sDñf))*)()_!\$_ sof Z5#5\$&#(
Z	zL ZFSXXSZ	OPdI PSIDxGZ4DwI hñG	sVñf Z5#5_&_ sDñf)*Z**&\$!)
#	zL OLPVPXFC	OPdI PSIDxGZ4GJF 5IüD hñG	sVñf Z&(\$!Z_! sDñf))Z55ZZZZ5 sof Z*55!!&#
\$	zL Uñ; FJL	OPdI PSIDxGZ4NI1F6 hñG	sVñf Z5\$&ZZ5Z sDñf (\$&)Z##!!! sof Z5\$5ZZ5#
5	zL HPV ; P5HF5IT	OPdI PSIDxGZ45J hñG	sVñf ZZ)*_5_ sDñf))Z55ZZZZ\$ sof Z*\$)5*(\$
&	zL SPV , PARF6L	OPdI PSIDxGZ4pçZ hñG	sVñf ZZ(_!!(Z sDñf)_)))&5((sof ZZ(_\$)!Z

5M,L; BFTGF 8, LONG GAZIGL IFNL

VP GP	VIWSFZLzLG GfD	CMq SRZL	8, LONG GAZ	
			VMO;	ZC9F6 q DAF. ,
!	zL ULYF HMCZL	OFIZS8 HGZ , VMO 5M,L;4 5M,L; DCFIGNXS UHZFT ZFHI	Z#Z5\$Z_!q_Z Z#Z5))()	))*(\$_&!)5 ZPZZ(&(5*5
Z	zL VPSPi;3	5M,L; SIDxGZZL VDNFJFN XCZ4 5M,L; SIDPzLGL SRZL XFCLAFU4 VDNFJFN	Z5&##&#& Z5&##5_ Z5&#_!_ OPZ5&#_&_ Z5&#_*_	))*(\$_&Z5(ZPZ&)Z\$)*Z
#	zL 5LIQF 58,	HP;LP5LP s;S8Zv!ff	Z5&##*#*	))*(\$_&Z&\$
\$	zL OLPALPJF3,F	HP;LP5LP s;S8ZvZf	Z&\$&\$#\$Z4 Z5\$&ZZ#Z	))*(\$&)*5
5	zL VFZPJLPV;FZL	Ö<,F 5M,L; VIW1FS	Z&()_\$\$	))*(\$_&_&Z
&	zL 5LPSPYF5F	5LPVIZPVMP	Z5&#####	))_\$_&#)***

OFIZ VMO;ZNGF 8, LONG GAZIGL IFNL

VP GP	VIWSFZLzLG GfD	CMq SRZL	8, LONG GAZ	
			VMO;	ZC9F6 q DAF. ,
!	zL VDPVOPN:TZ	RLO OFIZ VMO;Z	ZZ!\$(\$&5q Z_! OPZZ!\$(5)(	ZZ!\$(\$&5q Z_\$)#Z*_#(*5\$
Z	zL VFZPHPEÎ	VOLXG, RLO OFIZ VMO;Z	ZZ!\$(\$&5q Z_&	Z*)!Z_#)#Z*_#(*55
#	zL 5LPV;P5ZDFZ	OPRLO OFIZ VMO;Z	ZZ!\$(\$&5q&&qZ(_	ZZZ_*!5)#Z*_#(*5*
\$	zL VDP5LPID:+L	:8XG VMO;Z sANOSNJf	ZZ!\$(\$&5qZ5_	#Z)(!#(Z)#Z*_#(*5)

તરવૈયાઓની યાદી

ક્રમ	તરવૈયાઓ ના નામ	મોબાઈલ નં
૧	મકવાણા હેમંતભાઈ	૯૭૩૭૮૭૫૩૯૬
૨	પરમાર રાકોશભાઈ	૭૬૦૦૩૦૮૯૮૦૮
૩	બુખારી મુખ્યતીયાર આઈ	૯૫૫૮૦૩૦૭૨૫
૪	ચુડાસમા જ્યોતિપસિંહ એ	૭૫૬૭૬૦૪૫૮૦
૫	મોહન મયુદીન આર	૯૭૨૪૧૦૫૭૮૬
૬	જાદવ જીગીશ એલ	૭૬૦૦૫૦૪૮૧૧
૭	પરમાર ગીરીશ ડી	૯૭૨૫૧૭૫૬૦૬
૮	મકવાણા આનંદ એમ	૮૭૩૫૦૧૪૯૯૩
૯	પરમાર પ્રવિણ ડી	૯૫૭૪૬૩૯૮૪૧
૧૦	મકવાણા વિજય એલ	૯૦૪૬૧૨૬૮૭૪
૧૧	ઝાલા અખ્લુ કે	૯૯૯૮૪૫૩૨૩૬
૧૨	ઝાલા વિજયસિંહ	૭૫૬૭૯૫૩૬૭૯
૧૩	મકવાણા આનંદ એમ	૮૭૩૫૦૧૪૯૯૫
૧૪	ઝાલા અપુકુમાર	૯૯૯૮૪૫૩૨૩૬
૧૫	ઝાલા વિજયસિંહ એમ	૭૫૬૭૯૫૩૬૭૯
૧૬	વાઘેલા સુનિલ પી	૯૬૨૪૬૬૩૨૩૪
!*)	કેસાજી કાનાજી	
! (	અજીતજી પોપટજી	
!)	બાબુભાઈ ઝેણાભાઈ	
Z_	અમરકુમાર જિતેન્દ્રભાઈ	૮૧૪૦૨૨૪૧૪૪
Z!	દિનેશભાઈ લક્ષ્મણભાઈ	૯૯૨૫૩૫૭૧૭૭
ZZ	રણછોડભાઈ ભારાભાઈ	૯૯૭૯૦૦૧૯૦૭
Z#	વિનુભાઈ ગબડભાઈ	૯૮૭૯૪૦૯૪૩૨
Z\$	બળદેવજી કાનાજી	૯૬૬૨૬૯૦૩૦૯
Z5	ગનીભાઈ બચુભાઈ	
Z&	બળદેવભાઈ લક્ષ્મણભાઈ	

Z*	જયં તિભાઈ રતીલાલ	
Z(	લલિતભાઈ ખુસાલભાઈ	

ક્રમ	તરવૈયાઓ ના નામ	મોબાઈલ નં
Z)	પૃથ્વીરાજસિંહ ભરતસિંહ	૯૬૨૪૯૪૪૩૮૩
#_	શકતિસિંહ હરિસિંહ	૮૨૩૮૨૩૫૦૬૦
#!	વિશાલસિંહ ગંભીરસિંહ	૮૫૧૧૦૫૬૯૬૮
#Z	જયેશસિંહ ઈન્દ્રસિંહ	૯૭૨૫૦૯૨૮૪૦
##	નરેન્દ્રસિંહ બચુભાઈ	
#\$	શિવાભાઈ બચુભાઈ	૯૨૭૪૨૫૦૩૩૩
#5	શ્યામેશભાઈ વારસં ગભાઈ	૯૭૧૪૧૧૫૨૫૭
#&	વાડીલાલ છનાભાઈ	૯૯૨૪૨૬૨૨૨૭
#*	વાસુદેવભાઈ ભોપાભાઈ	
#(	અમરસં ગ હનૂભા	૯૮૯૮૭૧૨૨૯૫
#)	પૃથ્વીરાજસિંહ ખુમાનસિંહ	૯૯૯૮૨૬૮૨૪૭
\$_	સહદેવસિંહ કનકસિંહ	૯૭૧૨૧૨૮૨૪૮
\$!	ગજેન્દ્રસિંહ રધુભા	૮૭૫૮૫૨૨૧૧૩
\$Z	દાદુભા બચુભા	૯૭૨૪૪૪૦૬૩૯
\$#	ચેતનસિંહ ધનશ્યામ	૭૭૭૭૯૦૬૦૭૯
\$\$	બાબુભાઈ સુરેશભાઈ	૯૯૨૪૫૯૧૨૪૪
\$5	ભરતભાઈ જયંતિભાઈ	૯૫૩૭૦૮૮૧૬૩
\$&	રોહિતભાઈ વશરામભાઈ	
\$*	મણીલાલ માવજીભાઈ	૯૦૯૯૫૭૫૫૫૩
\$(	અનિરૂધ કનુભાઈ	૯૭૨૩૦૨૩૦૨૬
\$)	ભુપતભાઈ ગુણવંતભાઈ	૯૯૯૪૭૮૯૨૫૫
5_	બાબુભાઈ નટવરભાઈ	૭૮૭૪૫૧૫૪૯૭

ગરમીમાં લૂ લાગવા (હીટ વેવ)થી બચો

આરોગ્યલક્ષી સૂચનો

- હીટ વેવ દરમિયાન બહાર નીકળવાનું ટાળવું, આખું શરીર અને માથું ઢંકાઈ તે રીતે સફેદ સુતરાઈ ખુલતા કપડાં પહેરવા, ટોપી, ચશ્માં, છત્રીનો ઉપયોગ કરવો.
- નાના બાળકો, સગર્ભા માતાઓ, વૃદ્ધો તથા અશક્ત અને બીમાર વ્યક્તિઓએ તડકામાં વિશેષ કાળજી લેવી
- સીધા સૂર્ય પ્રકાશથી બચો
- ભીનાં કપડાંથી માથું ઢાંકી રાખો અવાર-નવાર ભીનાં કપડાંથી શરીર લૂછો વારંવાર ઠંડું પાણી પીવું
- લીંબુ શરબત, મોળી છાશ, તાડફળી અને નારિયેળનું પાણી, ખાંડમીઠાનું દ્રાવણ, ઓ.આર.એસ. વગેરે પુષ્કળ પ્રમાણમાં પીવા
- બાળકો માટે કેસૂડાંનાં ફૂલ તથા લીમડાના પાનનો નાહવાના પાણીમાં ઉપયોગ કરવો
- ગરમીમાં બહારથી ઘરે આવ્યા બાદ શરીરનું તાપમાન નીચુ આવે ત્યારબાદ જ નહાવું, શક્ય હોય તો ઘરના બારી અને બારણા સાથે ખસતી ટટ્ટી પાણી છાંટી બાંધી રાખવી
- દિવસ દરમિયાન ઝાડ નીચે, ઠંડક અને છાંયામાં રહેવું
- બજારમાં મળતો ખુલ્લો, વાસી ખોરાક ખાવો નહીં, બજારમાં મળતા બરફનો ઉપયોગ ટાળવો, લગ્ન પ્રસંગે દૂધ, માવાની આઈટમ ખાવી નહીં
- ઉપવાસ કરવાનું ટાળવું, સવારનું ભોજન ૧૨ વાગ્યા સુધીમાં લઈ લેવું
- ચા-કોફી અને દારૂના સેવનથી લૂ લાગવાની શક્યતા વધે છે, તેથી તેનું સેવન ટાળવું

- હીટ વેવની ચેતવણીના દિવસોમાં બપોરે બે વગ્યાથી ચાર વાગ્યા સુધી બહાર નીકળવાનું ટાળવું

લૂ લાગવા (હીટ વેવ)ના લક્ષણો

- માથું દુઃખવું, પગની પિંડીઓમાં દુઃખાવો થવો
- શરીરનું તાપમાન વધી જવું
- ખૂબ તરસ લાગવી
- શરીરમાંથી પાણી ઓછું થી જવું
- ઉલ્ટી થવી, ઉબકા આવવા, ચક્કર આવવા, આંખે અંધારા આવવા
- બેભાન થઈ જવું
- સુધ-બુધ ગુમાવી દેવી (મુંઝવણ)
- અતિગંભીર કિસ્સામાં ખેંચ આવવી

- વરિયાળી, કાચી કેરી, ગુલાબ, ખસ(વાળા), અને કાળી દ્રાક્ષનું શરબત લઈ શકાય, રાત્રે ૧૦ નંગ કાળી દ્રાક્ષ પાણીમાં પલાળી સવારે આ પાણી પીવું અને દ્રાક્ષ ખાવી, તરબૂચનો ઉપયોગ સવારે અને બપોરે કરવો.

CMI:58, GF 8, LONG GAZ		
!	I; IJ, CMI:58, 4 V; FZJF	ZZ&(#*Z!qZZ4 ZZ&(!#*)
Z	8LPALP IIG8 sl; IJ, f	ZZ&(!_## ZZ&(\$*&\$
#	ZFH:YFG CMI:58, 4 XFCLAFU	ZZ(&&#!Zq!#
\$	U, AAF. CMI:58, 4 SF, 5Z	ZZ!#) 55
5	0FPÖJZFH DCTF :DFZS C<Y OfpP	Z&&#)(#)v\$Z
&	ISQGF CF8 .g:8L8I84 3DF	))_))**_)4 Z*!*vZ#\$&
*	DOL; H CMI:58, 4 DL9FB/L	Z&\$ \$!\$!q_Z
(	V; PVPV, P CMI:58, sSALf	Z&(\$5&
)	z I CMI:58, 4 GJZU5ZF	Z&\$&(&Z_
!_	; LPVRPGUZL VFBGL CMI:58,	Z&\$&&*Z\$q !*&
!!	:8I, U CMI:58, 4 U~S/	Z*\$(!\$!5q 5*&*
!Z	V5M, M IS, GLS4 3F8, MOLI F	&&*_!(!!
!#	JLPV; PCMI:58, 4 8fpGCM,	Z&5**&Z!vZ5
!\$	UHZFT AgH CMI:58, 4HGfJfOH	Z*55&&&5 Z*5& \$))
!5	XFZNFAG CMI:58, 4; Z; 5Z	ZZ)Z\$Z&!
!&	S6FJTL CMI:58, 4 VI, ; ALH	Z&5*55
!*	V1FZ CMI:58, 4 XFCLAFU	Z5&Z!#&&
!(	58Jf GI; U CMD4 5F, 0L	Z&5()&(&
!)	RF. <0 SZ CMI:58, 4 DDGUZ	Z*)!!!!_
Z_	5Z6F CMI:58, 4 Of CfP;	Z&\$&\$ 5\$
Z!	RãDI6 CMI:58, 4 XFCLAFU	ZZ(&&*())
ZZ	IGWL ; IHS, CMI:58, 4 JfOH	Z*&\$Z!ZZ
Z#	.PV; PVF.PV; PHGZ, CMI:58, 4	ZZ*\$Z&(!
Z\$	; LJL, CMP; M, F	Z*&&\$#554 Z*&&\$#5)
Z5	VDP5LPXFC Sg; Z CMP4V; FZJF	ZZ&((
Z&	; DHAf CMI:58, 4 Af5GUZ	ZZ*\$!_!Z
Z*	V, PÖP CMI:58, 4 DI6GUZ	Z5\$&!#(_

a, 0 AgS		
!	.lg0IG ZO SM; ; M; FI8L	Z&&5_(554 Z&&5! (##
Z	ZOSM;	Z&&5! (##
#	ULG SM;	Z&5**5((4 Z&5(((Z\$
\$	S6FJTL a, 0 AgS	Z*\$*)*\$Z4 Z*\$!5!5_
5	5YDF a, 0 AgS	Z&&!! (Z&&_*&Z

Sg8M, ~D

SRZL	VMO; GP		OS; GP
:88 S8M, ~D 4 UFWLGUZP	23251911-16		23251916/12
IH<, F S8M, ~D (EOC) S, S8Z SRZL4 VDNFJFNP	27560511	8M, OLP!_**	27552144
DbI S8M, ~D4 8FUMZ CM, 4 dIPSM5MP	32982458, 32943212		26580623
DwI:Y S8M, ~D4 NF6F5L9	25391811, 25353858,22148465- 62		25350926
5I`RDhMG p:DFG5ZF S8M, ~D4 dIPSM5M	27550910		32943182
5M, L; S8M, ~D s5M, L; SIDxGZf	25630100		
5M, L; S8M, ~D s~Z, f	26891115 22821124		26891257
S8M, ~D s; LJL, I00g; f	25508718		
JF; 6F AZH	26301536		26613123
CJFDFG BFT	22867657		
S8M, ~D sHLP .PALPf	27506070		
HP5LPS8M, ~D sHDF, 5Zf	32983198		
NW`JZ S8M, ~D	25628222, 32981449		
RFNBOf	23296058, 23290266		23290266
ZF6L5	27530553		27523409
JH, 5Z	26813278		26813378
;ZBH	26823399		26824593
AFSZM,	02718-224577		32981373
5JhMG	22970422		32981339
RSOLIF	32910242		
VM-J	32981155		32981155
IGSM,	32981361		32983071

NI1F6hMIG	25465255, 25465399		25465344
AFUIOZNMIX	25854096, 32981149		32943052
pTZhMIG	22801182, 22842926		32943051
;H5Z	22821075		
GZM0F D9L IF	32981452		
IJS8MZL IF UFG	25390501		32984122

WFZF;eIzLVIGF GFD TYF TYF ;5S GAZGL IJUT

VP GP	IJWFG;EF DTIJE FUGM GAZ qGFD	WFZF;eIzLG GFD	;5S GAZ
!	V;FZJF	zL ZHGLSFT 58,	)\$Z&!5&Z#Z
Z	VDZF. JFOL	zL C;DBEF. 58,	)#Z*\$Z&!ZZ
#	AF5GUZ	zL HU~5I;C ZFH5T	)(Z5_&&#&Z
\$	N:SM.	zL AFAEF. HP 58,	Z&*&)*&*
5	WM/SF	zL E5gNI;C R0F;DF	
&	WWSF	zL ,F, OEF. SM/L58,	
*	NF6L, LD0F	zL X,QFEF. 5ZDFZ	)(Z5_Z))Z
(	NIZIF5Z	zL uIF;jLG XB	)(Z\$_*)(\$(
)	3F8, M0IF	zLDTL VFGNLAG 58,	Z#Z#(_**
!_	HDF, 5ZvBF10IF	zL EQF6EF. EÎ	)#Z(*(\$
!!	VI, ;ALH	zL ZFSXEF. XFC	Z&&_\$\$__
!Z	GFZ65ZF	zL VIDTEF. XFC	Z*\$))_*_
!#	GLSM,	zL HUNLXEF. 5RF,	)#**_#5&__
!\$	GZM0F	0FPIGD, FAG JF3JF6L	(!\$(5_(_
!5	DI6GUZ	zL GZgNEF. DINL	Z#Z#Z&!!
!&	;FAZDTL	zL VZIJNEF. 58,	))Z5!\$!_\$_Z
!*	;F6N	zL SZDXLEF. 58,	
!(	IJZDUFD	zLDTL THzLAG	
!)	JH, 5Z	zL ISXWZI;C RFCF6	)(*)&_5(\$\$
Z_	J8JF	zL 5IN5I;C HF0HF	ZZ&(!###
Z!	9PZAF5FGUZ	zL J<, EEF. SFSI0IF	ZZZ_#)_!

સ્વૈચ્છિક સંસ્થાઓની યાદી

ક્રમ	નામ	સરનામુ	કાર્યક્ષેત્ર
૧	અમદાવાદ ડાયમંડ એશોશિયેશન મેડિકલ ટ્રસ્ટ	બાપુનગર અમદાવાદ ૩૮૦૦૨૪	સોશિયલ વેલફેર
૨	અમદાવાદ જીલ્લા સમાજ કલ્યાણ સંઘ	ભદ્ર અમદાવાદ ૩૮૦૦૦૧	સોશિયલ વેલફેર
૩	અમદાવાદ મેનેજમેન્ટ એસોશિયેશન	વસ્ત્રાપુર અમદાવાદ ૩૮૦૦૧૫	એજ્યુકેશન રીસર્ચ અને ડેવલોપમેન્ટ ઈન્સ્ટીટ્યુટ
૪	અમદાવાદ વુમન્સ એક્શન ગ્રુપ	આબાં વાડી અમદાવાદ ૩૮૦૦૧૫	સોશિયલ વેલફેર
૫	અખિલ ભારત માનવ કલ્યાણ સેવા ટ્રસ્ટ	એટ અને પોસ્ટ ગોધાવી તહેસીલ સાણંદ ૩૮૨૧૧૫	સોશિયલ વેલફેર
૬	ઓલ ઈન્ડિયા ડીઝાસ્ટર મેનેજીંગ ઈન્સ્ટીટ્યુટ	૪૧૧, આશ્રમ રોડ અમદાવાદ ૩૮૦૦૦૯	વોકેશનલ ટ્રેનીંગ ,ડીઝાસ્ટર મેનેજમેન્ટ
૭	આનંદી	જીવરાજ પાર્ક, અમદાવાદ ૩૮૦૦૫૧	સોશિયલ વેલફેર
૮	એનિમલ હેલ્પ ફાઉન્ડેશન	પ્રહલાદનગર એકટેન્સન મકરબા અમદાવાદ ૩૮૦૦૧૫	એનિમલ વેલફેર
૯	અનુકંપા ટ્રસ્ટ	પાલડી અમદાવાદ ૩૮૦૦૦૭	સોશિયલ વેલફેર
૧૦	આશ્રય સોશિયલ વેલફેર ફાઉન્ડેશન	પ્રહલાદનગર અમદાવાદ ૩૮૦૦૧૫	સોશિયલ વેલફેર
૧૧	ભારત લોકહિત સેવા સમિતિ	સરખેજ અમદાવાદ ૩૮૨૨૧૦	સોશિયલ વેલફેર
૧૨	બ્લાઈન્ડ પીપલ્સ એસોશિયેશન	વસ્ત્રાપુર અમદાવાદ ૩૮૦૦૧૫	
૧૩	બોયાસણવાસી અક્ષર પુરુષોત્તમ સ્વામીનારાયણ સંસ્થા	શાહીબાગ અમદાવાદ ૩૮૦૦૦૪	સોશિયલ વેલફેર
૧૪	કેથોલીક ચર્ચ	સરદારનગર ,હાં સોલ, અમદાવાદ ૩૮૨૪૭૫	સોશિયલ વેલફેર
૧૫	સેન્ટ્રલ ફોર એન્વારમેન્ટ એજ્યુકેશન	થલતેજ અમદાવાદ ૩૮૦૦૫૪	એજ્યુકેશન એન્વારમેન્ટ
૧૬	ચૌઅલ ગ્રામ વિકાસ ટ્રસ્ટ	નારણપુરા અમદાવાદ ૩૮૦૦૧૩	સોશિયલ વેલફેર
૧૭	યુવશન ફાઉન્ડેશન ટ્રસ્ટ	મેમનગર અમદાવાદ ૩૮૦૦૫૨	સોશિયલ વેલફેર
૧૮	દાદાભગવાન ફાઉન્ડેશન	ઉસ્માનપુરા અમદાવાદ ૩૮૦૦૧૪	સોશિયલ વેલફેર
૧૯	દલિત ફાઉન્ડેશન	વસ્ત્રાપુર અમદાવાદ ૩૮૦૦૫૧	સોશિયલ વેલફેર

૨૦	ડોટર ઓફ સેન્ટફ્રાન્સીસ જેવીયર	રાજપુર ગોમતીપુર અમદાવાદ ૩૮૦૦૨૧	સોસિયલ વેલફેર
૨૧	ડીશા	ગાંધી આશ્રમ અમદાવાદ ૩૮૦૦૨૭	સોસિયલ વેલફેર
૨૨	ગણતર	સેટેલાઈટ રોડ અમદાવાદ ૩૮૦૦૧૫	સોસિયલ વેલફેર
૨૩	ગુજરાત ઈકોલોજીકલ એજ્યુકેશન અને રીસર્ચ	ગાંધીનગર ગુજરાત ૩૮૨૦૦૯	એજ્યુકેશન ઈન્વારમેન્ટ, રીસર્ચ અને ડેવલોપમેન્ટ
૨૪	જન વિકાસ	બોડકદેવ વસ્ત્રાપુર અમદાવાદ ૩૮૦૦૧૫	સોસિયલ વેલફેર
૨૫	જ્યોતિ સંઘ	રીલીફ રોડ અમદાવાદ ૩૮૦૦૦૧	સોસિયલ વેલફેર
૨૬	કરૂણા ટ્રસ્ટ	૨૨, ગૌતમ નગર અમદાવાદ ૩૮૦૦૧૩	સોસિયલ વેલફેર
૨૭	લાયન્સક્લબ ઓફ કર્ણાવતી ફાઉન્ડેશન અમદાવાદ	ગોતા વડસર રોડ, ઓગણજ , અમદાવાદ ૩૮૦૦૬૦	સોસિયલ વેલફેર
૨૮	મહિલા સેવા ટ્રસ્ટ	ભદ્ર, અમદાવાદ ૩૮૦૦૦૧	સોસિયલ વેલફેર
૨૯	માહિતિ સંસ્થા રૂલર ડેવલોપમેન્ટ સેન્ટર	એટ પો: ધોલેરા કુન વિલેજ નજીક ધધુકા અમદાવાદ ૩૮૨૪૫૫	સોસિયલ વેલફેર
૩૦	માનવ કલ્યાણ ટ્રસ્ટ મહેસાણા	આશ્રમ રોડ અમદાવાદ ૩૮૦૦૦૯	સોસિયલ વેલફેર
૩૧	શામવેદના ટ્રસ્ટ	નવા વાડજ અમદાવાદ ૩૮૦૦૧૩	સોસિયલ વેલફેર
૩૨	ઉન્નતિ ઓરગેનાઈઝેશન ફોર ડેવલોપમેન્ટ એજ્યુકેશન	અમદાવાદ	એજ્યુકેશન
૩૩	ઉત્થાન સેવા ટ્રસ્ટ	જોધપુર ચાર રસ્તા પાસે અમદાવાદ ૩૮૦૦૧૫	એજ્યુકેશન
૩૪	સુલોચના મે. ટ્રસ્ટ	શાહપુર અમદાવાદ	સોસિયલ વેલફેર
૩૫	જયભારતી ફાઉન્ડેશન	માધુપુરા અમદાવાદ	સોસિયલ વેલફેર
૩૬	સાથ ચેરીટેબલ ટ્રસ્ટ	પાલડી/વાસણા અમદાવાદ	સોસિયલ વેલફેર
૩૭	નવ ઉત્થાન સંઘ	નવા વાડજ અમદાવાદ	સોસિયલ વેલફેર
૩૮	આશીર્વાદ સેવા સંઘ	કાંકરિયા અમદાવાદ	સોસિયલ વેલફેર

VfnnMIUS VSDMGL DFICTL



MAH - UNIT

Sr. No.	Industrial Pocket	Area	M.A.H. Units
1.	Vatva -Narol	Industries located in Vatva & Narol Area	14
2.	Odhav - Rakhiyal	Industries located in Odhav & Rakhiyal Area	05
3.	Naroda-Sabarmati	Industries located in Naroda & Sabarmati Area	12
4.	Sanand, Dholka & Dhandhuka	Industries located in Sanand, Dholka, Dhandhuka Taluka	14
5.	Viramgam	Industries located in Viramgam Taluka	01
TOTAL			46

The Industrial pockets are shown in the MAP at Annexure—2A to 2C.

10.3 LIST OF MAH UNITS - INDUSTRIAL POCKET WISE

TABLE-1 (AHMEDABAD-1)

INDUSTRIAL POCKET – 1 : VATVA –NAROL				
Sr. No	Factory Name	Address	Major Hazardous Chemical	Telephone Number
1	2	3	4	5
1.	AV Organosys	Plot No. A-1/272/5, Phase-II, GIDC Ind.Estate, Vatva,	Chlorine Acetic Acid	079-29295382
2.	Advance Petrochemicals Ltd.	166/167, Pirana Road, Piplaj	Ethylene Oxide, Methanol	079- 25715196
3.	Ashima Dyecot Pvt. Ltd.	Near Anupam Cinema, Khokhra Mahemdabad,	LPG	079-22773513
4.	Bodal Chemical Ltd. Unit - 1	Plot 110, Phase-2, GIDC Ind.Estate, Vatva,	Ethylene Oxide, Chloro Sulphonic Acid	(079) 25831684
5.	Bodal Chemical Ltd. Unit -3	Plot No. 2102, Phase III GIDC Ind. Estate,, Vatva	Ethylene Oxide, Chloro Sulphonic Acid	M. 99099 50811
6.	Crystal Quinone Pvt. Ltd Unit - II	Plot No. A/2-20 & A/2-21, Phase – II, G.I.D.C.Ind.Estate Vatva.	Ethylene Oxide, CSA	079-65414800 TO 07
7.	GUJCOMSOAL (Pesticides Factory)	Vatva Road, Narol,	Endosulfan, Monocrotophos, etc	079-25731799
8.	Indichem	Plot No 71/9, Phase I C2A Type Shed No 5 & 6, GIDC Estate, Vatva,	Parathion-Methyl, Phorate, etc	079-25830340
9.	Jay Chemical Ind. Ltd. Unit-III	Plot No. 109/220, Phase-II, GIDC Industrial Estate, Vatva	Ethylene Oxide, C.S.A.	079-25830812
10.	Karnavati Chemicals	Behind Narol Court, Narol,	Chlorine	079-25712752,
11.	Matangi Industries	28, GIDC Ind.Estate Phase I, Vatva,	Ethylene Oxide, C.S.A.	079 -25890302
12.	Mayur Dychem Intermediates Ltd. Unit-1	A 1/108, GIDC Ind. Estate, Phase II, Vatva,	Ethylene Oxide , C.S.A.; TC.	079-25831476, 25833445
13.	Megh Chem Industries	Plot No-8, GIDC Ind. Estate, Phase-II, Vatva	Chlorine	29295120, 64503487
14.	Meghmani Organics Ltd.	183, 184, 190, GIDC Ind. Estate, Phase II, Vatva,	Chlorine, Xylene	079-25831210, 25834657

TABLE-2 (AHMEDABAD-2)

INDUSTRIAL POCKET – 2 : ODHAV - RAKHIYAL				
Sr. No	Factory Name	Address	Major Hazardous Chemical	Telephone Number
1	2	3	4	5
1.	Bharat Pesticides Industries Pvt. Ltd. Unit 1	138, GVMM Industrial Estate, Odhav.	Parathion-Methyl, Solvent	079-22900988
2.	GSP Crops Science Pvt. Ltd. Unit-I	100 – 103, GVMM Industrial Estate, Odhav.	C-9, Xylene, Ethyl Acetate	079- 22900528
3.	GSP Crops Science Pvt. Ltd. Unit - II	Plot No. 551, GIDC Ind. Estate, Phase-II, KATHWADA	C-9, O-Xylene	079– 22902556
4.	Parikh Enterprises Pvt. Ltd.	Plot No. 442, GIDC Ind. Estate, Odhav.	Chlorine, Sulphuric Acid	079-22871471, 22871472
5.	Sagar Drugs & Pharmaceuticals Limited.	38/3 & 46/1, Kanbha Kuha Road, Singarwa,	Ethylene Oxide, C.S.A., T.C.	079-22901856

TABLE-3 (AHMEDABAD-3)

INDUSTRIAL POCKET – 3 : NARODA-SABARMATI				
1.	Ambuja Agrochem Industries.	C-1, 30/42, PHASE-III, GIDC, Ind. Estate, Naroda.	M. Parathion, Mix. Xylene	079-22816541
2.	Baroda Minerals Grinding Industries, No.1	Plot No.41-42-43, Phase -III, GIDC Ind. Estate, Naroda.	Parathion-Methyl, Endosulfan, etc	(079) 22811230; 22813213
3.	Encore Natural Polymers Limited.	227/223, GIDC Ind. Estate, Naroda.	Ethylene Oxide, Methanol	(079) 22822540
4.	Gujarat Agro Chemicals Mfg. Co	151-153/1, GIDC Ind. Estate, Phase II, Naroda.	Parathion, Phorate, Ethion, Malathion, etc	079-22810029
5.	Gujarat Krushi Rasayan Pvt. Ltd.	B-12, GIDC Industrial Estate, - Phase-I Naroda.	Parathion, Phorate, etc, Solvent	079-22810011
6.	Gujarat Pesticides	F-15, GIDC Ind. Estate-Phase II, Naroda	Melathion, Cypermethin, Endosulphan	079-22821550
7.	Indian Oil Corporation Ltd. (Marketing Division)	Near "D" Cabin, Post Railway Colony, Sabarmati.	M.S., H.S.D., A.T.F.	079-27500951, 27507246
8.	Pioneer Agro Industries	Plot C -1 30/37, GIDC Ind. Estate, Phase III, Naroda	Monochrotophos, Fenvalerate, M. Parathion	079-22813199
9.	President Industries Ltd.	Plot C-1/30/31-53-54, GIDC Ind. Estate, Phase III, Naroda.	Cypermethin, Endosulphan, etc	079-22813027
10.	Shiv Chem Industries.	C-1 B, 1307/9, 1307/10, GIDC Estate, -Phase IV, GIDC Ind. Estate, Naroda.	Chlorine, Acetic Acid	079-22823447

INDUSTRIAL POCKET – 3 (AHMEDABAD-3) : NARODA-SABARMATI (Continue...)				
Sr. No	Factory Name	Address	Major Hazardous Chemical	Telephone Number
1	2	3	4	5
11.	Shri Chlochem Ltd.	25/9/A, GIDC Ind. Estate Phase III, Naroda.	Chlorine, Acetic Acid	079-22821154
12.	Super Industries	C-1/289 GIDC Ind. Estate, Phase-I, Naroda.	Phorate	079-22823907

TABLE-4(AHMEDABAD-4)

INDUSTRIAL POCKET – 4 (AHMEDABAD-4) : INDUSTRIAL POCKET : SANAND				
1.	CABB Karnavati Rasayan Ltd.	Block No.459,460 & 461 Nr. Bajaj Foods Ltd., Opp. N. N. Desai Petrol Pump, Sarkhej-Bavla Road, Changodar, Dist. Ahmedabad-382213	Chlorine, , Acetic Acid	M. 9825605923
2.	Deedy Chemicals Pvt. Ltd.	263, A/2A, Akash Ganga Ind. Estate, Sanand-Viramgam Highway, Post- Vasna-Iyava, Tal.-Sanand, Dist-Ahmedabad	Chlorine, , Acetic Acid	02717-284313
3.	Dhanuka Agritech Ltd.	D-1/A+B, Ajanta Industrial Estate, Village -Vasna Iyava Tal. Sanand, Dist. Ahmedabad	Phorate, M. Parathion, Fenvalerate.	02717-284567
4.	Ganesh Pharmachem.	6 & 7, Saket Industrial Estate, Near Nova Petrochemicals, Moraiya, Taluka Sanand,		CLOSED
5.	Gujarat LPG Bottling Co. Pvt. Ltd.	Survey No.336/1, 2, 3, Kundal, Narwada Botad Rd., Tal, Dhandhuka,		CLOSED
6.	Indian Oil Corporation Ltd. (LPG Bottling Plant)	Sanand – Viramgam Highway, Sanand,	LPG	02717-222904
7.	Jay Chlorochem	57, Ajanta Ind. Estate, Vasna Iyava, Tal. Sanand,	Chlorine	02717-284323
8.	Mansi Industries	Block No. 419, Po. Chharodi, Taluka Sanand,	Chlorine	02717-273020
9.	Meghmani Organics Ltd.	402,403,404 & 452, Post Chharodi, Taluka Sanand	Isobutylene, Chlorine, Hexane, So dium Cyanide, Thionyl Chloride, CTC, Toluene, FO, HSD.	02717-273251-52-53,
10.	Nirma Limited	Survey No.415/P,416/P,420/P Village Moraiya, Post.Chacharvadi vasna, Sarkhej Bavala Highway, Ta.Sanand. Pin.382213	Oleum , Toluene, Ethyl Acetate	02717-251301-02

TABLE-4(AHMEDABAD-4) Continue...

INDUSTRIAL POCKET – 4 (AHMEDABAD-4) : INDUSTRIAL POCKET : SANAND Continue....				
11.	Pratiksha Chemicals Ltd	195/2, Near Natraj Industrial Estate, Vasna Lyava, Taluka Sanand,	Chlorine	02717-284350 / 284214
12.	SHV Energy Pvt. Ltd. (Super Gas)	Survey No. 169/3 – 169/5 Ranesar Patia, Kalyanagadh, Bavla Bagodara NH 8A... Taluka Dholka, Ahmedabad	LPG	02714-324075, 9898005479
13.	Sun Chlorochem	9, Ajanta Ind Estate, P O Vasna lyava, Taluka Sanand,	Chlorine	02717-284401
14.	United Pesticides Laboratory	Plot No.-3, Uma Industrial Estate, Village Vasna-lyava . Tal- Sanand	Parathion Phorate	02717-284241

TABLE-5(AHMEDABAD-5)

INDUSTRIAL POCKET – 5 (AHMEDABAD-5) : INDUSTRIAL POCKET : VIRAMGAM				
15.	Indian Oil Corporation Limited (Salaya Mathura Pipeline)	Pipelines Division, Tal. Viramgam, Dist. Ahmedabad	Crude Oil	02715-233510, M - 94268 02793

**SURVEY OF PROBABLE TYPES OF CHEMICAL ACCIDENTS IN
INDUSTRIAL POCKET
AHMEDABAD-I**

Sr. No.	Probable Type of Chemical Accidents	Name of Chemical Involved	Name of MAH Unit	Nomenclature
1.	Fire	Xylene, E.O.	1. MMO 7. MDI 2. BCL-1 8. JCL 3. BCL-2 9. APL 4. CQOL 10. ICM 5. MI 11. JCL 6. MOL 12. ADPL 13. GMS-P	1. APL : Advance Petrochemicals Ltd. 2. CQPL : Crystal Quinone Pvt. Ltd Unit - II 3. GMS-P : GUJCOMSOAL (Pesticides Division) 4. KC : Karnavati Chemicals 5. BCL-1 : Bodal Chemical Ltd. Unit - 1 6. BCL-3 : Bodal Chemical Ltd. U-3 7. ICM : Indichem 8. MI : Matangi Industries 9. MDI-1 : Mayur Dyechem Intermediates Ltd. Unit-1 10. MCI : Megh Chem Industries 11. MOL : Meghmani Organics Ltd. 12. JCL : Jay Chemical Ind Ltd 13. AVO : AV Organosys 14. ADPL : Ashima Dyecot Pvt. Ltd.
2.	Flammable Liquid Spillage	Xylene, E.O.	1. MMO 7. MDI 2. BCL-1 8. APL 3. BCL-2 9. ICM 4. CQOL 10. JCL 5. MI 6. MMO	
3.	Toxic Liquid Spillage	Acetic Acid, Chlorosulphonic Acid, Sulphuric Acid	1. KC 6. AVO 2. BCL-1, 7. MDI 3. BCL-2 8. JCL 4. CQPL 9. MCI 5. MI	
4.	Flammable Gas Leakage/ Dispersion	LPG	1. ADPL 5. MDI 2. BCL-1 6. MOL 3. BCL-3 4. JCL	
5.	Toxic Gas Leakage/ Dispersion	Chlorine	1. KC 5. JCL 2. MMO 6. MDI 3. MCI 7. MI 4. AVO	
6.	Poisonous Substance Spreading	Pesticides	1. GMS-P 7. ICM	
7.	Explosion	LPG, Petrochemicals	1. APL 2. ADPL 3. BCL-1 4. BCL-3 5. MI	
8.	MISC (Processing & Handling)		All	

SURVEY OF PROBABLE TYPES OF CHEMICAL ACCIDENTS IN
INDUSTRIAL POCKET
AHMEDABAD-2

Sr. No.	Probable Type of Chemical Accidents	Name of Chemical Involved	NAME OF MAH UNIT	NOMENCLATURE
1.	Fire	E.O., Ethyl Acetate, C-9, Xylene	1. SDP 2. GCS-1 3. GCS-2 4. BPI	1. BPI : Bharat Pesticides Industries Pvt. Ltd. Unit 1 2. GSI-1 : GSP Crops Science Pvt. Ltd. Unit-I 3. GSL-2 : GSP Crops Science Pvt. Ltd, Unit - II 4. PEL : Parikh Enterprises Pvt. Ltd. 5. SDP : Sagar Drugs & Pharmaceuticals Limited.
2.	Flammable Liquid Spillage	E.O., Ethyl Acetate, C-9, Xylene	1. SDP 2. GCS-1 3. GCS-2 4. BPI	
3.	Toxic Liquid Spillage	Sulphuric Acid, Hydrochloric Acid, Caustic Lye, Chloro Sulphonic Acid, Thionyl Chloride	1. PEL 2. SDP 3. BPI	
4.	Flammable Gas Dispersion		1.SDP	
5.	Toxic Gas Dispersion	Chlorine	1. PEL 2. SDP	
6.	Poisonous Substance Spreading	Pesticides	1,BPI 2. GSL-1 3. GSL-2	
7.	Explosion	E.O.	1, SDP	
8.	MISC		All	

SURVEY OF PROBABLE TYPES OF CHEMICAL ACCIDENTS IN
INDUSTRIAL POCKET
AHMEDABAD-3

Sr. No.	Probable Type of Chemical Accidents	Name of Chemical Involved	Name of MAH Unit	NOMENCLATURE
1.	Fire	E.O., Methanol, Solvent, MS, HSD, SKO, ATF	1. AAI 2. ENP 2. GKR 3. HPCL 4. IOCL	1. AAI : Ambuja Agrochem Industries. 2. BMF : Baroda Minerals Grinding Industries 3. ENP : Encore Natural Polymers Limited. 4. GAI : Gujarat Agro Chemical Mfg. Co. Pvt. Ltd. 5. GKR : Gujarat Krushi Rasayan Pvt. Ltd. 6. GP : Gujarat Pesticides 7. IOCL : Indian Oil Corporation Ltd. 8. PIL : President Industries Ltd. 9. SCI : Shiv Chem Industries. 10. SCIL : Shree Chlochem Industries Ltd. 11. SI : Super Industries 12. PAI : Pioneer Agro Industries 13.
2.	Flammable Liquid Spillage	E.O., Methanol, Solvent, MS, HSD, SKO, ATF	1. ENP 5.GKR 2. AAI 3. IOCL	
3.	Toxic Liquid Spillage	Acetic Acid	1. SCI 2. SCIL	
4.	Flammable Gas Dispersion	LPG	1.ENP 2.AML	
5.	Toxic Gas Dispersion	Chlorine	1. SCI, 2.SCIL	
6.	Poisonous Substance Spreading	Methyl Parathion, Fenulevate, Malathion	1. AAI, 5. PAI 2. BMF 6.PIL 3. GAI, 7. SI 4.GKR,	
7.	Explosion	E. O.	1. ENP	
8.	MISC		All	

SURVEY OF PROBABLE TYPES OF CHEMICAL ACCIDENTS IN
INDUSTRIAL POCKET
AHMEDABAD-4

Sr. No.	Probable Type of Chemical Accidents	Name of Chemical Involved	Name of MAH Unit	NOMENCLATURE
1.	Fire	Ethyle Acetate, Hexzane, Acrelonitrile, Acetonitrile, EDC, FO, HSD, Toluene	1. MO 2. MMO 3. NIR 4. IOC-B 5. PC 6. SHV	1. CABB : CABB Karnavati Rasayan Ltd. 2. DCL : Deedy Chemicals Pvt. Ltd. 3. DAL : Dhanuka Agritech Ltd. 4. IOCL-B : Indian Oil Corporation Ltd. (LPG Bottling Plant) - Sanand 5. JCC : Jay Chlorochem 6. MI : Mansi Industries 7. MO : Meghmani Organics Ltd. 8. NIR : Nirma Ltd. 9. PC : Pratiksha Chemicals 10. SHV : SHV Energy North West India Pvt. Ltd. 11. SUN : Sun Chlorochem. 12. UP : United Pesticides Laboratory
2.	Flammable Liquid Spillage	Ethyle Acetate, Hexzane, Acrelonitrile, Acetonitrile, EDC, FO, HSD, Toluene	1. MO 2. MMO 3. NIR 4. PC	
3.	Toxic Liquid Spillage	Acetic Acid, EDC, Sulphuric Acid, Thionyl Chloride, MDC, Acrylonitrile, Acetonitrile, CTC, Bromine	1. CABB 5. PC 2. MO 3. DCL 4. NIR	
4.	Flammable Gas Dispersion	LPG	1. IOCL-B 2. MO 3. SHV	
5.	Toxic Gas Dispersion	Chlorine	1. CABB, 5. JCC 2. MI 6. MO 3. NIR 7. PC 4. DCL 8. SUN	
6.	Poisonous Substance Spreading	Pesticides	1. MO, 2. DAL 3. PC 4. UP	
7.	Explosion	Isobutylene	1. IOCL-B 2. MO 3. SHV	
8.	MISC		All	

INDUSTRIAL RUCKET
AHMEDABAD-5

Sr. No.	Probable Type of Chemical Accidents	Name of Chemical Involved	Name of MAH Unit	NOMENCLATURE
1.	Fire	Petroleum Products	IOCL(SMPL)	IOC (SMPL) : Indian Oil Corporation Ltd.(Salaya Mathura Pipe Lines)
2.	Flammable Liquid Spillage	Petroleum Products	IOCL(SMPL)	
3.	Toxic Liquid Spillage	-	-	
4.	Flammable Gas Dispersion	-	-	
5.	Toxic Gas Dispersion	-	-	
6.	Poisonous Substance Spreading	-	-	
7.	Explosion	Petroleum Products	IOCL(SMPL)	
8.	MISC		IOC(SMPL)	

EMERGENCY EQUIPMENT SUPPLIERS
B. PORTABLE DG SET SUPPLIERS

Sr. No.	Name of Vendor	Address	Contact Person	Phone No.	Mobile No.
1	2	3	4	5	6
1.	Bhagvati Power Generator	Naroda GIDC	Mr. Rajesh Saharma Mr. Shyam	22819563, 22814611	98250 28725
2.	Gopi Generator	Ghatlodia	Mr. Guntant Patel Mr. Kiran Patel	27464044	98250 62054
3.	Meesha Electricals	Naroda GIDC	Mr. Arvind Patel Mr. Yashwant Mr. Jitendra	22816475, 22815378	98250 30317
4.	Nexus Research & Sales Promotion	Ashram Road	Mr. Pradip Asar	26582256	98240 26383
5.	Sark Engineering Co.	Vatva GIDC	Mr. Rakesh Patel	25895728, 25896651	98240 96205
6.	Shakti Traders & Engineering Co.	Amraiwadi		55435626, 92272 04576	94260 71450
7.	Shree Sonal Decorators	Ghatlodia		27454740	98240 11656
8.	Space Communication	Navrangpura	Mr. Kamlesh Shah Mr. Ashok Shah	26445222, 55611775	98250 09967
9.	Vink Diesel	Geeta Mandir Road	Mr. Yogendra	25390519, 23352312	98240 44199
10.	Ganesh Corporation (Navrangpura)	Navrangpura	Mr. J. S. Kanwar Mr. Rajiv Kanwar	26420803, 25624528	98250 51110
11.	General Power Corporation	Sarkhej	Mr. Y. S. Ansari	26891816	98250 39887
12.	Gupta Traders	Ashram Road	Mr. Vijay Gupta Mr. Mahesh Gupta	26579116, 26579156	98253 15787
13.	K. K. Agency	Rakhial	Mr. Khalidkhan K. Pathan	22762446, 22773843	98250 18735
14.	Moonlight (Dariapur)		Mr. Rasul Mr. Salamanbhai	22138868, 22130940	94260 15730
15.	New Milan Music Band / Shah Light House	Saraspur	Mr. Mohammad Sikandar Mr. S. B. Shah	22741495	98241 64786
16.	Progressive Engineering & Generators	Relief Road	Mr. Deval Bhatt Mr. Harish Bhatt	22170052, 26890397	98259 73441
17.	Reliance Electricals & Generators	Maninagar	Mr. Jitendra	25461334	98250 47936
18.	S. P. Electric (Maninagar)	Maninagar	Mr. Chetan / Mr. Nimesh S. Bhavsar	25323003, 25328836	98250 06836
19.	Shreenath Diesels Sales & Service	Kankaria	Mr. K. K. Kotak / Mr. R. H. Singh / Mr. Jatin	25432639, 25432694, 25382694	98250 62548
20.	Sorathia Engineers (Drive In Road)	Drive In Road	Mr. Sabir H. Sorathia / Mr. Kasam H. Sorathia	27910976, 26811618	98250 62548
21.	Zen Engineers / Arvind M. Soni	Salapas Road	Mr. Divyang Mistry / Mr. Arvind / Mr. Brijesh	55248336, 25510261, 25500876	98240 59506
22.	Ganesh Corporation (Navrangpura)	Navrangpura	Mr. J. S. Kanwar Mr. Rajiv Kanwar	26420803, 25624528	98250 51110
23.	Shree Engineering Works (Naroda)	Naroda	Mr. Sanjay Patel Mr. Dharmendra Patel		98250 64168

LIST OF EXPERT PERSONS

Sr. No.	Designation	Technical Expert	Address	Phone No.	
				Office	Resident
1.	Mr. Animesh Sen, Terminal Manager	Technical Expert - 1	Indian Oil Corporation Ltd., Sabarmati Terminal, Ahmedabad	(079) 27500951	M-94264 16013
2.	Mr. Rameshbhai P.Patel, MD	Technical Expert - 2	Bodal Chemicals Ltd GIDC Estate, Vatva, Ahmedabad	(079) 25836052	M-98250 06151
3.	Mr. R.R.Patel, MD	Technical Expert - 3	Gujarat Agro Chemical MFG Co. Naroda, Ahmedabad	(079) 22810029	M-98250 55292
4.	Mr. K.N.Modi Tech. Director	Technical Expert - 4	Parikh Enterprises, Odhav, Ahmedabad	(079) 22871471-2	M- 99798 69945
5	Mr.Kalpeshbhai A. Patel ,Director.	Technical Expert - 5	Nirma Ltd Moraiya, Sarkhej – Bavla Road, Tal Sanand	02717- 251301-02	079 27546565
6	Mr. R.R.Patel, M.D.	Technical Expert - 6	Gujarat Agro Chemicals MFG CO., Plot No. 151-153/1 GIDC Industrial Estate, Phase-II, NARODA	(079) 22810029	M- 982505592
7	Mr V.M.Bhatt M.D.	Technical Expert - 7	Gujarat Krushi Rasayan Private Ltd, B-12 GIDC Industrial Estate, Phase-I, NARODA	(079) 22810011	079 26632848

AHMEDABAD DISTRICT CRISIS GROUP
B. AMBULANCE SERVICES

Sr. No.	Name	Location	Phone No.	Sr. No.	Name	Location	Phone No.
1.	Smt. SLC Hospital	Saraspur	079-22164061	10.	Civil Hospital	Asarwa	079-22683721
2.	Bapunagar General Hospital	Bapunagar	079-22745770	11.	Jasumatiben Surti Charitable General Hospital	Satellite Road	079-26742414
3.	Rajasthan Hospital	Maninagar	079-22866311	12.	Sola Hospital	Sola	079-27474355
4.	Jivraj Mehta Hospital	Vasna Terminal	079-26639839	13.	Community Health Centre	Sarkhej	079-26633126
5.	Sardar Patel General Charitable Hospital	Maninagar	079-22743935	14.	Community Health Centre	Sanand	02717-222290
6.	Gujarat Burns Hospital	Nava Vadaj	079-27556665	15.	Sanand Hospital	Sanand	02717-2212139
7.	J. J. Vora General Hospital	Income Tax, Ashram Road	079-2754333	16.	Community Health Centre	Viramgam	02715-233225
8.	Mansarovar Hospital	Ashram Road	079-27557022	17.	Community Health Centre	Dholka	02714-2421703
9.	Vadilal Sarabhai Hospital	Paldi	079-26577621				

C. MAJOR BLOOD BANKS

Sr. No.	Name	Location	Phone No.	Sr. No.	Name	Location	Phone No.
1	Adarsh Pathology Laboratory & Voluntary Blood Bank	Nikol Tolnaka, Bapunagar	2749146, 2744416 (R)	23	Indian Red Cross Society	Himavan, Paldi	6570687, 6579531
2	AEC Blood Bank	Shahpur	5502843	24	Indian Red Thalashamia Centre	Shefali Centre, Paldi	6578172
3	AEC Blood Bank (Amarawadi)	Amarawadi	2162089	25	Jivraj Mehta Hospital	Vasna	6639839, 6639840
4	AEC Blood Bank (Behrampur)	Behrampur	5352744	26	L G Hospital	Kankaria, Maninagar	5471380-84
5	AEC Blood Bank (Naranpura)	Naranpura	7491567	27	M P Shah Cancer Hospital	Asarwa	2681451, 2681454 to 58
6	AEC Blood Bank (Naroda)	Naroda Road	2162201	28	Mamta Pathology Lab	Maninagar	2770327
7	AEC Blood Bank (Odhav)	Odhav	2870965	29	Max Enterprise (Mr. Tejas Shah)	Ashram Road	7542021, 7543100
8	AEC Blood Bank (Vasna)	Vasna	6608168	30	Nagri Eye Hospital	Ellisbridge	6466724, 6460176
9	AEC Blood Bank (Vatva GIDC)	Vatva GIDC	5831280	31	New Vishal Lab (White Cross)	Saijpur Bhoga	2815227
10	Amees Pathology Laboratory & Blood Bank	Sabarmati	7503545, 7506535 (R)	32	Pra'hama Blood Centre	Vasna	6600101
11	Arjun Blood Bank & Pathology	Satellite Road	6401253	33	Rajasthan Hospital (Chatrabhuj Hospital)	Shahibaug	2866311, 2866312
12	Bapunagar General Hospital	Bapunagar	2743935	34	Red Cross Blood Bank	Paldi	6642833
13	Civil Hospital, (Asarwa)	Asarwa	2683721, 2683722	35	Red Cross Int Eye Bank	Paldi	6643855, 7450633
14	Crossworld Blood Bank & Pathology Laboratory	Asarwa	2861333	36	Sadvichar Parivar (Ashram Road)	Ashram Road	6885260, 6585290, 7556196
15	Green Cross Vol Blood Bank	Pardi Cross Roads, Paldi	6577588, 6578824	37	Sadvichar Parivar (Civil Road)	Civil Hospital Campus	2680450
16	Green Cross Vol Blood Bank	Opp. LG Hospital, Maninagar	5463028, 5461864	38	Sadvichar Parivar (Dariapur)	Dariapur	2122688
17	Green Cross Blood Bank	Stadium Road, Navarangpura	6408820, 6468821	39	Sankalp Diagnostics & Cross World blood Bank (Dr. Sanjeev Mehta)	Stadium Road, Navarangpura	6558004, 6401959
18	Gujarat Blood Bank	Maninagar	5341195, 5461641	40	Shardaben General Hospital	Saraspur	2164261, 2164263-68
19	Gujarat Blood Bank (Civil)	Meghaninagar	2863189	41	Shree Gujarat Pathology Laboratory	Nr. Sarkhej Police Station	6820381
20	Gujarat Blood Bank (Naranpura)	Naranpura	7453728, 7431465	42	V. S. Hospital	Ellisbridge	6577621, 6577622
21	Gujarat Blood Bank (Paldi)	Pardi Cross Roads, Paldi	6586480, 6584893	43	Young Blood Social Club	Bapunagar	2762778
22	Gujarat Cancer Hospital & Research Civil Hospital Compound	Asarwa	2681451, 2681454-58	44			

**MEDICAL & HEALTH, AMBULANCE, BLOOD BANK , MEDICAL
SHOPS (24 HOURS)**

A. MAJOR HOSPITALS

Sr. No.	Name	Location	STD Code	Phone No.	Beds	Burn Ward	Chemical Poisoning Treatment Facility	Ambulance
A.	ODHAV							
1.	Smt. SLC Hospital	Saraspur	079	22164061	480	Yes	Yes	4
2.	Bapunagar General Hospital	Bapunagar	079	22745770	600	Yes	Yes	7
B.	VATVA-NAROL							
3.	LG Hospital	Maninagar	079	25461380	430	Yes	Yes	0
4.	Rajasthan Hospital	Maninagar	079	22866311	203	Yes	Yes	3
5.	Jivraj Mehta Hospital	Vasna Terminal	079	26639839	127	No	Yes	2
6.	Sardar Patel General Charitable Hospital	Maninagar	079	22743935	600	Yes	Yes	3
C.	SABARMATI							
7.	Gujarat Burns Hospital	Nava Vadaj	079	27556665	32	Yes	No	1
8.	J. J. Vora General Hospital	Income Tax, Ashram Road	079	2754333	48	No	No	2
9.	Mansarovar Hospital	Ashram Road	079	27557022	22	No	No	1
10.	Vadilal Sarabhai Hospital	Paldi	079	26577621	945	Yes	Yes	3
D.	NARODA							
11.	Vikas Hospital	Naroda	079	22823828	16	No	Yes	0
12.	Civil Hospital	Asarwa	079	22683721	1600	Yes	Yes	3
E.	OTHERS							
13.	Jasumatiben Surti Charitable General Hospital	Satellite Road	079	26742414	60	No	No	1
14.	Civil, Sola Hospital	Sola	079	27664359, 27664355	56	Yes	Yes	3
15.	Community Health Centre	Sarkhej	079	26633126	30	No	Yes	1
16.	Gurukrupa Hospital	Sarkhej-Dholka High way	079	28820559	20	Yes	Yes	0
17.	Community Health Centre	Sanand	02717	222290	22	No	No	2
18.	Sanand Hospital	Sanand	02717	2212139	32	No	Yes	1
19.	Community Health Centre	Viramgam	02715	233225	50	No	Yes	1
E.	OTHERS							
20.	Community Health Centre	Dholka	02714	2421703	30	N	N	1

FIRE STATIONS DETAILS-
AHMEDABAD MUNICIPAL CORPORATION

Sr. No.	Name	STD Code	Phone	Man power	Number of Fire Tenders	Ambulance	Fire Suits	SCBA
A.	ODHAV							
1.	Odhav	079	22875434	40	1	1	1	3
B.	VATVA-NAROL							
2.	Maninagar	079	25470221	37	1	1	1	3
3.	Jamalpur	079	25397959	44	2	1	1	4
C.	SABARMATI							
4.	Sabarmati	079	27507302	38	1	1	1	3
D.	NARODA							
5.	Naroda	079	22167715	41	1	1	1	3
6.	Shahpur	079	25621969	40	2	1	1	4
E.	OTHERS							
7.	Danipith	079	22148465-67	56	2	4	1	5
8.	Gomtipur	079	22161896	35				
9.	Memnagar	079	27417203	45				
10.	Panchkuva	079	22120388	38	2	1	1	4

ZL;M; .gJg8ZL

IJUT		;bIF
!	:50; CF.0M,LS V#5Z80	!#
Z	:50; A8ZL V#5Z80	)
#	VZ ,l08LU Au; sl00Zg8 S5; l8Lf8<;	Z5
\$	HS JLY OF. J 8G ,l08	!#_
5	VFIG XM0 ,LJ;v!_08 ,Af.	v
&	: ,H CDZ	\$#
*	CJL VS;	!Z
(	8 Cg00 SM; S8 ;M	v
)	R. G 8S ,	5
!_	;LU , XLJ :GR a ,MS	v
!!	:DMS a ,MVZ Vg0 VShM:8Z	(
!Z	;8 VM0 ZM5 8S , s# XLJvZ XLJf	v
!#	u ,Mh v ZAZ sZ54____ JM<8 ;WL 8:8 SZ ,Ff	Z_
!\$	:8RZ JLY CFZG; s;8f	!_4 #
!5	:SO#<0 5M<; OMZ XLIZ ,u;	v
!&	H5LU SXg;	v
!*	Z:SI Zd;	(
!(	u ,F; ZLDJZ s5R DfSf	!_
!)	V0h:8A , ZgRL;	
Z_	: ,M80 :S OF. J;	v

Z!	8%; (4X4 mts)	v
ZZ	a ,gS8	v
Z#	,l08LU 8S ,v# 8G	v
Z\$	R .g ;v& 08 s# 8G ,l08f	v
Z5	V:A ;8M ; a ,gS8	Ag0 VF .8D
Z&	;MSLU SL8	v

Z*	.g0 ,8A , ,F .8 8FJZ	&
Z(	,F .8 DF:S	&
Z)	;R ,F .8	&
#_	. ,S8LS HGZ8Z	!*
#!	VZLI , ,0Z 8S	!
#z	A ,0Mh ; jCL<0qR .G	#5
##	0d5Z	Z(
#\$	VY DJ ;	_*
#5	S .g ;vCJL 0I8L 0MS 8F .5	_#
#&	8L5ZvCJL 0I8L	!&
#*	ZLSJZL JFq ; v ALD 8F .5	v
#(	:G M AL8 ; jCL<0	v
#)	X M W VG ARFJ 8LDvSM , % ; :8SRZ DF8	!\$
\$_	;R Vg0 Z:S I 8LD JLY SGF>G	v
\$!	Z ;S I AS A M 0 ;	!_
\$Z	OF I JLU :I 8 OF I	!_
\$#	SDLS , :I 8	Z\$
\$	V0Z J M 8Z ALPVP ; 8	Z_

\$5	ALPVP ; 8 5hl8LJ 5XZ	!&&
\$&	, F. O A M I F	#*5
\$*	, F. O HS8	#*5
\$(	AF:S8 :8RZ	#
\$)	gID8LS ZM5 , MGRZ	Z

5_	.gO , 8A , AM8 s& jIISTf	!_
5!	OFIAZ AM8 s!_ jIISTf	(
5Z	DI8Z AM8	*
5#	DI8Z , MGR	v
5\$	Sg8L AM8	v
55	OF. J ; 8LD	!__ jIIST
5&	; R VgO Z ; SI 8Ld ; OMZ O , O	
5*	CYMOF	\$#
5(	BF , L OD s% , F:8LS , MBOf	v
5)	BF , L I ; Dg8 AU	v
&_	, OZ sIG ; Z6Lfs!_P5 DL8Zf	\$Z
&!	, UZ	v
&Z	Ol vJ M8ZLU 55 sZ\$____ , LP 5IT DLGL8f	*
&#	C<D8	\$5_

&\$	: I8vOFIZ Vg8L	v
&5	: I8vOFIZ 5M1FLDL8L	v
&&	: I8vOFIZ V5MR	v
&*	: I8vOFIZ VGPALP; LP	v
&(	S, MYLUvSDLS, 5M8S8LJ sVPALP; LPf	v
&)	ALYLU V5F8; v; <0 Sg8. g0	!&Z
*_	ALYLU V5F8; vSMd5; Z	_&
*!	5d5vCF. 5; Z4 5M8A,	v
*Z	5d5v0, M8LU	v

OFIZ Z;SI

*#	VPALP ; LP 8F . 5	v
*\$	CO2 8F . 5	&
*5	OMD 8F . 5	!Z
*&	OLP ; LP5LP 8F . 5	!Z
**	C , Mq ; 8F . 5	Ag0
* (	OFIZ 8g0Z	Z\$
*)	OMD 8g0Z	(
(_	Z ; SI 8g0Z	)
(!	S8M , JFG	!
(Z	CF . OM , S % , 8OMD	!
(#	8G 8A , , 0Z	v
(\$	OLP ; LP5LP 8g0Z	v
(5	ChD8 JFG	v
(&	ALPVP JFG	!

(*	OFIZ OF . 8LU OMD	5 _____ . LP
((	OFI SDLS , 5FJ0Z	v
()	C . Mq	Aa0
) _	VM . , . g : 8M , XGvOFIZ OF . 8LU 8LD	v
) !	5M8 ; vOFIZ OF . 8LU 8LD	v
) Z	VJLVXGvOFIZ OFI 8LU 8LD	v
) #	DF . g ; vOFIZ OF . 8LU 8LD	v
) \$	YD , 5FJZ % , Fg8vOFIZ OF . 8LU 8LD	v

)5	VZ ;d5 ,ZvA8ZL V#5Z80	v
)&	VGPALP ;LP 0 . ; DF:S	v
)*	A#0L Au ; v q lD8LS AU	!
)(	;LP0LP SL8 0qHZ D . S	v
))	D#GL8Zv0#Z SDLS , VHq8	v
!	S5LU SL8v0#Z S , #ZLG , LS	v
! !	Sq8 . GZ V#O V#VOPVOPVOP	v
! Z	Sq8 . G ; V#O ; #OF VX Vq0 CF . 0#S ; F . 0	v
! #	D#GL8Zv0#Z Sq8DLGXG	v
! \$	0LSq8DLGXG ULVZ	v
! 5	0FI ZS8 ZL0LU 0L ; LDl8Z	v
! &	0L:8 ; ; LuG , lIG8	v
! *	. DZHq ; L ZL:5#q ; UF . 0 AS	v
! _ (	0:8 V . 0 SL8 Vh 5Z VDPVOPVFZP	v
! _)	0:8 V . 0 SL8 VGPALP ; LP 8F . 5vV	v
!! _	0:8 V . 0 SL8 VGPALP ; LP 8F . 5vAL	v
!!!	0 , D VF . G#hLXG 0L8S8Z	v
!!Z	HlPVDP ; J DL8Z	v
!!#	CF . J L ; LAL , l8L J :8	&
!!\$	, LS ; L , LU 0LJF . ;	\$
!!5	, LS 8:8Z 0#Z ALPVP ; 8	v
!!&	LEL DL8Z	v
!!*	DLGL Z0 DL8Z	v
!!(	D<8L U ; 0L8S8Z	#
!!)	G#G :5FSLU A ; 4 AD ; 4 X#<J ;	v
!Z _	G#G :5FSLU 8 ,	Z
!Z!	5LPVRP DL8Z	v
!ZZ	5LPVRPDL8Z	v
!Z#	5F . 5 :SJlhZ	v
!Z\$	%, F:8LS 0D ; s V#JZ ; F>h AZ , f	!
!Z5	0L8S8Z SL8 v 0#Z 5# . hg . G J#8Z	v
!Z&	5#8A , VF<OF D#GL8Z	v

!Z*	5 8A , 0LSg8 . DLGXG V5Z8 ;	v
!Z(	;08L , F . G JLY SDLS , ZhL:8g8	v
!Z)	;08L 8R	v
!#	8F , L 8S8Z	v
!#!	8LPV , POLP	v
!#Z	8FOLS S g ;	v
!##	V<8F JFV , 8 O 8 VF . V GLhXG 0L8S8Z	v

ZFQ8LI VG ZFHI S1FFGF Sg8M, ~D

SD	IJEfU	0M G GP	OS; GP
!	UC D+F, I4 EFZT ;ZSFZ	_!!vZ#_)Z)Z#	_!!vZ#_)#*5_
Z	GXG, I0hF:8Z DGHDg8 VmYmZL8L	_!!vZ&*_*! *Z(	_!!vZ&*_*! *Z)
#	IMDs;L:DM, MÖS, f	_!!vZ\$&!))\$#	_!!vZ\$&!))\$#
\$	IMDsD8M, MÖS, f4 VDNFJFN	ZZ(&5_!Z	ZZ(&5\$)\$)
5	:88 .DZHg;L Vm5ZXG ;g8Z4 UFWLGUIZ	Z#Z5!)__	Z#Z5!)!&q!Z
&	0,0 Sg8M, ; ,4 I; RF.	Z#Z\$(*#5	Z#Z\$_55#
*	0,0 Sg8M, ; ,4 DFU VG DSFG	Z#Z5!5!_	Z#Z5*&(!
(	Sg8M, ~D4 VFZMu I	Z#Z5###\$	Z#Z5###&
)	5M, L; Sg8M, ~D4 UFWLGUIZ	Z#Z5\$#\$#	Z#Z\$&#Z)
!_	Sg8M, ~D4 UC IJEfU4 UFWLGUIZ	Z#Z5Z)5*	Z#Z5Z_*5
!!	UHZFT DZL8F. D AM04 UFWLGUIZ	Z#ZZ\$*5(	Z#Z#&\$))
!Z	ÖP. PALP J0MmZF	_Z&5vZ##_!*	Z##*)!(
!#	GSRTC4 VDNFJFN	Z5\$5\$_#Z	Z5\$&##)&
!\$	.lg0IG ;L:DM, MÖS, IZ; R4 UFWLGUIZ	&&*#)__	&&*#)_Z(
!5	Sg8M, ~D4 UP5FP5PVG UPjIPAM04UFWLGUIZ	Z#ZZ_(5)	Z#ZZ5)*)
!&	ÖP5LP ;LPALP4 UFWLGUIZ	Z#Z#Z!5Z	Z#ZZZ*(\$
!*	Sg8M, ~D4 OLXLZLh	Z#Z5#*#_	Z#Z5#*\$_
!(	Dn:Y Sg8M, ~D4 VPdIPSmP	Z5#5#(5(	Z5#5_)Z&

Z:SI VHg;LVIGF ;5S GAZM

VFDL Sd5			
SD	CMiM	OMG GP	OS; GP
!	VFDL VS; RgH	ZZ(5&Z5!	ZZ(5&Z5!
Z	GSO – II (Ops.)	ZZ(5&Z5!sVS;PZ\$! !f	ZZ(&!)_Z
VFZPVPVOP			
!	SDFg0g8	_*)vZZ()#)Z!	
Z	Sg8M, ~D	_*)vZZ()#)Z!	
VZ OM;			
!	Sg8M, ~D4 UFWL GUZ	Z#Z\$Z&__	Z#Z\$__5\$
Z	JLU SDFg0Z4 UFWL GUZ	Z#Z\$__5\$	
VGPOLPVFZPVPVOP			
!	SDFg0g8	Z#Z_Z5\$__	Z#Z_Z5\$__
Z	Sg8M, ~D	Z#Z_!55!	Z#Z_Z5\$__

VZ5M8 VMYMIZ8L VMO .lg0IF

SD	CMiM	OMG GP	OS; GP
!	OFI ZS8Z, S.V.P.I. VZ5M84 VDNFJFN	ZZ(&)Z! !	ZZ(&!
Z	DGHZ4 S.V.P.I. VZ5M84 VDNFJFN	ZZ(&)Z&&	ZZ(&!
Z, J VDNFJFN			
!	IOJLPZ, J DGHZ	ZZZ_\$5((	ZZZ_\$5()
Z	ADRM	ZZZ_\$5)_	ZZZ_\$5()